



1. ACCOUNT INFORMATION

P.O. # or Quote:	_____		
Dealer Contact Name:	_____		
Email Address:	_____		
Phone Number:	_____	Fax Number:	_____
Bill to (Name):	_____		
Bill to (Location):	_____		
Ship to (Name):	_____		
Address:	_____		
City:	_____		
Province:	_____	Postal Code:	_____
User Name or Number:	_____		
User Weight:	_____		
User Height:	_____		
Seat Cushion Thickness:	_____		
Knee to Heel Length: Left:	_____	Right:	_____



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors **or omissions** on the order form

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

***IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

2. STANDARD OPTIONS

Alltrack R3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 300 lb

3. ALLTRACK R3 POWER WHEELCHAIR

ATR3	ALLTRACK R3 Power Wheelchair	\$8,020
-------------	------------------------------	---------

3.5 OWNER'S MANUAL

SOOMATENG	English / Anglais	N/C	SOOMATFR	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

4. USER WEIGHT PACKAGES

WCA25	250 lb Maximum user weight capacity	STD	WCA3	300 lb Maximum user weight capacity	STD
--------------	-------------------------------------	-----	-------------	-------------------------------------	-----

5. STANDARD COLORS

SCROBM	Onyx Black Matte	N/C	SCRCAB	Cabernet	N/C
SCRCTB	Cobalt Blue	N/C	SCRBGM	Bubble Gum Metallic	N/C
SCRIOB	Indigo Blue	N/C	SCRHAB	Habanero Metallic	N/C
SCRCRE	Candy Red	N/C	SCR LIM	SubLime	N/C



5.5 WHEEL INSERT COLORS

SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			
▲ <i>Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)</i>					
▲ <i>Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)</i>					
▲ <i>Wheel inserts are not available in Onyx Black Matte</i>					

7. TRANSPORT OPTION

TTD4	4-Point wheelchair transport brackets			STD
▲ <i>4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.</i>				
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package (includes an approved pelvic safety belt)		CLIENT COST	\$595
▲ <i>To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWElaFLN1XO3ZcTc6DI_kaE/edit#gid=1917752765</i>				
▲ <i>Other restrictions may apply, please contact CSR for details.</i>				
▲ <i>This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair</i>				

8. MOTOR PACKAGE

MP65B	6.5 MPH 4-Pole Motor Package / with Brake Release			STD
MP65-OPT	6.5 MPH 4-Pole Motor MP65-OPT Package / with COG Release		CLIENT COST	\$395
MP85	8.5 MPH 4-Pole High Speed Motor Package / with COG Release		CLIENT COST	\$395
▲ <i>Maximum user weight for this option is 250 lb and requires the R-net 120 Amp Expandable Controller (ECR120).</i>				

10. BATTERY CHARGER

BCOB	8A Offboard Battery Charger			N/C
-------------	-----------------------------	--	--	-----

11. BATTERY TRAY AND BASE WIDTH

FS22B	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")			STD
▲ <i>The 23 3/8" compact base is not compatible with most of the Center Mount Front Rigging Options due to Mechanical conflicts</i>				
▲ <i>The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts</i>				
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")			N/C
▲ <i>The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts.</i>				
▶ PLEASE SELECT ONE OPTION FOR FRONT CASTER ARMS: Flared out (STD) Straight (Optional)				

12. BATTERIES - REQUIRES A SELECTION

BAT22NFGE	GEL Battery – Group 22NF – 50 Amps (Each)		AADL CONTRACT	RFQ
BAT24GEL	GEL Battery – Group 24 – 70 Amps (Each)		AADL CONTRACT	RFQ
BATO	Omission of the batteries		N/C	

14. DRIVE WHEEL

DW14PT	14" Cast Wheel Pneumatic Tires			STD
DW14PI	14" Cast Wheel Pneumatic with Foam Filled Tires			N/C
DW144PT	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires		CLIENT COST	\$200



14. DRIVE WHEEL (CONTINUED)

DW144PI	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	CLIENT COST	\$595
	▲ <i>Increases the overall width of the base by 2 3/4"</i>		
DW12PT	12 1/2" Cast Wheel Pneumatic Tires		N/C
DW12PI	12 1/2" Cast Wheel Pneumatic with Foam Filled Tires		N/C
	▲ <i>12 1/2" Drive wheels lower ground clearance and speed, but increase motor torque.</i>		

15. FRONT CASTERS

FC8PTR	8" Pneumatic Casters	STD
FC8PIR	8" Pneumatic Casters with Foam Filled Tires	N/C
FC9PT	9" Pneumatic Casters	\$150
FC9PI	9" Pneumatic Casters with Foam Filled Tires	\$175
	▲ <i>The 9" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)</i>	
	▲ <i>The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53.</i>	

16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± 1/4")

▶ **YELLOW BOXES REPRESENT OPTIONS THAT CAN ONLY BE SELECTED WITH 12 1/2" DRIVE WHEELS (SECTION 14)**

SEAT TO FLOOR HEIGHT TABLE	NO POWER OPTIONS		
	0°	3°	6°
STFH1550 (15.50" STFH)			
STFH1650 (16.50" STFH)			
STFH1750 (17.50" STFH)			
STFH1850 (18.50" STFH)			
STFH1950 (19.50" STFH)			

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲ <i>Required at: _____" (± 1/4" Range)</i>	

18. PRE-SET SEAT FRAME ANGLE

SFE-0	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
SFE-3	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
SFE-6	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

ECEL90	R-net EL 90 Amp Expandable Controller	\$175
ECR120	R-net PM 120 Amp Expandable Controller	\$275

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ **SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120**

ECO	Omit Joystick – (For use with an Omni 2 Display)	N/C
ECELJ	R-net - (LED) – Joystick	STD
	▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>	



22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120			
ECO	Omit Joystick – (For use with an Omni 2 Display)		N/C
ECELJ	R-net - (LED) – Joystick		STD
	▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
ECRJC	R-net Joystick with Color screen		\$155
▶ JOYSTICKS WITH LIGHTING OPERATION			
ECELJL	R-net – (LED) – Joystick with Lighting Operation	CLIENT COST	\$125
	▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
ECRJCL	R-net Joystick with Color screen and Lighting Operation		\$180
▶ ADVANCED JOYSTICK			
ECRJC35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	CLIENT COST	\$1,105

23. JOYSTICK MOUNT

JSMF	Fixed Joystick Mount		N/C
JMSA	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis		\$235
Select:	Set-up with standard installation to swing-away sideways	Set-up at 35° to swing-away sideways and downwards	
Select:	Mechanical Lock (STD)	Magnetic Lock	
JSMCM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount		\$275

24. JOYSTICK MOUNT SUPPORT

JSMFH	Joystick mount support Bracket		STD
--------------	--------------------------------	--	-----

25. JOYSTICK HAND MOUNT

HML	Install Joystick on Left hand side	HMR	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

26. JOYSTICK HANDLE

JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length	\$130
JBH	Ball Handle	\$85	JFBH	Foam Ball Handle	\$70
JTH	T-Handle	\$155	JMUSH	Bodypoint Mushroom Handle	\$210
JGP	Bodypoint 4" U-shaped Handle	\$210			

33. AMYSEAT REHAB SEAT

SAABA	Amyseat Rehab Seat – (Seat Frame only)		\$880
--------------	--	--	-------

37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

SOBAA	Select one:	86°	90°	94°	98°	102°	106°	110°	N/C
--------------	-------------	-----	-----	-----	-----	------	------	------	-----

38. STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

SOWN15-20-19	Width adjustment from 15" to 20" with a maximum Depth of 19"		N/C
SOWN15-20-22	Width adjustment from 15" to 20" with a maximum Depth of 22"		N/C
	▲ <i>The minimum seat depth with this seat option is 18" Deep</i>		
15" (SOWN15)	16" (SOWN16)	17" (SOWN17)	18" (SOWN18)
	19" (SOWN19S)	20" (SOWN20S)	



39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

SOWN19-24-22	Width adjustment from 19" to 24" and Depth range of 18" to 22"					N/C
	▲ <i>The minimum seat depth with this seat option is 18" Deep</i>					
19" (SOWN19L)	20" (SOWN20L)	21" (SOWN21)	22" (SOWN22)	23" (SOWN23)	24" (SOWN24)	

40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)	19" (SODN19)	20" (SODN20)	N/C
21" (SODN21)	22" (SODN22)	◀ With a 22" long Seat Pan SOWN15-20-22 and SOWN19-24-22, the minimum possible seat depth is 18"				N/C

41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)

▼ <i>22" is the minimum back height required with a power recline.</i>					
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)

42. BACK SUPPORT

DSTR-WWHH	Adjustable Tension Back Upholstery, WW x HH	N/C
	▲ <i>Only available with Dual Post armrests (SOADP)</i>	
STDSB-WWHH	Contour back support up to 21" wide, with a maximum shell height of 22".	SEATING BENEFIT \$605
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
STDSB-WWHH	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23"	SEATING BENEFIT \$755
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
STDSB-WWHH	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	SEATING BENEFIT \$1,075
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
▶ MATRX BACKS		
E2S-WWHH	MATRX ELITE E2S BACK (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	SEATING BENEFIT \$995
	▲ <i>Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 300 lb</i>	
E2D-WWHH	MATRX DEEP CONTOUR ELITE E2D BACK (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	SEATING BENEFIT \$1,155
	▲ <i>Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
PBE-WWHH-TR	MATRX ELITE TR BACK (15" to 20" Wide - Back height of 14", 16", 18" and 20")	SEATING BENEFIT \$910
	▲ <i>Back shell height is available in 14", 16" 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 300 lb</i>	
PBE-WWHH-HD	MATRX HEAVY DUTY ELITE BACK (21" to 24" Wide - Back height of 16" and 20")	SEATING BENEFIT \$1,150
	▲ <i>Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 500 lb</i>	
EDB-WWHH-HD	MATRX ELITE DEEP HD BACK (21" to 24" Wide - Back height of 16", 18" and 20")	SEATING BENEFIT \$1,195
	▲ <i>Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
	▲ <i>Weight capacity up to 500 lb</i>	



42. BACK SUPPORT (CONTINUED)

▶ **NXT BACKS**

NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide)	SEATING BENEFIT	\$690
	▲ Weight capacity up to 300 lb		
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide)	SEATING BENEFIT	\$720
	▲ Weight capacity up to 550 lb		
	▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK (15" to 21" Wide)	SEATING BENEFIT	\$790
	▲ Weight capacity up to 300 lb		
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK (22" to 28" Wide)	SEATING BENEFIT	\$820
	▲ Weight capacity up to 550 lb		
	▲ This product is not compatible with Lateral Trunk Supports		
	▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▶ OMISSION OF THE BACK SUPPORT			
STDSBO	Omission of the Contour Back Support ◀ Specify: _____		N/C

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

							▼ 22" is the minimum back height required with a power recline.
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	28" (SOBH28)	
							This height is not available with the NXT Optima AC and PC options ▲

44. SEAT CUSHIONS (SEATING BENEFIT)

▶ **FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.**

▶ **PERFORMA CG AIR - THERAPEUTIC AIR CUSHION**

Custom Cushion (Please use the Performa CG Air order form)

Cell Height (Choose 1): 2" 3" 4"

▶ **SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING**

▶ **PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER**

PCGA1VSCxxxx-x	14" to 20" (355 mm to 510 mm) wide	SEATING BENEFIT	\$812
PCGA1VSCxxxx-x	22" + (560 mm +) wide	SEATING BENEFIT	\$914

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

▶ **PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER**

PCGA1V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide	SEATING BENEFIT	\$857
PCGA1V3Dxxxx-x	22" + (560 mm +) wide	SEATING BENEFIT	\$963

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

▶ **PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER**

PCGA1VICxxxx-x	14" to 20" (355 mm to 510 mm) wide	SEATING BENEFIT	\$915
PCGA1VICxxxx-x	22" + (560 mm +) wide	SEATING BENEFIT	\$969

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

▶ **DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING**

▶ **PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER**

PCGA2VSCxxxx-x	14" to 20" (355 mm to 510 mm) wide	SEATING BENEFIT	\$812
PCGA2VSCxxxx-x	22" + (560 mm +) wide	SEATING BENEFIT	\$914

▲ **Cushion sizes only come in even numbers for width and depth measurements.**



44. SEAT CUSHIONS (CONTINUED) (SEATING BENEFIT)

▶ PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER					
PCGA2V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide			SEATING BENEFIT	\$857
PCGA2V3Dxxxx-x	22" + (560 mm +) wide			SEATING BENEFIT	\$963
	▲ Cushion sizes only come in even numbers for width and depth measurements.				
▶ PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER					
PCGA2VICxxxx-x	14" to 20" (355 mm to 510 mm) wide			SEATING BENEFIT	\$915
PCGA2VICxxxx-x	22" + (560 mm +) wide			SEATING BENEFIT	\$969
	▲ Cushion sizes only come in even numbers for width and depth measurements.				
▶ DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)					
PCGA-2VLR	Dual Valves with Left / Right Location			SEATING BENEFIT	N/C
PCGA-2VF6	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front			SEATING BENEFIT	N/C
PCGA-2VF8	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front			SEATING BENEFIT	N/C
PCGA-2VF10	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front			SEATING BENEFIT	N/C
▶ PERFORMA CG AIR OPTIONS					
PCGA-GZ	GripZone Anti-Slip Technology			SEATING BENEFIT	\$86
PCGA-TT-WW	Transfer Trellis			SEATING BENEFIT	\$100
PCGA-AC	Anatomic Contour Seat Insert			SEATING BENEFIT	\$100
	▲ Only available with 2" and 3" cell heights				
PCGA-SP	Seat Pouch			SEATING BENEFIT	\$55
▶ CONTOUR SEAT CUSHION					
SCPSC-wwdd	Contour Seat Cushion up to 19" Wide			SEATING BENEFIT	\$620
SCPSC-wwdd	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide			SEATING BENEFIT	\$735
▶ MATRX CUSHION					
PSP-WWDD	MATRX PSP Seat Cushion – (11" to 20" Wide)			SEATING BENEFIT	\$645
	▲ The maximum user weight capacity is 300 lb				
	▲ Cushion sizes only come in even numbers for width and depth measurements.				
PSP-WWDD	MATRX PSP Seat Cushion – (22" to 26" Wide)			SEATING BENEFIT	\$995
	▲ The maximum user weight capacity is 550 lb				
	▲ Cushion sizes only come in even numbers for width and depth measurements.				

45. CANTILEVER – HEIGHT ADJUSTABLE ARMRESTS – OPENS WITH A 5° ANGLE (CHOOSE 2)

SOAFBDLH	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments)			STD Length 12"	N/C
SOAFBDRH	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments)			STD Length 12"	N/C
SOAFBFLH	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments)			STD Length 16"	STD
SOAFBFRH	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments)			STD Length 16"	STD
CUST-112250	Custom Armrest Length – Select Length for the Left side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C
CUST-112250	Custom Armrest Length – Select Length for the Right side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C
CUST-SOAFB	Select this code when using Cantilever armrests with Reclining backs				N/C
	▲ The maximum user weight capacity is 300 lb				



46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

SOADPDLH	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 ¼” to 15 ¼” with ½” increments)	\$168
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 ¼” to 15 ¼” with ½” increments)	\$168
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼” to 15 ¼” with ½” increments)	\$168
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼” to 15 ¼” with ½” increments)	\$168

47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)

SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2” to 14” with 1/2” increments)	STD Length 12”	N/C		
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2” to 14” with 1/2” increments)	STD Length 12”	N/C		
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2” to 14” with 1/2” increments)	STD Length 16”	N/C		
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2” to 14” with 1/2” increments)	STD Length 16”	N/C		
CUST-48247	Custom Armrest Length – Select Length for the Left side:	Custom Length 18”	Custom Length 20”	Custom Length 22”	N/C
CUST-48247	Custom Armrest Length – Select Length for the Right side:	Custom Length 18”	Custom Length 20”	Custom Length 22”	N/C

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

- ▶ Set the Armrest Height at: _____ “
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- ▲ Not required for Dual Post.

49. ARMPADS

▶ **FOAM TYPE SELECTION**

SOWAPD	Desk Length Waterfall – (8 ½” x 2 ¾”)	Select side:	Left Hand Side	Right Hand Side	STD
	▲ <i>May interfere with flipping back the armrests when using RECLINING armrests (SOANIxxx) and/or combined with Lateral Trunk supports.</i>				
SOWAPF	Full Length Waterfall – (13” x 2 ¾”)	Select side:	Left Hand Side	Right Hand Side	STD
	▲ <i>May interfere with flipping back the armrests when using RECLINING armrests (SOANIxxx) and/or combined with Lateral Trunk supports.</i>				

▶ **HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾” x 2”)	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT	\$40
SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 ½” x 2”)	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT	\$40
SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½” x 2 ¾”)	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT	\$95
	▲ <i>May interfere with flipping back the armrests when using RECLINING armrests (SOANIxxx) and/or combined with Lateral Trunk supports.</i>					
SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13” x 2 ¾”)	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT	\$95
	▲ <i>May interfere with flipping back the armrests when using RECLINING armrests (SOANIxxx) and/or combined with Lateral Trunk supports.</i>					

▶ **SPECIALTY TYPE SELECTION**

SOCAR	Arm Trough with Hand Support (18” x 4 ½”)	Select side:	Left Hand Side	Right Hand Side	\$290
	▲ <i>Arm Trough Armpads may interfere with Armrests Flipping back.</i>				



50. FOOTRESTS

SOSAAF	Signature Swing-Away Footrests										STD
		Set at:	60°				70°				
		Select Range:	SOFLA12 (12 ½" - 17 ½")		SOFLA14 (14 ½" - 19 ½")						
	▲	<i>The 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI) and may interfere with the casters when selecting the straight front caster arm option.</i>									
SOAAF	Signature Heavy Duty Swing-Away Footrests										\$175
		Set at:	60°				70°				
		Select Range:	SOFLHD12 (12 ½" - 17 ½")		SOFLHD14 (14 ½" - 19 ½")						
	▲	<i>The 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI) and may interfere with the casters when selecting the straight front caster arm option.</i>									
ADDML	Signature Manual Elevating & Articulating Legrests - Pair										\$595
		Select Range:	SOFLME12 (12 ½" - 17 ½")		SOFLME14 (14 ½" - 19 ½")						
	▲	<i>Does not include calf pads. Please select calf pads in section 51.</i>									

51. FOOTPLATES & ACCESSORIES

SOSFAF	Flip-up Footplates										STD
SOAFP	Angle Adjustable & Flip-up Footplates – (Each)										\$65
SOAHL	Heel Loops – (Each)										\$20
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)										\$93
SOAMA	Swing-away residual limb Support	Select:	Left leg				Right leg				\$455

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Footrest / Legrest Length	Set at:	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"
		16.5"	17"	17.5"	18"	18.5"	19"	19.5"	

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

53. CENTER MOUNTS

SOAAF90	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)										\$200
		Select Foot Platform Range:	SOFBA12 (12 ½" - 16 ½")		SOFBA16 (16 ½" - 19 ½")						
	▲	<i>When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19"</i>									
	▲	<i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>									
	▲	<i>With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.</i>									
	▲	<i>This option is not compatible with the 9" Caster or the Straight Front Arm option due to mechanical conflicts</i>									

54. FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform										\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)										\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)										\$93

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Fixed Center Mount Foot Platform Length		Set at:									
12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"		
17.5"	18"	18.5"	19"	19.5"							



56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

SOAUTO	55" Seat Positioning Strap	STD
SOBPHP2C	Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$170
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
SOBPCS	Bodypoint padded Chest Strap	\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

57. HEADREST

▼ **SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.**

SONUAHR	Using headrest mounting hardware other than SOMAH located below. ▲ Specify: _____	N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9"	\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"	\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"	\$155
SOMAH	Multi-axis Removable Mounting Hardware	\$220
SOHRBC	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

▼ **SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.**

SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	SEATING BENEFIT	\$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	SEATING BENEFIT	\$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	SEATING BENEFIT	\$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	SEATING BENEFIT	\$220
▲	Waterfall armpads (SOWAPx & SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports		

59. HIP & THIGH SUPPORTS

▼ **SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.**

SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	SEATING BENEFIT	\$130
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	SEATING BENEFIT	\$130
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	SEATING BENEFIT	\$130
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	SEATING BENEFIT	\$136

60. ACCESSORIES

SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$115
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
▲	Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.				
▲	With multiple accessories installed on the same side, a custom upgrade will be required.				

61. REFLECTOR KIT

REFLECT	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----



62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack (Comes with durable straps that can be hooked around the back canes)				CLIENT COST	\$90
SOAP	Armrest Side Pouch (Comes with durable straps that can be hooked around the armrest tubes)	Order:	Left Side	Right Side	CLIENT COST	\$53
▲ <i>If only choosing one (1) armrest pouch, please show what side it should be installed</i>						

70. O² HOLDER

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
▲ <i>Not available with a power recline</i>				
SUPOXYA	Custom Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
▲ <i>Required with a power recline</i>				
	D-Size	Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve		
	E-Size	Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve		

73. NOTES / SPECIAL REQUESTS