



1. ACCOUNT INFORMATION

P.O. # or Quote:	_____		
Dealer Contact Name:	_____		
Email Address:	_____		
Phone Number:	_____	Fax Number:	_____
Bill to (Name):	_____		
Bill to (Location):	_____		
Ship to (Name):	_____		
Address:	_____		
City:	_____		
Province:	_____	Postal Code:	_____
User Name or Number:	_____		
User Weight:	_____		
User Height:	_____		
Seat Cushion Thickness:	_____		
Knee to Heel Length: Left:	_____	Right:	_____



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors **or omissions** on the order form

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

***IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

2. STANDARD OPTIONS

Alltrack M3 Power Base for Ascent Standing Module, 6-wheel independent wheel suspension, an additional vertical suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors, Weight Capacity = 250 lb

3. ALLTRACK M3 POWER WHEELCHAIR COMPATIBLE WITH THE ASCENT POWER STANDING MODULE

ATM3	ALLTRACK M3 Power Wheelchair	\$8,020
-------------	------------------------------	---------

3.5 OWNER'S MANUAL

SOOMATENG	English / Anglais	N/C	SOOMATFR	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

4. USER WEIGHT PACKAGES

WCAS	250 lb Maximum user weight capacity	STD
-------------	-------------------------------------	-----

5. STANDARD COLORS

SCMOBM	Onyx Black Matte	N/C	SCMCAB	Cabernet	N/C
SCMCTB	Cobalt Blue	N/C	SCMBGM	Bubble Gum Metallic	N/C
SCMIOB	Indigo Blue	N/C	SCMHAB	Habanero Metallic	N/C
SCMCRE	Candy Red	N/C	SCMLIM	SubLime	N/C

▼ OPTIONAL COLORS

FCHDD-M	Desert Digital Camo HydroGraphics	\$795
FCHCF-M	Carbon fiber HydroGraphics	\$795
FCHWL-M	Woodland Camo HydroGraphics	\$795



5.5 WHEEL INSERT COLORS

SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			
▲ <i>Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)</i>					
▲ <i>Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)</i>					
▲ <i>Wheel inserts are not available in Onyx Black Matte</i>					

7. TRANSPORT OPTION

TTD4	Tie-down attachment points			STD
	▲ <i>Ascent Power Standing module is not compliant with ISO 7176-19</i>			

8. MOTOR PACKAGE

MP65B	6.5 MPH 4-Pole Motor Package / with Brake Release		STD
▲ <i>Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)</i>			
MP65-OPT	6.5 MPH 4-Pole Motor MP65-OPT Package / with COG Release		\$395

9. ASSISTIVE DRIVING PACKAGE

SMARTT	Smart-Track Assistive Driving Package		\$1,420
▲ <i>Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.</i>			
▲ <i>Requires the R-net PM 120 Amp Expandable Controller (ECR120).</i>			
▲ <i>This option requires the MP65-OPT motor package.</i>			
▲ <i>Recommended for non-proportional Drive Controls</i>			

10. BATTERY CHARGER

BCOB	8A Offboard Battery Charger		N/C
-------------	-----------------------------	--	-----

11. BATTERY TRAY AND BASE WIDTH

FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")		N/C
--------------	--	--	-----

12. BATTERIES - REQUIRES A SELECTION

BAT24GEL	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each)		\$465
BATO	Omission of the batteries		N/C

14. DRIVE WHEEL

DW14PT	14" Cast Wheel Pneumatic Tires		STD
DW14PI	14" Cast Wheel Pneumatic with Foam Filled Tires		N/C
DW144PT	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires		\$200
DW144PI	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires		\$595
	▲ <i>Increases the overall width of the base by 2 3/4"</i>		
DW12PT	12 1/2" Cast Wheel Pneumatic Tires		N/C
DW12PI	12 1/2" Cast Wheel Pneumatic with Foam Filled Tires		N/C
	▲ <i>12 1/2" Drive wheels lower ground clearance and speed, but increase motor torque.</i>		



15. FRONT CASTERS

FC6S	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
FC8PTM	8" Pneumatic Casters	N/C
FC8PIM	8" Pneumatic Casters with Foam Filled Tires	N/C
▲ <i>The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI)</i>		

16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")

▶ OPTIONS WITHOUT A POWER SEAT ELEVATE MODULE

STFH1675	16 ¾" – (Possible Seat angle of 0° only)	
▲ <i>Requires the 12 ½" Drive wheels (DW12PT and DW12PI)</i>		
STFH1775	17 ¾" – (Possible Seat angle of 0° and 3°)	
▶ OPTIONS WITH A POWER SEAT ELEVATE MODULE		
STFH185	18 ½" – (Possible Seat angle of 0° only)	
▲ <i>Requires the 12 ½" Drive wheels (DW12PT and DW12PI)</i>		
STFH195	19 ½" – (Possible Seat angle of 0° only)	

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
▲ <i>Required at: _____" (± ¼" Range)</i>		

18. PRE-SET SEAT FRAME ANGLE

SFE-0	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
--------------	--	-----

19. LIGHTING PACKAGE

EOLP	LED Light Package – (Includes front and rear lights with integrated flashers)	\$1,425
▲ <i>Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECRJ35B or EDIB).</i>		

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLER

ECR120	R-net PM 120 Amp Expandable Controller	\$275
---------------	--	-------

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECR120

ECO	Omit Joystick – (For use with an Omni 2 Display)	N/C
▶ ADVANCED JOYSTICK		
ECRJ35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$1,105

23. JOYSTICK MOUNT

JSMF	Fixed Joystick Mount	N/C
JMSA	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis	\$235
Select:	<i>Set-up with standard installation to swing-away sideways</i>	
	<i>Set-up at 35° to swing-away sideways and downwards</i>	
	▲ <i>Set-up at 35° angle may cause interference with the user's limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.</i>	
JSMCM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount	\$275
▲ <i>This option is not compliant with ISO 7176-19</i>		

MKT.F76 | OF | P24018 | R09



24. JOYSTICK MOUNT SUPPORT

JSMFH	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

25. JOYSTICK HAND MOUNT

HML	Install Joystick on Left hand side	HMR	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

26. JOYSTICK HANDLE

JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length	\$130
JBH	Ball Handle	\$85	JFBH	Foam Ball Handle	\$70
JTH	T-Handle	\$155	JMUSH	Bodypoint Mushroom Handle	\$210
JGP	Bodypoint 4" U-shaped Handle	\$210			

27. ATTENDANT DRIVE CONTROL OPTION

EADC	Attendant Hand Control	\$1,150
-------------	------------------------	---------

28. ATTENDANT JOYSTICK HAND MOUNT

EADCL	Install Attendant Joystick on Rear Left hand side	EADCR	Install Attendant Joystick on Rear Right hand side
--------------	---	--------------	--

29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

EDIB	Omni 2 – (Enhanced Display & Digital Interface Box with Bluetooth and Infrared)	\$1,915
	▲ <i>Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)</i>	
	▲ <i>The Omni 2 display mount must be selected from the option below.</i>	

30. OMNI 2 ENHANCED DISPLAY MOUNT

EDSAM	User Swing Away Mount	N/C
	EDML – (Install Display on LH side)	EDMR – (Install Display on RH side)

31. ENVIRONMENTAL CONTROL MODULE

ECU	Environment control module – (Output Module)	\$995
------------	--	-------

33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

SAPTPRX	Signature CG Power Tilt and 165° Power Recline with Mechanical Shear Reduction (MSR) - Powered by E-Bx and iQ Actuators	\$11,495
	▲ <i>This option includes the Signature Rehab Seat</i>	
ADDP SX	Module – Add ASCENT Power Standing - Powered by E-Bx and iQ Actuators	\$7,995
	▲ <i>Requires the following options : Power Tilt and Recline (SAPTPRX), 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF), Knee Blocks (SOKSSH+SOAKPS), a Hip belt (selection) and a Chest Strap (selection).</i>	
	▲ <i>Allows driving at a reduced speed while standing.</i>	
	▲ <i>The ASCENT Power Standing module is not retrofittable on pre-existing power wheelchairs in the field.</i>	
ADDP ESX	Module – Add ALTA 11" Power Seat Elevation - Powered by e-bx and iQ Actuators	\$2,495

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

▶	MULTIPLE SEAT FUNCTIONS THROUGH R-NET	
MAC	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators	\$2,295
▶	MAC OPTIONS	
MACMEMORY	Memory Seat Program	\$175



35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE (CONTINUED)

▶ SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH				
MACKEYPAD-P	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	\$445
MACKEYPAD-T	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	\$445
MACMULTI	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	\$180
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
MACMULTIT	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	\$135
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
MACPUSH4	4-Way Push Button Switch	User Activation	Attendant Activation	\$225
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
MACPUSH5	5-Way Push Button Switch	User Activation	Attendant Activation	\$240
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			

36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	TSML – (Install Switch on LH side)	TSMR – (Install Switch on RH side)	N/C
----------------------	---	---	-----

38. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 14" AND 22" (355 - 560 MM)

STS14-19-19	Width adjustment from 14" to 19" (355-480 MM) and Depth range of 15" to 19" (380 - 480 MM)					N/C
STS14-19-22	Width adjustment from 14" to 19" (355-480 MM) and Depth range of 18" to 22" (455 - 560 MM)					N/C
	▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>					
STS17-22-19	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 15" to 19" (380 - 480 MM)					N/C
STS17-22-22	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 18" to 22" (455 - 560 MM)					N/C
	▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>					
14" (SOSW14)	15" (SOSW15)	16" (SOSW16)	17" (SOSW17)	18" (SOSW18)	19" (SOSW19)	
20" (SOSW20)	21" (SOSW21)	22" (SOSW22)				

39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20" AND 24" (510 - 610 MM)

STS20-25-22	Width adjustment from 20" to 25" (510-635 MM) and Depth range of 18" to 22" (455 - 560 MM)					N/C
	▲ <i>Seat width of 25" is a custom dimension and require an (RFQ)</i>					
	▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>					
20" (SOSW20)	21" (SOSW21)	22" (SOSW22)	23" (SOSW23)	24" (SOSW24)		

40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22" (380 - 560 MM)

15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)	19" (SODN19)	20" (SODN20)	N/C
21" (SODN21)	22" (SODN22)		▲ <i>18" is the minimum possible seat depth when choosing a 22" long Seat Pan (STS14-19-22, STS17-22-22 and STS20-25-22)</i>			N/C

41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

▶ <i>Not compatible with a power or manual recline</i>					
16" (SOBCH16)	17" (SOBCH17)	18" (SOBCH18)	19" (SOBCH19)		
▼ <i>20" is the minimum back height required with a power or manual recline</i>					
20" (SOBCH20)	21" (SOBCH21)	22" (SOBCH22)	23" (SOBCH23)	24" (SOBCH24)	25" (SOBCH25)
26" (SOBCH26)	27" (SOBCH27)	28" (SOBCH28)			



41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

▼ PUSH HANDLES		
SOPH	Push Handles (pair)	N/C
▼ ENDOMORPH BACK CANES FOR RECLINING BACKS		
STSEND0-R1	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
STSEND0-R2	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C

42. BACK SUPPORT

STDSB-WWHH	Contour back support up to 21" wide, with a maximum shell height of 22".	\$605
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
STDSB-WWHH	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23".	\$755
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
STDSB-WWHH	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	\$1,075
	▲ <i>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
▶ MATRX BACKS		
E2S-WWHH	MATRX ELITE E2S BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	\$995
	▲ <i>Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 300 lb</i>	
E2D-WWHH	MATRX DEEP CONTOUR ELITE E2D BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	\$1,155
	▲ <i>Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
	▲ <i>Weight capacity up to 300 lb</i>	
PBE-WWHH-TR	MATRX ELITE TR BACK – (15" to 20" Wide - Back height of 14", 16", 18" and 20")	\$910
	▲ <i>Back shell height is available in 14", 16" 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 300 lb</i>	
PBE-WWHH-HD	MATRX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20")	\$1,150
	▲ <i>Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>Weight capacity up to 500 lb</i>	
EDB-WWHH-HD	MATRX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20")	\$1,195
	▲ <i>Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
	▲ <i>Weight capacity up to 500 lb</i>	
▶ NXT BACKS		
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide)	\$690
	▲ <i>Weight capacity up to 300 lb</i>	
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide)	\$720
	▲ <i>Weight capacity up to 550 lb</i>	
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide)	\$790
	▲ <i>Weight capacity up to 300 lb</i>	



42. BACK SUPPORT (CONTINUED)

NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide)	\$820
	▲ <i>Weight capacity up to 550 lb</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
▶ OMISSION OF THE BACK SUPPORT		
STDSBO	Omission of the Back Support - (Using an Aftermarket Back)	N/C
	▲ <i>Back support MUST be omitted before selecting aftermarket back hardware</i>	
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>	
CUST-BHW	Aftermarket Back Hardware - Information on the back must be specified:	\$185
	Back Manufacturer: _____	
	Product Name: _____	
	Hardware being used: _____	
	▲ <i>Required information</i>	
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>	
	▲ <i>Hardware will not be provided IF the required information for the aftermarket back support is omitted, but a standard T-Nut kit will be supplied</i>	

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼	<i>20" is the minimum back height required with a reclining back.</i>				
	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	28" (SOBH28)
	<i>This height is not available with the NXT Optima AC and PC options</i> ▲				

44. SEAT CUSHIONS

▶ FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.					
▶ PERFORMA CG AIR - THERAPEUTIC AIR CUSHION					
Custom Cushion (Please use the Performa CG Air order form)					
Cell Height (Choose 1):	2"	3"	4"		
▶ SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING					
▶ PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER					
PCGA1VSCxxxx-x	14" to 20" (355 mm to 510 mm) wide				\$812
PCGA1VSCxxxx-x	22" + (560 mm +) wide				\$914
	▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>				
▶ PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER					
PCGA1V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide				\$857
PCGA1V3Dxxxx-x	22" + (560 mm +) wide				\$963
	▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>				
▶ PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER					
PCGA1VICxxxx-x	14" to 20" (355 mm to 510 mm) wide				\$915
PCGA1VICxxxx-x	22" + (560 mm +) wide				\$969
	▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>				
▶ DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING					
▶ PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER					
PCGA2VSCxxxx-x	14" to 20" (355 mm to 510 mm) wide				\$812
PCGA2VSCxxxx-x	22" + (560 mm +) wide				\$914
	▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>				



44. SEAT CUSHIONS (CONTINUED)

▶ PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER		
PCGA2V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide	\$857
PCGA2V3Dxxxx-x	22" + (560 mm +) wide	\$963
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER		
PCGA2VICxxxx-x	14" to 20" (355 mm to 510 mm) wide	\$915
PCGA2VICxxxx-x	22" + (560 mm +) wide	\$969
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)		
PCGA-2VLR	Dual Valves with Left / Right Location	N/C
PCGA-2VF6	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
PCGA-2VF8	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
PCGA-2VF10	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C
▶ PERFORMA CG AIR OPTIONS		
PCGA-GZ	GripZone Anti-Slip Technology	\$86
PCGA-TT-WW	Transfer Trellis	\$100
PCGA-AC	Anatomic Contour Seat Insert	\$100
▲ <i>Only available with 2" and 3" cell heights</i>		
PCGA-SP	Seat Pouch	\$55
▶ CONTOUR SEAT CUSHION		
SCPSC-WWDD	Contour Seat Cushion up to 19" Wide	\$620
SCPSC-WWDD	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide	\$735
▶ MATRX CUSHION		
PSP-WWHH	MATRX PSP Seat Cushion – (11" to 20" Wide)	\$645
▲ <i>The maximum user weight capacity is 300 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
PSP-WWHH	MATRX PSP Seat Cushion – (22" to 26" Wide)	\$995
▲ <i>The maximum user weight capacity is 550 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ NXT BIO-FIT CUSHION		
NXTBIOFIT-WWHH	NXT BIO FIT Cushion – (15" to 21" Wide)	\$595
▲ <i>The maximum user weight capacity is 300 lb</i>		
NXTBIOFIT-WWHH	NXT BIO FIT Cushion – (22" to 26" Wide)	\$625
▲ <i>The maximum user weight capacity is 400 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		

45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

FOR RECLINING BACKS

▼ <i>Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments</i>		
▼ <i>Choose a Height Range :</i>	<i>Low Range 10.25" to 13.25" (260 - 335 mm)</i>	<i>High Range 14.25" to 16.25" (360 - 415 mm)</i>
▼ <i>Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)</i>		
SOAFBDLH-R	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Left Side	N/C
SOAFBDRH-R	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Right Side	N/C
SOAFBFLH-R	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Left Side	N/C
SOAFBFRH-R	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Right Side	N/C
SOAFBELH-R	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Left Side	N/C
SOAFBERH-R	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Right Side	N/C



45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2) (CONT.)

▼ CUSTOM LENGTH

SOAFBCLH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Left Side	\$95
SOAFBCRH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Right Side	\$95
SOAFBCLH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Left Side	\$95
SOAFBCRH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Right Side	\$95

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

Cantilever Armrest Range (SOAFB for Reclining backs)		Set at:						
		10.25"	11.25"	12.25"	13.25"	14.25"	15.25"	16.25"

▲ The Armrest Height is taken from the seat pan to the top of the armpad.

▲ Not required for Dual Post.

49. SIGNATURE TAILORED SOLUTIONS - ARMPADS

FOAM TYPE SELECTION

SOFAPD	Desk Length Flat Armpad – (10 ½" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
SOFAPF	Full Length Flat Armpad – (14" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
SOXWFAP10	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
SOXWFAP14	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
SOXWFAP16	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C

▲ **The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more**

SOWAPD	Desk Length Waterfall – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
	▲ May interfere with flipping back the armrests when combined with Lateral Trunk supports.				
	▲ NOT compatible with Cantilever (SOAFBxxx)				
SOWAPF	Full Length Waterfall – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
	▲ May interfere with flipping back the armrests when combined with Lateral Trunk supports.				
	▲ NOT compatible with Cantilever (SOAFBxxx)				

HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2")	Select side:	Left Hand Side	Right Hand Side	\$40
SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2")	Select side:	Left Hand Side	Right Hand Side	\$40
SOXWGAP10	X-Wide 3.5" (90 mm) Flat GEL Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$95
SOXWGAP14	X-Wide 3.5" (90 mm) Flat GEL Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$95
SOXWGAP16	X-Wide 3.5" (90 mm) Flat GEL Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$105

▲ **The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more**

SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
	▲ May interfere with flipping back the armrests when combined with Lateral Trunk supports.				
	▲ NOT compatible with Cantilever (SOAFBxxx)				



49. SIGNATURE TAILORED SOLUTIONS - ARMPADS (CONTINUED)

SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx)</i>				
▶ SPECIALTY TYPE SELECTION					
SOCAR	Arm Trough with Hand Support (18" x 4 ½")	Select side:	Left Hand Side	Right Hand Side	\$290
	▲ <i>Arm Trough Armpads may interfere with Armrests Flipping back.</i>				
▲ <i>SOCAR armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more</i>					

53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS

ADDPF	90° Power Center Mount Elevating & Articulating Foot Platform - Powered by E-BX and iQ Actuators				\$2,495
	Select Footrest Range:	SOFBPW12 (10 ½"- 16")	SOFBPW16 (16"- 20")		
	▲ <i>This option includes calf pads. The power center mount counts as one power function.</i>				
	▲ <i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>				
	▲ <i>For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.</i>				

54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	\$93

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Power Center Mount Foot Platform Length		Set at:									
10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"		
15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"		
▲ The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates											

56. SEAT POSITIONING (A HIP BELT AND A CHEST STRAP ARE REQUIRED WITH THE ASCENT STANDING MODULE)

SOBPHP2C	Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$170
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
SOBPCS	Bodypoint padded Chest Strap	\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

56.5 KNEE SUPPORTS AND PADS (REQUIRED WITH THE ASCENT STANDING MODULE)

SOKSSH-LH	Adjustable Removable Knee Support Hardware - LH	N/C
SOKSSH-RH	Adjustable Removable Knee Support Hardware - RH	N/C
SOAKPS	Knee Support Pad for Standing Option - Each	N/C
	▲ <i>Only compatible with the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the Ascent Standing Module.</i>	

57. HEADREST

▼ SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.		
SONUAHR-12	Using headrest mounting hardware other than SOMAH below. Available with both Fixed and Reclining backrests. 1/2 IN (12.7 MM) Mounts	N/C
SONUAHR-15	Using headrest mounting hardware other than SOMAH below. Available with Reclining backrests only. 19/32 IN (15 MM) Mounts	N/C



57. HEADREST (CONTINUED)

SOFHRS	Small Curved Headrest Pad – 4" x 9"	\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"	\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"	\$155
SOMAH	Multi-axis Removable Mounting Hardware	\$220
SOHRBC	Ancrage d'appuie-tete pour coussin de dossier (non inclinable)	N/C
SOHRPR	Ancrage d'appuie-tete pour barre de tension du dossier inclinable	N/C

58. LATERAL TRUNK SUPPORTS

▼ SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	\$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	\$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	\$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	\$220
▲	<i>The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6" Deep Contour Fixed Thoracic Back Support (NOPCB).</i>	
▲	<i>Waterfall arm pads (SOWAPx & SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports</i>	

59. HIP & THIGH SUPPORTS

▼ SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	\$130
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	\$130
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	\$130
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	\$136

60. ACCESSORIES

SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$115
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
▲	<i>Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.</i>				
▲	<i>With multiple accessories installed on the same side, a custom upgrade will be required.</i>				

61. REFLECTOR KIT

REFLECT	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack – (Comes with durable straps that can be hooked around the back canes)				\$90
SOAP	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	Left Side	Right Side	\$53
▲	<i>If only choosing one (1) armrest pouch, please show what side it should be installed</i>				



63. SWITCHES AND OPTIONS

ASCPWIFI	PGDT - Wireless programmer, WIFI dongle	\$844
ASCPCP	PGDT R-NET Dongle and PC programmer kit	\$600
SSBS	Buddy Button Switch	\$230
SSES	Egg Switch-Black	\$116
SSML	Ultra Light Switch	\$295
ESS-RED	Emergency STOP Switch - Red	\$314

SPECIALTY DRIVER CONTROL OPTIONS

- ▶ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)
- ▶ Specialty Control options in this section are not compliant with ISO 7176-19

64. THERAFIN SIP-N-PUFF KIT

▼ *This option is not compliant with ISO 7176-19*

SCSNPK	Therafin Sip-N-Puff Kit	\$1,975	
SCSNPBTK	Therafin Sip-N-Puff Breath Tube Kit	N/C	
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SCSRMSNP	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	SWL (Swings on Left) SWR (Swings on Right)	\$300
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left) SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left) MRH (Mount on Right)	\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>		
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section</i>		
ESS-RED	Emergency STOP Switch - Red	User Activation Attendant Activation	\$314
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SOMAH	Multi-axis Headrest Removable Mounting Hardware		\$220
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
▶	CHOOSE ONE (1) HEADREST PAD		
SOFHRS	Small Curved Headrest Pad – 4" x 9"		\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"		\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"		\$155

65. PROXIMITY HEAD ARRAY

▼ *This option is not compliant with ISO 7176-19*

CUSTOM	Adult – 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse	RFQ	
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left) SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left) MRH (Mount on Right)	\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>		
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.</i>		
ESS-RED	Emergency STOP Switch - Red	User Activation Attendant Activation	\$314
	▲ <i>Required with the Proximity Head Array.</i>		
SOMAH	Multi-axis Headrest Removable Mounting Hardware		\$220
	▲ <i>Required with the Proximity Head Array.</i>		



66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

▼ *This option is not compliant with ISO 7176-19*

CUSTOM	Light touch mini Proportional Joystick			RFQ
SCSRMMP	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	\$870
	▲ Required with the Light touch mini Proportional Joystick.			
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section			
JCC	Chin Cup			\$55
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Light touch mini Proportional Joystick.			
▶ CHOOSE ONE (1) HEADREST PAD				
SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"			\$155

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

▼ *This option is not compliant with ISO 7176-19*

SCPGMJS	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
SCGMJSM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	\$595
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
CUSTOM	Light touch mini Proportional Joystick			RFQ
SCGMPM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for Light Touch Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$825
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$850
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

▼ *This option is not compliant with ISO 7176-19*

SCPGMJS-M	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
SCARMJSM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
CUSTOM	Light touch mini Proportional Joystick			RFQ
SCARMPM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$850
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

69. PROPORTIONAL HEAD CONTROL PACKAGE

▼ *This option is not compliant with ISO 7176-19*

SCPHC	Proportional Head Control Package			\$4,495
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proportional RIM Head Control.			



CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received.
 ▶ Please call for Quote and specifications for these options.

70. O² HOLDER

▼ *This option is not compliant with ISO 7176-19*

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
	D-Size	Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve		

71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ **AMYLIOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.**

▼ *This option is not compliant with ISO 7176-19*

SOVENT	Custom Vent Tray			
	Articulating Vent Box – (Gimbaled)			\$1,360
	SPECIFY MODEL			
	Trilogy 100/200			
	LTV			
	LTV with Sprintpack			
	Other, specify: _____			
SOVTBE	Extended Battery Compartment			\$495
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries			
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries			

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ **PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.**

▼ *These following custom options and accessories are ISO 7176-19 compliant*

CUSTOM	USB Charger Port ◀ Specify the location for the installation: _____	RFQ
CUSTOM	Accessory Hooks located at the rear of the seat structure (2 hooks)	RFQ
CUSTOM	Heavy-Duty Wheelchair Cover, Large	RFQ
CUSTOM	Transfer Handles – (Pair) Select a height range: 5" to 8" 6" to 9"	RFQ
▼ <i>The following custom options and accessories below are not compliant with ISO 7176-19</i>		
CUSTOM	Folding Backrest for Storage/Travel Access for Reclining backs	RFQ
CUSTOM	Power Anterior Tilt	RFQ
CUSTOM	Rearview Camera with 5" Monitor	RFQ
CUSTOM	Rearview mirror Left Side Right Side	RFQ
CUSTOM	Foot Box ◀ Specify Length: _____ Width: _____ Please confirm with CSR on sizing possibilities	RFQ
CUSTOM #1	Other custom options. Specify in notes section below	RFQ
CUSTOM #2	Other custom options. Specify in notes section below	RFQ



73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS

A large, empty rectangular area intended for notes, special requests, or custom specifications.