ORDERING INFORMATION: Phone: 1 450 424-0288 | Fax: 1 450 424-7211 | info@amylior.com | amylior.com

AMYLIOR

SAVE | RESET ALL | PRINT | SEND | GALLERY

ALLTRACK R3 HD HYBRID SIGNATURE

1. ACCOUNT INFORMATION

P.O. # or Quote:			
Dealer Contact Name:			
Email Address:			
Phone Number:		Fax Number:	
Bill to (Name):			
Bill to (Location):			
Ship to (Name):			
Address:			
City:			
Province:		Postal Code:	
User Name or Number:			
User Weight:			
User Height:			
Seat Cushion Thickness:			
Knee to Heel Length: Left:	”	**Right:**	”



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors or omissions on the order form

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

****IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES***

2. STANDARD OPTIONS

Alltrack R3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8” front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors,Weight Capacity = 400 lb

3. ALLTRACK R3 (HD) POWER WHEELCHAIR

☐	**ATR3-3HD**	ALLTRACK R3 (HD) Power Wheelchair	$8,545

3.5 OWNER'S MANUAL

☐	**SOOMATENG**	English / Anglais	N/C	☐	**SOOMATFR**	Français / French	N/C

4. USER WEIGHT PACKAGES

☐	**WCA4**	400 lb Maximum user weight capacity	STD

5. STANDARD COLORS

☐	**SCROBM**	Onyx Black Matte	N/C	☐	**SCRCAB**	Cabernet	N/C
☐	**SCRCTB**	Cobalt Blue	N/C	☐	**SCRBGM**	Bubble Gum Metallic	N/C
☐	**SCRIOB**	Indigo Blue	N/C	☐	**SCRHAB**	Habanero Metallic	N/C
☐	**SCRCRE**	Candy Red	N/C	☐	**SCRLIM**	SubLime	N/C

▼ OPTIONAL COLORS

☐	**FCHDD-R**	Desert Digital Camo HydroGraphics	$795
☐	**FCHCF-R**	Carbon fiber HydroGraphics	$795
☐	**FCHWL-R**	Woodland Camo HydroGraphics	$795

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

5.5 WHEEL INSERT COLORS

☐	**SCCTB-WI**	Cobalt Blue	N/C	☐	**SCHAB-WI**	Habanero Metallic	N/C
☐	**SCIOB-WI**	Indigo Blue	N/C	☐	**SCLIM-WI**	SubLime	N/C
☐	**SCCRE-WI**	Candy Red	N/C	☐	**SCBGM-WI**	Bubble Gum Metallic	N/C
☐	**SCCAB-WI**	Cabernet	N/C				

▲ ***Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)***

▲ ***Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)***

▲ ***Wheel inserts are not available in Onyx Black Matte***

7. TRANSPORT OPTION

☐	**TTD4**	Tie-down attachment points compliant with ISO 7176-19. See owner's manual for additional details	STD

8. MOTOR PACKAGE

☐	**MP65B**	6.5 MPH 4-Pole Motor Package / with Brake Release	STD

9. ASSISTIVE DRIVING PACKAGE

☐	**SMARTT**	Smart-Track Assistive Driving Package	$1,420

▲ ***Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.***

▲ ***Requires the R-net PM 120 Amp Expandable Controller (ECR120).***

▲ ***Recommended for non-proportional Drive Controls***

10. BATTERY CHARGER

☐	**BCOB**	8A Offboard Battery Charger	N/C

11. BATTERY TRAY AND BASE WIDTH

☐	**FS24B**	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C

▲ ***The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts.***

► ***PLEASE SELECT ONE OPTION FOR FRONT CASTER ARMS:*** ☐ Flared out (STD) ☐ Straight (Optional)

12. BATTERIES - REQUIRES A SELECTION

☐	**BAT24GEL**	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each)	$465
☐	**BATO**	Omission of the batteries	N/C

14. DRIVE WHEEL

☐	**DW14PT**	14" Cast Wheel Pneumatic Tires	STD
☐	**DW14PI**	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
☐	**DW144PT**	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	$200
☐	**DW144PI**	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	$595
		▲ ***Increases the overall width of the base by 2 ¾"***	
☐	**DW12PT**	12 ½" Cast Wheel Pneumatic Tires	N/C
☐	**DW12PI**	12 ½" Cast Wheel Pneumatic with Foam Filled Tires	N/C
		▲ ***12 ½" Drive wheels lower ground clearance and speed, but increase motor torque.***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

15. FRONT CASTERS

☐	**FC8PTR**	8” Pneumatic Casters	STD
☐	**FC8PIR**	8” Pneumatic Casters with Foam Filled Tires	N/C
☐	**FC9PT**	9” Pneumatic Casters	$150
☐	**FC9PI**	9” Pneumatic Casters with Foam Filled Tires	$175
	▲	***The 9” casters will increase the minimum seat to floor height by ¼”***	
	▲	***The 9” casters will increase the minimum seat to floor height by 1/2” and are NOT compatible with the 12 ½” Drive wheel configuration (DW12PT and DW12PI)***	
	▲	***The 9” casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53.***	

16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼”)

► ***YELLOW BOXES REPRESENT OPTIONS THAT CAN ONLY BE SELECTED WITH 12 ½” DRIVE WHEELS (SECTION 14)***

SEAT TO FLOOR HEIGHT TABLE	NO POWER OPTIONS			TILT (WITH OR WITHOUT RECLINE)	HD ELEVATE (WITH OR WITHOUT RECLINE)	TILT AND HD ELEVATE (WITH OR WITHOUT RECLINE)
SEAT ANGLE	**0°**	**3°**	**6°**			
STFH1550 (15.50” STFH)	☐			☐		
STFH1650 (16.50” STFH)	☐	☐		☐		
STFH1700 (17” STFH)					☐	
STFH1750 (17.50” STFH)	☐	☐	☐	☐		
STFH1800 (18” STFH)					☐	
STFH1850 (18.50” STFH)	☐	☐	☐	☐		☐
STFH1900 (19” STFH)					☐	
STFH1950 (19.50” STFH)	☐	☐	☐	☐		☐
STFH2000 (20” STFH)					☐	

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

☐	**SOMHSS**	Specific seat to floor height higher than standard. It’s not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲	***Required at: _____” (± ¼” Range)***	

18. PRE-SET SEAT FRAME ANGLE

☐	**SFE-0**	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
☐	**SFE-3**	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
☐	**SFE-6**	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

19. LIGHTING PACKAGE

☐	**EOLP**	LED Light Package – (Includes front and rear lights with integrated flashers)	$1,425
▲	***Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJCL, ECRJC35B or EDIB).***		

20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

► ***VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)***

☐	**ECV902A**	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
☐	**ECVJ4K**	VR2 Standard 4-Key Joystick	STD
☐	**ECVJ6K**	VR2 6-Key Joystick (Allows for single or select dual power options to operate through this joystick)	N/C
☐	**ECVJ9KL**	VR2 9-Key Joystick with Lighting Operation (Allows for single or select dual power options to operate through this joystick)	$150

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

☐	**ECEL90**	R-net EL 90 Amp Expandable Controller	$175
☐	**ECR120**	R-net PM 120 Amp Expandable Controller	$275

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

►	***SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120***		
☐	**ECO**	Omit Joystick – (For use with an Omni 2 Display)	N/C
☐	**ECELJ**	R-net - (LED) – Joystick	STD
	▲	***This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)***	
☐	**ECRJC**	R-net Joystick with Color screen	$155
►	***JOYSTICKS WITH LIGHTING OPERATION***		
☐	**ECELJL**	R-net – (LED) – Joystick with Lighting Operation	$125
	▲	***This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)***	
☐	**ECRJCL**	R-net Joystick with Color screen and Lighting Operation	$180
►	***ADVANCED JOYSTICK***		
☐	**ECRJC35B**	R-net Advanced Bluetooth Joystick (3.5” Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	$1,105

23. JOYSTICK MOUNT

☐	**JSMF**	Fixed Joystick Mount	N/C
☐	**JSMSA**	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis	$235
	Select: ☐	***Set-up with standard installation to swing-away sideways***	
	☐	***Set-up at 35° to swing-away sideways and downwards***	
	▲	***Set-up at 35° angle may cause interference with the user’s limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.***	
☐	**JSMCM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount	$275
	▲	***This option is not compliant with ISO 7176-19***	

24. JOYSTICK MOUNT SUPPORT

☐	**JSMFH**	Joystick mount support Bracket	STD

25. JOYSTICK HAND MOUNT

☐	**HML**	Install Joystick on Left hand side	☐	**HMR**	Install Joystick on Right hand side

26. JOYSTICK HANDLE

☐	**JSH**	Standard Joystick Gimble	STD	☐	**JBAT**	Stick Handle 3” in Length	$130
☐	**JBH**	Ball Handle	$85	☐	**JFBH**	Foam Ball Handle	$70
☐	**JTH**	T-Handle	$155	☐	**JMUSH**	Bodypoint Mushroom Handle	$210
☐	**JGP**	Bodypoint 4” U-shaped Handle	$210				

27. ATTENDANT DRIVE CONTROL OPTION

☐	**EADC**	Attendant Hand Control	$1,150

28. ATTENDANT JOYSTICK HAND MOUNT

☐	**EADCL**	Install Attendant Joystick on Rear Left hand side	☐	**EADCR**	Install Attendant Joystick on Rear Right hand side

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

☐	**EDIB**	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared)	$1,915
	▲	***Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)***	
	▲	***The Omni 2 display mount must be selected from the option below.***	

30. OMNI 2 ENHANCED DISPLAY MOUNT

☐	**EDSAM**	User Swing Away Mount	N/C
	☐	**EDML – (Install Display on LH side)** ☐ **EDMR – (Install Display on RH side**	

31. ENVIRONMENTAL CONTROL MODULE

☐	**ECU**	Environment control module – (Output Module)	$995
	▲	***Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).***	

33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

☐	**SAABAHD-450**	Signature HD Rehab Seat – (Seat Frame only)	$1,045
☐	**SAPTXHD**	Signature Heavy-Duty CG Power Tilt	$6,195
	▲	***This option includes the Signature Rehab Seat – (SAABAHD)***	
☐	**SAPRXHD**	Signature Heavy-Duty 165° Power Recline with Mechanical Shear Reduction (MSR)	$7,845
	▲	***This option includes the Signature Rehab Seat – (SAABAHD)***	
☐	**SAPTPRXHD**	Signature Heavy-Duty CG Power Tilt and 165° Power Recline with Mechanical Shear Reduction (MSR)	$12,995
	▲	***This option includes the Signature Rehab Seat – (SAABAHD)***	
☐	**SAPESXHD**	Heavy-Duty ALTA 11” Power Seat Elevation	$5,495
	▲	***This option includes the Signature Rehab Seat – (SAABAHD)***	
	▲	***The maximum user weight with this option is 400 lb***	
☐	**ADDPESXHD**	Module – Add Heavy-Duty ALTA 11” Power Seat Elevation to either SAPTXHD, SAPRXHD or SAPTPRXHD	$3,995
	▲	***The maximum user weight with this option is 400 lb***	

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

►	***SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (For both expandable and non-expandable systems)***										
☐	**SOLO**	Single function controller (Includes an external toggle switch)									STD
▼	***OPTIONAL SWITCHES***										
☐	**SWTOGGLE**	Single Toggle Switch							☐	Attendant Activation	$100
☐	**SWPUSH1**	Single Push Button Switch – (Single Mode: SAC)						☐	User Activation	☐ Attendant Activation	$90
☐	**SWPUSH2**	Dual Push Button Switch – (Dual Mode: SAC)						☐	User Activation	☐ Attendant Activation	$180
☐	**SSBS**	Buddy Button Switch	☐	Black	☐	Red	☐ Green	☐	Yellow	☐ User Activation ☐ Attendant Activation	$230
☐	**SSES**	Egg Switch-Black						☐	User Activation	☐ Attendant Activation	$116
☐	**SSML**	Ultra Light Switch						☐	User Activation	☐ Attendant Activation	$295

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER (CONTINUED)

►	***SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL***		
☐	**EPSV**	Single Function Through VR2 Non-Expandable Drive Control	N/C
	▲	***Allows for activation of a single power option through VR2 controller***	
	▲	***Does not allow for control of power option through drive control and separate switches***	
	▲	***Control of power seat elevation with tilt is available as a custom. Check appropriate box in custom section 72 in addition to EPSV.***	
	▲	***VR2 Electronics can only accommodate specific power seat functions such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Elevate (Custom)***	
	▲	***Choose EPSV2 to operate select power combinations***	
☐	**EPSEL**	Single Function Through Drive Control with R-net 90-amp controller	N/C
	▲	***Allows for activation of single power option through R-net 90-amp controller***	
	▲	***Compatible with all R-net joysticks***	
	▲	***Does not allow for control of power option through drive control and separate switches***	
	▲	***Can not operate more than one power option***	
	▲	***If selecting memory seating, choose SAC below***	
	▲	***If selecting 120-amp R-net controller, choose SAC below***	
☐	**SAC**	Single Function Through Drive Control with R-net 90-amp or 120-amp controller	N/C
	▲	***Allows for activation of single power option through R-net drive controls***	
	▲	***Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls***	
	▲	***Capable of operating tilt with power seat elevation & compatible with memory seating***	
►	***SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)***		
☐	**SACMEMORY**	Memory Seat Program	$1,495
	▲	***This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJL)***	
	▲	***Memory seat programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD)***	
►	***SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH***		
☐	**SACTOGGLE**	Single Toggle Switch	☐ Attendant Activation $410
☐	**SACPUSH1**	Single Push Button Switch – (Single Mode: SAC)	☐ User Activation ☐ Attendant Activation $400
☐	**SACPUSH2**	Dual Push Button Switch – (Dual Mode: SAC)	☐ User Activation ☐ Attendant Activation $490
☐	**SACSSBS**	Buddy Button Switch ☐ Black ☐ Red ☐ Green ☐ Yellow	☐ User Activation ☐ Attendant Activation $540
☐	**SACSSES**	Egg Switch-Black	☐ User Activation ☐ Attendant Activation $426
☐	**SACSSML**	Ultra Light Switch	☐ User Activation ☐ Attendant Activation $605

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

►	***DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL***		
☐	**EPSV2**	Dual Function Through Drive Control with VR2 Non-Expandable Electronics	N/C
	▲	***Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2***	
	▲	***Does not allow for control of power options through drive control and separate switches***	
	▲	***VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs***	
►	***MULTIPLE SEAT FUNCTIONS THROUGH R-NET***		
☐	**MAC**	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators	$2,295

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE (CONTINUED)

► ***MAC OPTIONS***

☐	**MACMEMORY**	Memory Seat Program				$175
		▲ ***Memory seat programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD)***				
►	***SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH***					
☐	**MACKEYPAD-P**	Keypad w/ 5 Push Button Switches	☐	User Activation	☐ Attendant Activation	$445
☐	**MACKEYPAD-T**	Keypad w/ 5 Toggle Switches	☐	User Activation	☐ Attendant Activation	$445
☐	**MACMULTI**	4-Way Toggle Switch – (Up to 4 Activations)	☐	User Activation	☐ Attendant Activation	$180
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***				
☐	**MACMULTIT**	Triple Toggle Switch – (Up to 5 Activations)	☐	User Activation	☐ Attendant Activation	$135
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***				
☐	**MACPUSH4**	4-Way Push Button Switch	☐	User Activation	☐ Attendant Activation	$225
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***				
☐	**MACPUSH5**	5-Way Push Button Switch	☐	User Activation	☐ Attendant Activation	$240
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***				

36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	☐	**TSML – (Install Switch on LH side)**	☐ **TSMR – (Install Switch on RH side)**	N/C

37. SIGNATURE TAILORED SOLUTIONS - PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

☐	**SOBAA**	Select one:	☐	86°	☐	90°	☐	94°	☐	98°	☐	102°	☐	106°	☐	110°	N/C

38. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 17” AND 22” (430 - 560 MM)

☐	**STS17-22-19**	Width adjustment from 17” to 22” (430-560 MM) and Depth range of 15” to 19” (380 - 480 MM)	N/C
☐	**STS17-22-22**	Width adjustment from 17” to 22” (430-560 MM) and Depth range of 18” to 22” (455 - 560 MM)	N/C
	▲ ***The minimum seat depth available with this option is 18” (455 MM)***		

☐ **17” (SOSW17)** ☐ **18” (SOSW18)** ☐ **19” (SOSW19)** ☐ **20” (SOSW20)** ☐ **21” (SOSW21)** ☐ **22” (SOSW22)**

39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20” AND 26” (510 - 660 MM)

☐	**STS20-25-22**	Width adjustment from 20” to 25” (510-635 MM) and Depth range of 18” to 22” (455 - 560 MM)	N/C
☐	**STS23-28-22**	Width adjustment from 23” to 28” (585-710 MM) and Depth range of 18” to 22” (455 - 560 MM)	$475
	▲ ***Seat widths of 27” and 28” are custom dimensions and require an (RFQ)***		
	▲ ***The minimum seat depth available with this option is 18” (455 MM)***		

☐ **20” (SOSW20)** ☐ **21” (SOSW21)** ☐ **22” (SOSW22)** ☐ **23” (SOSW23)** ☐ **24” (SOSW24)** ☐ **25” (SOSW25)**
☐ **26” (SOSW26)**

40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15” AND 22” (380 - 560 MM)

☐ **15” (SODN15)** ☐ **16” (SODN16)** ☐ **17” (SODN17)** ☐ **18” (SODN18)** ☐ **19” (SODN19)** ☐ **20” (SODN20) N/C**

☐ **21” (SODN21)** ☐ **22” (SODN22)** ▲ ***18” is the minimum possible seat depth when choosing a 22” long Seat Pan (STS14-19-22, STS17-22-22 and STS20-25-22)*** N/C

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

► ***Not compatible with a power or manual recline***

☐ **16" (SOBCH16)** ☐ **17" (SOBCH17)** ☐ **18" (SOBCH18)** ☐ **19" (SOBCH19)**

▼ ***20" is the minimum back height required with a power or manual recline***

☐ **20" (SOBCH20)** ☐ **21" (SOBCH21)** ☐ **22" (SOBCH22)** ☐ **23" (SOBCH23)** ☐ **24" (SOBCH24)** ☐ **25" (SOBCH25)**

☐ **26" (SOBCH26)** ☐ **27" (SOBCH27)** ☐ **28" (SOBCH28)**

41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

▼	***PUSH HANDLES***		
☐	**SOPH**	Push Handles (pair)	N/C
▼	***ENDOMORPH BACK CANES FOR NON-RECLINING BACKS***		
☐	**STSENDO-F1**	Endomorph Back Canes for non-reclining backs, 1 IN (25 MM) total	$120
☐	**STSENDO-F2**	Endomorph Back Canes for non-reclining backs, 2 IN (50 MM) total	$120
☐	**STSENDO-F3**	Endomorph Back Canes for non-reclining backs, 3 IN (75 MM) total	$120
☐	**STSENDO-F4**	Endomorph Back Canes for non-reclining backs, 4 IN (100 MM) total	$120
▼	***ENDOMORPH BACK CANES FOR RECLINING BACKS***		
☐	**STSENDO-R1**	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
☐	**STSENDO-R2**	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C
▼	***FOLDING BACKREST (FOR NON-RECLINING BACKS)***		
☐	**STSFB**	Folding Backrest for Storage/Travel Access for non-reclining backs	$240

42. BACK SUPPORT

☐	**DSTR-wwhh**	Adjustable Tension Back Upholstery, WW x HH	N/C
	▲	***Only available with Dual Post armrests (SOADP)***	
☐	**STDSB-wwhh**	Contour back support up to 21" wide, with a maximum shell height of 22".	$605
	▲	***The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back***	
☐	**STDSB-wwhh**	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23".	$755
	▲	***The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back***	
☐	**STDSB-wwhh**	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	$1,075
	▲	***The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back***	
►	***MATRX BACKS***		
☐	**PBE-wwhh-HD**	MATRX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20")	$1,150
	▲	***Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back***	
	▲	***Weight capacity up to 500 lb***	
☐	**EDB-wwhh-HD**	MATRX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20")	$1,195
	▲	***Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back***	
	▲	***This product is not compatible with Lateral Trunk Supports***	
	▲	***Weight capacity up to 500 lb***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

42. BACK SUPPORT (CONTINUED)

► ***NXT BACKS***

☐	**NOACB-wwhh**	NXT OPTIMA FH AC CONTOUR BACK – (15” to 21” Wide)	$690
		▲ ***Weight capacity up to 300 lb***	
☐	**NOACB-wwhh**	NXT OPTIMA FH AC CONTOUR BACK – (22” to 28” Wide)	$720
		▲ ***Weight capacity up to 550 lb***	
		▲ ***Back shell heights only come in 13”, 16” or 19” high. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back***	
☐	**NOPCB-wwhh**	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15” to 21” Wide)	$790
		▲ ***Weight capacity up to 300 lb***	
☐	**NOPCB-wwhh**	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22” to 28” Wide)	$820
		▲ ***Weight capacity up to 550 lb***	
		▲ ***This product is not compatible with Lateral Trunk Supports***	
		▲ ***Back shell heights only come in 13”, 16” or 19” high. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back***	

► **OMISSION OF THE BACK SUPPORT**

☐	**STDSBO**	**Omission of the Back Support - (Using an Aftermarket Back)**	N/C
		▲ ***Back support MUST be omitted before selecting aftermarket back hardware***	
		▲ ***Upcharges apply when both a back support AND aftermarket back hardware are selected***	
☐	**CUST-BHW**	**Aftermarket Back Hardware - Information on the back must be specified:**	$185
		Back Manufacturer: _____	
		Product Name: _____	
		Hardware being used: _____	
		▲ ***Required information***	
		▲ ***Upcharges apply when both a back support AND aftermarket back hardware are selected***	
		▲ ***Hardware will not be provided IF the required information for the aftermarket back support is omitted, but a standard T-Nut kit will be supplied***	

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼ ***20” is the minimum back height required with a reclining back.***

☐ **16” (SOBH16)** ☐ **18” (SOBH18)** ☐ **20” (SOBH20)** ☐ **22” (SOBH22)** ☐ **24” (SOBH24)** ☐ **26” (SOBH26)** ☐ **28” (SOBH28)**

This height is not available with the NXT Optima AC and PC options ▲

44. SEAT CUSHIONS

► ***FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.***

► ***PERFORMA CG AIR - THERAPEUTIC AIR CUSHION***

☐ **Custom Cushion (Please use the Performa CG Air order form)**

Cell Height (Choose 1): ☐ 2” ☐ 3” ☐ 4”

► ***SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING***

► ***PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER***

☐	**PCGA1VSCxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$812
☐	**PCGA1VSCxxxx-x**	22” + (560 mm +) wide	$914
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	

► ***PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER***

☐	**PCGA1V3Dxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$857
☐	**PCGA1V3Dxxxx-x**	22” + (560 mm +) wide	$963
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	

► ***PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER***

☐	**PCGA1VICxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$915
☐	**PCGA1VICxxxx-x**	22” + (560 mm +) wide	$969
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

44. SEAT CUSHIONS (CONTINUED)

►	***DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING***		
	► ***PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER***		
☐	**PCGA2VSCxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$812
☐	**PCGA2VSCxxxx-x**	22” + (560 mm +) wide	$914
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER***		
☐	**PCGA1V3Dxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$857
☐	**PCGA1V3Dxxxx-x**	22” + (560 mm +) wide	$963
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER***		
☐	**PCGA2VICxxxx-x**	14” to 20” (355 mm to 510 mm) wide	$915
☐	**PCGA2VICxxxx-x**	22” + (560 mm +) wide	$969
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)***		
☐	**PCGA-2VLR**	Dual Valves with Left / Right Location	N/C
☐	**PCGA-2VF6**	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
☐	**PCGA-2VF8**	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
☐	**PCGA-2VF10**	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C
►	***PERFORMA CG AIR OPTIONS***		
☐	**PCGA-GZ**	GripZone Anti-Slip Technology	$86
☐	**PCGA-TT-WW**	Transfer Trellis	$100
☐	**PCGA-AC**	Anatomic Contour Seat Insert	$100
	▲	***Only available with 2” and 3” cell heights***	
☐	**PCGA-SP**	Seat Pouch	$55
►	***CONTOUR SEAT CUSHION***		
☐	**SCPSC-WWDD**	Contour Seat Cushion up to 19” Wide	$620
☐	**SCPSC-WWDD**	Contour Seat Cushion for Non-Standard Sizes of 20” to 24” Wide	$735
☐	**SCPSC-WWDD**	Contour Seat Cushion for Heavy-Duty of ≥ 25” Wide ▲ Specify: Width: _____” Depth: _____”	$865
►	***MATRX CUSHION***		
☐	**PSP-WWDD**	MATRX PSP Seat Cushion – (11” to 20” Wide)	$645
	▲	***The maximum user weight capacity is 300 lb***	
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	
☐	**PSP-WWDD**	MATRX PSP Seat Cushion – (22” to 26” Wide)	$995
	▲	***The maximum user weight capacity is 550 lb***	
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	
►	***NXT BIO-FIT CUSHION***		
☐	**NXTBIOFIT-WWDD**	NXT BIO FIT Cushion – (15” to 21” Wide)	$595
	▲	***The maximum user weight capacity is 300 lb***	
☐	**NXTBIOFIT-WWDD**	NXT BIO FIT Cushion – (22” to 26” Wide)	$625
	▲	***The maximum user weight capacity is 400 lb***	
	▲	***Cushion sizes only come in even numbers for width and depth measurements.***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

FOR NON-RECLINING BACKS			
▼	***Height Adjustable from 7.25" (185 mm) to 15.25" (385 mm) in 1" (25 mm) increments***		
▼	***Not compatible with Waterfall Armpads (SOWAPx et SOWGELx)***		
☐	**SOAFBDLH**	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Left Side	N/C
☐	**SOAFBDRH**	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Right Side	N/C
☐	**SOAFBFLH**	Signature Cantilever Armrest – Full Length 16" (405 mm) - Left Side	N/C
☐	**SOAFBFRH**	Signature Cantilever Armrest – Full Length 16" (405 mm) - Right Side	N/C
☐	**SOAFBELH**	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Left Side	N/C
☐	**SOAFBERH**	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Right Side	N/C
▼	***CUSTOM LENGTH***		
☐	**SOAFBCLH**	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Left Side	$95
☐	**SOAFBCRH**	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Right Side	$95
☐	**SOAFBCLH**	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Left Side	$95
☐	**SOAFBCRH**	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Right Side	$95
FOR RECLINING BACKS			
▼	***Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments***		
▼	***Choose a Height Range :*** ☐ ***Low Range 10.25" to 13.25" (260 - 335 mm)*** ☐ ***High Range 14.25" to 16.25" (360 - 415 mm)***		
▼	***Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)***		
☐	**SOAFBDLH-R**	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Left Side	N/C
☐	**SOAFBDRH-R**	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Right Side	N/C
☐	**SOAFBFLH-R**	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Left Side	N/C
☐	**SOAFBFRH-R**	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Right Side	N/C
☐	**SOAFBELH-R**	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Left Side	N/C
☐	**SOAFBERH-R**	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Right Side	N/C
▼	***CUSTOM LENGTH***		
☐	**SOAFBCLH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Left Side	$95
☐	**SOAFBCRH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Right Side	$95
☐	**SOAFBCLH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Left Side	$95
☐	**SOAFBCRH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Right Side	$95

46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

▼	***NOT compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16) and the Arm Trough with Hand Support (SOCAR)***		
☐	**SOADPDLH**	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	$168
☐	**SOADPDRH**	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	$168
☐	**SOADPFLH**	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	$168
☐	**SOADPFRH**	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	$168

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

Cantilever Armrest Range (SOAFB for Non-Recl. backs)	Set at:														
☐	7.25"	☐	8.25"	☐	9.25"	☐	10.25"	☐	11.25"	☐	12.25"	☐	13.25"	☐	14.25"	☐	15.25"	☐	16.25"

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY (CONTINUED)

Cantilever Armrest Range (SOAFB for Reclining backs)	Set at:											
	☐	10.25”	☐	11.25”	☐	12.25”	☐	13.25”	☐	14.25”	☐	15.25”	☐	16.25”

▲ The Armrest Height is taken from the seat pan to the top of the armpad.

▲ Not required for Dual Post.

49. SIGNATURE TAILORED SOLUTIONS - ARMPADS

FOAM TYPE SELECTION

☐	**SOFAPD**	Desk Length Flat Armpad – (10 ½” x 2 ½”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	STD
☐	**SOFAPF**	Full Length Flat Armpad – (14” x 2 ½”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	STD
☐	**SOXWFAP10**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 10” (255 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
☐	**SOXWFAP14**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 14” (355 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
☐	**SOXWFAP16**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 16” (405 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
▲	***The X-Wide 16” x 3 ½” Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18” (455 mm) or more***							
▲	***The X-Wide 16” x 3 ½” Armpads are NOT compatible with Dual Post Armrests (SOADPxx)***							
☐	**SOWAPD**	Desk Length Waterfall – (8 ½” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						
☐	**SOWAPF**	Full Length Waterfall – (13” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						

HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

☐	**SOGELD**	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾” x 2”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$40
☐	**SOGELF**	Full Length Hybrid Gel and Foam Flat armpad – (13 ½” x 2”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$40
☐	**SOXWGAP10**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 10” (255 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$95
☐	**SOXWGAP14**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 14” (355 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$95
☐	**SOXWGAP16**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 16” (405 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$105
▲	***The X-Wide 16” x 3 ½” Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18” (455 mm) or more***							
▲	***The X-Wide 16” x 3 ½” Armpads are NOT compatible with Dual Post Armrests (SOADPxx)***							
☐	**SOWGELD**	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$95
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						
☐	**SOWGELF**	Full Length Hybrid Gel and Foam Waterfall armpad – (13” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$95
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						
►	***SPECIALTY TYPE SELECTION***							
☐	**SOCAR**	Arm Trough with Hand Support (18” x 4 ½”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$290
	▲	***Arm Trough Armpads may interfere with Armrests Flipping back.***						
▲	***SOCAR armpads require Cantilever (SOAFBExx) armrests with an extended length of 18” (455 mm) or more***							

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

50. SIGNATURE TAILORED SOLUTIONS - FOOTRESTS

☐	**SOAAF**	Signature Heavy Duty Swing-Away Footrests			$175
		Set at:	☐ 60°	☐ 70°	
		Select Range:	☐ SOFLHD12 (12 ½" – 17 ½")	☐ SOFLHD14 (14 ½" – 19 ½")	
	▲	***The 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI) and may interfere with the casters when selecting the straight front caster arm option***			
☐	**ADDML**	Signature Manual Elevating & Articulating Legrests - Pair			$595
		Select Range:	☐ SOFLME12 (12 ½" – 17 ½")	☐ SOFLME14 (14 ½" – 19 ½")	
	▲	***Does not include calf pads. Please select calf pads in section 51.***			
☐	**ADDPLHD**	Signature Heavy Duty Adult Power Elevating & Articulating Legrests			$2,745
		Select Function:	☐ Individual	☐ Combined	
		Select Range:	☐ SOFLPW12 (12 ½" – 17 ½")	☐ SOFLPW14 (14 ½" – 19 ½")	
	▲	***This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.***			

51. SIGNATURE TAILORED SOLUTIONS - FOOTPLATES & ACCESSORIES

☐	**SOSFAF**	Flip-up Footplates				STD
☐	**SOAFP**	Angle Adjustable & Flip-up Footplates – (Each)				$65
☐	**SOAHL**	Heel Loops – (Each)				$20
☐	**SOACPFR**	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)				$93
☐	**SOAMA**	Swing-away residual limb Support	Select:	☐ Left leg	☐ Right leg	$455

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Footrest / Legrest Length	Set at:	☐	12.5"	☐	13"	☐	13.5"	☐	14"	☐	14.5"	☐	15"	☐	15.5"	☐	16"
		☐	16.5"	☐	17"	☐	17.5"	☐	18"	☐	18.5"	☐	19"	☐	19.5"		

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS

☐	**SOAAF90**	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)			$200
		Select Foot Platform Range:	☐ SOFBA12 (12 ½" – 16 ½")	☐ SOFBA16 (16 ½" – 19 ½")	
	▲	***When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19"***			
	▲	***Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).***			
	▲	***With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.***			
	▲	***This option is not compatible with the 9" Caster or the Straight Front Arm option due to mechanical conflicts***			
☐	**ADDPFHD**	90° Heavy Duty Power Center Mount Elevating & Articulating Foot Platform			$2,745
		Select Footrest Range:	☐ SOFBPW12 (10 ½"- 16")	☐ SOFBPW16 (16"- 20")	
	▲	***When selecting SOFBPW16 (16"- 20") range, the lowest possible seat to floor height is 19"***			
	▲	***This option includes calf pads. The power center mount counts as one power function.***			
	▲	***Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).***			
	▲	***This option is not compatible with the 9" Casters or the Straight Front Arm option due to mechanical conflicts.***			
	▲	***For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.***			

54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

☐	**SOFUFP**	Flip-up one piece Foot Platform	$140
☐	**SOAFPFB**	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	$65
☐	**SOACPCM**	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	$93

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Fixed Center Mount Foot Platform Length								Set at:											
☐	12.5”	☐	13”	☐	13.5”	☐	14”	☐	14.5”	☐	15”	☐	15.5”	☐	16”	☐	16.5”	☐	17”
☐	17.5”	☐	18”	☐	18.5”	☐	19”	☐	19.5”										
Power Center Mount Foot Platform Length								Set at:											
☐	10.5”	☐	11”	☐	11.5”	☐	12”	☐	12.5”	☐	13”	☐	13.5”	☐	14”	☐	14.5”	☐	15”
☐	15.5”	☐	16”	☐	16.5”	☐	17”	☐	17.5”	☐	18”	☐	18.5”	☐	19”	☐	19.5”	☐	20”

▲ The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates

56. SEAT POSITIONING

☐	**SOAUTO**	55” Seat Positioning Strap	STD
☐	**SOAUTO80**	80” Seat Positioning Strap	$75
☐	**SOBPHP2C**	Bodypoint padded Hip Belt – (Two Point – Center Pull)	$170
☐	**SOBPHP2C-L82**	XL 82” Bodypoint padded Hip Belt – (Two Point – Center Pull)	$190
☐	**SOPHB**	Padded Hip Belt, 2-PT Magnetic Center Pull	$194
☐	**SOBPCS**	Bodypoint padded Chest Strap	$250
☐	**SOPCS**	Padded Chest Strap, 2-PT Magnetic Center Pull	$262

57. HEADREST

▼ ***SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.***

☐	**SONUAHR-12**	Using headrest mounting hardware other than SOMAH below. **Available with both Fixed and Reclining backrests.** 1/2 IN (12.7 MM) Mounts	N/C
☐	**SONUAHR-15**	Using headrest mounting hardware other than SOMAH below. **Available with Reclining backrests only.** 19/32 IN (15 MM) Mounts	N/C
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9”	$155
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10”	$155
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11”	$155
☐	**SOMAH**	Multi-axis Removable Mounting Hardware	$220
☐	**SOHRBC**	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
☐	**SOHRPR**	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

▼ ***SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.***

☐	**SOSLS3**	Adjustable Laterals with Small Curved Pads – (Each) – 3” x 5”	$100
☐	**SOSLM4**	Adjustable Laterals with Medium Curved Pads – (Each) – 4” x 6”	$100
☐	**SOSLL5**	Adjustable Laterals with Large Curved Pads – (Each) – 5” x 7”	$100
☐	**SOSLHM**	Adjustable Swing-Away Hardware Mounts – (Each)	$220

▲ ***The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6” Deep Contour Fixed Thoracic Back Support (NOPCB).***

▲ ***Waterfall armpads (SOWAPx & SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports***

59. HIP & THIGH SUPPORTS

▼ ***SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.***

☐	**SOHTSS10**	Adjustable Hip & Thigh Support Pads – (Each) – Small 10” x 4”	$130
☐	**SOHTSM12**	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12” x 5”	$130
☐	**SOHTSL14**	Adjustable Hip & Thigh Support Pads – (Each) – Large 14” x 6”	$130
☐	**SOHTSARH**	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	$136

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

60. ACCESSORIES

☐	**SOCH**	Cup Holder – (Self-Leveling)	Install on:	☐	Left Side	☐	Right Side	$115
☐	**SOCPH**	Ram Mounts X-Grip Cell Phone Holder	Install on:	☐	Left Side	☐	Right Side	$190
☐	**SOTHS**	Ram Mounts X-Grip Small Tablet Holder	Install on:	☐	Left Side	☐	Right Side	$205
☐	**SOTHL**	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	☐	Left Side	☐	Right Side	$360

▲ ***Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.***

▲ ***With multiple accessories installed on the same side, a custom upgrade will be required.***

61. REFLECTOR KIT

☐	**REFLECT**	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C

62. BACK PACK AND ARMREST SIDE POUCHES

☐	**SOBP**	Back Pack – (Comes with durable straps that can be hooked around the back canes)						$90
☐	**SOAP**	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	☐	Left Side	☐	Right Side	$53

▲ ***If only choosing one (1) armrest pouch, please show what side it should be installed***

63. SWITCHES AND OPTIONS

☐	**ASCPWIFI**	PGDT - Wireless programmer, WIFI dongle	$844
☐	**ASCPCP**	PGDT R-NET Dongle and PC programmer kit	$600
☐	**ASCPVR2**	PGDT VR2 with PPI Dongle and PC programmer kit	$1,450
☐	**SSBS**	Buddy Button Switch	$230
☐	**SSES**	Egg Switch-Black	$116
☐	**SSML**	Ultra Light Switch	$295
☐	**ESS-RED**	Emergency STOP Switch - Red	$314

SPECIALTY DRIVER CONTROL OPTIONS

► **Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)**

► **Specialty Control options in this section are not compliant with ISO 7176-19**

64. THERAFIN SIP-N-PUFF KIT

▼ ***This option is not compliant with ISO 7176-19***

☐	**SCSNPK**	Therafin Sip-N-Puff Kit						$1,975
☐	**SCSNPBTK**	Therafin Sip-N-Puff Breath Tube Kit						N/C
		▲ ***Required with the Therafin Sip-N-Puff kit.***						
☐	**SCSRMSNP**	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff		☐	SWL (Swings on Left)	☐	SWR (Swings on Right)	$300
		▲ ***Required with the Therafin Sip-N-Puff kit.***						
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch		☐	SWL (Swings on Left)	☐	SWR (Swings on Right)	$510
☐	**SSES**	Egg Switch for Changing Modes – Black		☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$116
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***						
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***						
☐	**ESS-RED**	Emergency STOP Switch - Red		☐	User Activation	☐	Attendant Activation	$314
		▲ ***Required with the Therafin Sip-N-Puff kit.***						

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

64. THERAFIN SIP-N-PUFF KIT (CONTINUED)

☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware				$220
		▲ ***Required with the Therafin Sip-N-Puff kit.***				
►	***CHOOSE ONE (1) HEADREST PAD***					
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9”				$155
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10”				$155
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11”				$155

65. PROXIMITY HEAD ARRAY

▼	***This option is not compliant with ISO 7176-19***					
☐	**CUSTOM**	Adult – 3 Switch Proximity Head Array with 1/8” Mono Jack for mode/reverse				RFQ
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$510
☐	**SSES**	Egg Switch for Changing Modes – Black	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$116
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***				
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.***				
☐	**ESS-RED**	Emergency STOP Switch - Red	☐	User Activation	☐ Attendant Activation	$314
		▲ ***Required with the Proximity Head Array.***				
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware				$220
		▲ ***Required with the Proximity Head Array.***				

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

▼	***This option is not compliant with ISO 7176-19***					
☐	**CUSTOM**	Light touch mini Proportional Joystick				RFQ
☐	**SCSRMMP**	Stealth Rock-n-Lock Swingaway Arm for Chin MP	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$870
		▲ ***Required with the Light touch mini Proportional Joystick.***				
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$510
☐	**SSES**	Egg Switch for Changing Modes – Black	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$116
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***				
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***				
☐	**JCC**	Chin Cup				$55
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware				$220
		▲ ***Required with the Light touch mini Proportional Joystick.***				
►	***CHOOSE ONE (1) HEADREST PAD***					
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9”				$155
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10”				$155
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11”				$155

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

▼	***This option is not compliant with ISO 7176-19***					
☐	**SCPGMJS**	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount				$2,369
☐	**SCGMJSM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for JC200	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$595
		▲ ***Must be selected for use with the PG Drives JC200 Mini Joystick.***				
☐	**CUSTOM**	Light touch mini Proportional Joystick				RFQ
☐	**SCGMPM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for Light Touch Joystick	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$825
		▲ ***Must be selected for use with the Light touch mini Proportional Joystick.***				
☐	**SCBTM**	Bullet Hand Tray for Light Touch mini Proportional Joystick	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$850
		▲ ***This option is only compatible with the Light touch Mini Proportional Joystick.***				

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

▼	***This option is not compliant with ISO 7176-19***					
☐	**SCPGMJS-M**	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount				$2,369
☐	**SCARMJSM**	Swing-away and Multi-Axis armrest mount	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$325
		▲ ***Must be selected for use with the PG Drives JC200 Mini Joystick.***				
☐	**CUSTOM**	Light touch mini Proportional Joystick				RFQ
☐	**SCARMPM**	Swing-away and Multi-Axis armrest mount	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$375
		▲ ***Must be selected for use with the Light touch mini Proportional Joystick.***				
☐	**SCBTM**	Bullet Hand Tray for Light Touch mini Proportional Joystick	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$850
		▲ ***This option is only compatible with the Light touch Mini Proportional Joystick.***				

69. PROPORTIONAL HEAD CONTROL PACKAGE

▼	***This option is not compliant with ISO 7176-19***					
☐	**SCPHC**	Proportional Head Control Package				$4,495
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$510
☐	**SSES**	Egg Switch for Changing Modes – Black	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$116
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***				
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***				
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware				$220
		▲ ***Required with the Proportional RIM Head Control.***				

CUSTOM SECTION

► **Lead times will increase depending on the custom order pipeline at the time the purchase order is received.**
► **Please call for Quote and specifications for these options.**

70. O² HOLDER

▼	***This option is not compliant with ISO 7176-19***					
☐	**SUPOXY**	Custom Non-Articulating Oxygen Tank Holder	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$295
		▲ ***Not available with a power recline***				
☐	**SUPOXYA**	Custom Articulating Oxygen Tank Holder	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$1,195
		▲ ***Required with a power recline***				
		☐ D-Size	Oxygen Tank – (* 22” Tall x 4.3” Diameter) – * The height includes the valve			
		☐ E-Size	Oxygen Tank – (* 31” Tall x 4.3” Diameter) – * The height includes the valve			

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ ***AMYLIOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.***

▼ ***This option is not compliant with ISO 7176-19***

☐	**SOVENT**	Custom Vent Tray	
	☐	Articulating Vent Box (Required with Power Tilt and/or Recline)	$1,360
	☐	Fixed Vent Box	$400
	SPECIFY MODEL		
	☐	Trilogy 100/200	
	☐	LTV	
	☐	LTV with Sprintpack	
	☐	Other, specify: _____	
☐	**SOVTBE**	Extended Battery Compartment	$495
	☐	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries	
	☐	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries	

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ ***PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.***

▼ ***These following custom options and accessories are ISO 7176-19 compliant***

☐	**CUSTOM**	USB Charger Port ◄ Specify the location for the installation: _____					RFQ
☐	**CUSTOM**	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control					RFQ
☐	**CUSTOM**	Accessory Hooks located at the rear of the seat structure (2 hooks)					RFQ
☐	**CUSTOM**	Heavy-Duty Wheelchair Cover, Large					RFQ
☐	**CUSTOM**	Transfer Handles – (Pair)	Select a height range:	☐	5” to 8”	☐ 6” to 9”	RFQ

▼ ***The following custom options and accessories below are not compliant with ISO 7176-19***

☐	**CUSTOM**	Folding Backrest for Storage/Travel Access for **Reclining backs**					RFQ
☐	**CUSTOM**	Power Anterior Tilt					RFQ
☐	**CUSTOM**	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)					RFQ
		▲ ***This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.***					
☐	**CUSTOM**	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)					RFQ
		▲ ***This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.***					
☐	**CUSTOM**	Rearview Camera with 5” Monitor					RFQ
☐	**CUSTOM**	Rearview mirror	☐ Left Side		☐ Right Side		RFQ
☐	**CUSTOM**	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan					RFQ
☐	**CUSTOM**	Foot Box	◄ Specify	Length: _____	Width: _____	Please confirm with CSR on sizing possibilities	RFQ
☐	**CUSTOM #1**	Other custom options. Specify in notes section below					RFQ
☐	**CUSTOM #2**	Other custom options. Specify in notes section below					RFQ

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

ORDERING INFORMATION: Phone: 1 450 424-0288 | Fax: 1 450 424-7211 | info@amylior.com | amylior.com

73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.