



GUIDE D'INSTRUCTION

ENJC


Document B





COMPOSANTS



OUTILS















X & Y = 




X mm (po)	Y mm (po)																											
	- 20 (- 0.8)	- 10 (- 0.4)	0	10 (0.4)	20 (0.8)	30 (1.2)	40 (1.6)	50 (2)	60 (2.4)	70 (2.7)	80 (3.1)	90 (3.5)	100 (3.9)	110 (4.3)	120 (4.7)	130 (5.1)	140 (5.5)	150 (5.9)	160 (6.3)	170 (6.7)	180 (7.1)	190 (7.5)	200 (7.9)	210 (8.3)	220 (8.7)	230 (9)	240 (9.5)	
310 (12.2)	X	X	X	X	X																				X	X	X	X
300 (11.8)	X	X	X	X																						X	X	X
290 (11.4)	X	X	X	X																								X
280 (11)	X	X	X																									
270 (10.6)	X	X	X																									
260 (10.2)	X	X																										X
250 (9.8)	X	X																									X	X
240 (9.5)	X																										X	X
230 (9)	X																									X	X	X
220 (8.7)																									X	X	X	X
210 (8.3)																									X	X	X	X
200 (7.9)	X																						X	X	X	X	X	X
190 (7.5)	X	X																				X	X	X	X	X	X	X
182 (7.2)	X	X	X																		X	X	X	X	X	X	X	X











X	L
310 mm (12.2 po)	9
300 mm (11.8 po)	9
290 mm (11.4 po)	8
280 mm (11 po)	8
270 mm (10.6 po)	7
260 mm (10.2 po)	6
250 mm (9.8 po)	5
240 mm (9.5 po)	4
230 mm (9 po)	3
220 mm (8.7 po)	2
210 mm (8.3 po)	2
200 mm (7.9 po)	1
190 mm (7.5 po)	0
182 mm (7.2 po)	0

