



## 1. ACCOUNT INFORMATION

P.O. # or Quote:			
Dealer Contact Name:			
Email Address:			
Phone Number:		Fax Number:	
Bill to (Name):			
Bill to (Location):			
Ship to (Name):			
Address:			
City:			
State:		Zip Code:	
User Name or Number:			
User Weight:			
User Height:			
Seat Cushion Thickness:			
Knee to Heel Length: Left:		Right:	



## THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.
- This product design meets and/or exceeds the code requirements
- HCPCS codes present on this order form are Amylior's interpretation of the codes and how our products should be coded at the time of this order form's release. Each funding source and individual DMERC will determine if these interpretations are correct and decide whether coverage will be accepted or denied as coded. Amylior does not guarantee coverage or payment based upon usage of these codes. Please contact your individual insurer(s) with funding and coverage questions.

**\*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

## 2. STANDARD OPTIONS FOR HCPCS CODES (K0852, K0860, K0863, K0014)

Alltrack HD3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 5.4mph motors, Weight Capacity = 550 lb

## 3. ALLTRACK HD3 POWER WHEELCHAIR

<b>ATHD3-3VHD-SS</b>	ALLTRACK HD3 Power Wheelchair – (K0852/K0014) – (Group 3 Very Heavy Duty, No Power)	\$11,895
<b>ATHD3-3VHD-SP</b>	ALLTRACK HD3 Power Wheelchair – (K0860/K0014) – (Group 3 Very Heavy Duty, Single Power)	\$11,895
<b>ATHD3-3VHD-MP</b>	ALLTRACK HD3 Power Wheelchair – (K0863/K0014) – (Group 3 Very Heavy Duty, Multiple Power)	\$11,895

## 4. USER WEIGHT PACKAGES

<b>WCA55</b>	550 lb Maximum user weight capacity	STD
--------------	-------------------------------------	-----

## 5. STANDARD COLORS

<b>SCMOBM</b>	Onyx Black Matte	N/C	<b>SCMCAB</b>	Cabernet	N/C
<b>SCMCTB</b>	Cobalt Blue	N/C	<b>SCMBGM</b>	Bubble Gum Metallic	N/C
<b>SCMIOB</b>	Indigo Blue	N/C	<b>SCMHAB</b>	Habanero Metallic	N/C
<b>SCMCRE</b>	Candy Red	N/C	<b>SCMLIM</b>	SubLime	N/C



## ▼ OPTIONAL COLORS

<b>FCHDD-M</b>	Desert Digital Camo HydroGraphics	\$995
<b>FCHCF-M</b>	Carbon fiber HydroGraphics	\$995
<b>FCHWL-M</b>	Woodland Camo HydroGraphics	\$995

## 5.5 WHEEL INSERT COLORS

<b>SCCTB-WI</b>	Cobalt Blue	N/C	<b>SCHAB-WI</b>	Habanero Metallic	N/C
<b>SCIOB-WI</b>	Indigo Blue	N/C	<b>SCLIM-WI</b>	SubLime	N/C
<b>SCCRE-WI</b>	Candy Red	N/C	<b>SCBGM-WI</b>	Bubble Gum Metallic	N/C
<b>SCCAB-WI</b>	Cabernet	N/C			
▲ <i>Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)</i>					
▲ <i>Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)</i>					
▲ <i>Wheel inserts are not available in Onyx Black Matte</i>					

## 7. TRANSPORT OPTION

<b>TTD4</b>	Tie-down attachment points compliant with ISO 7176-19. See owner's manual for additional details	STD
-------------	--	-----

## 8. MOTOR PACKAGE

<b>MP544B</b>	5.4 MPH 4-Pole Motor Package / with Brake Release	N/C
▲ <i>Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)</i>		
<b>MP544-OPT</b>	5.4 MPH 4-Pole Motor Package / with COG Release	\$405

## 9. ASSISTIVE DRIVING PACKAGE

<b>SMARTT</b>	Smart-Track Assistive Driving Package – (K0108)	\$1,525
▲ <i>Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.</i>		
▲ <i>This option requires the MP544-OPT motor package &amp; requires the R-net PM 120 Amp Expandable Controller (ECR120)</i>		
▲ <i>Recommended for non-proportional Drive Controls</i>		

## 10. BATTERY CHARGER

<b>BCOB</b>	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

## 11. BATTERY TRAY AND BASE WIDTH

<b>FS24B</b>	Battery Tray for Group 24 Batteries – (Total base width = 27 3/8")	N/C
--------------	--	-----

## 12. BATTERIES - REQUIRES A SELECTION

<b>BAT24GEL</b>	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each) – (E2363)	\$465
<b>BATO</b>	Omission of the batteries	N/C

## 14. DRIVE WHEEL

<b>DW14PT</b>	14" Cast Wheel Pneumatic Tires	STD
<b>DW14PI</b>	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
<b>DW144PT</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	\$560
<b>DW144PI</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	\$560
▲ <i>Increases the overall width of the base by 2 3/4"</i>		



## 15. FRONT CASTERS

<b>FC8PTM</b>	8" Pneumatic Casters	STD
<b>FC8PIM</b>	8" Pneumatic Casters with Foam Filled Tires	N/C

## 16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN $\pm \frac{1}{4}$ " )

SEAT TO FLOOR HEIGHT TABLE	NO POWER OPTIONS			TILT OR TILT/RECLINE
	0°	3°	6°	
<b>STFH1700 (17" STFH)</b>				
<b>STFH1800 (18" STFH)</b>				
<b>STFH1900 (19" STFH)</b>				
<b>STFH2000 (20" STFH)</b>				

## 17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

<b>SOMHSS</b>	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
▲ <b>Required at:</b> _____ " ( $\pm \frac{1}{4}$ " Range)		

## 18. PRE-SET SEAT FRAME ANGLE

<b>SFE-0</b>	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<b>SFE-3</b>	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<b>SFE-6</b>	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

## 19. LIGHTING PACKAGE

<b>EOLP</b>	LED Light Package – (Includes front and rear lights with integrated flashers)	\$1,375
▲ <b>Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECRJCL, ECRJC35B or EDIB).</b>		

## 20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

▶ <b>VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)</b>		
<b>ECV902A</b>	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
<b>ECVJ4K</b>	VR2 Standard 4-Key Joystick	STD
<b>ECVJ6K</b>	VR2 6-Key Joystick (Allows for single or select dual power options to operate through this joystick)	\$255
<b>ECVJ9KL</b>	VR2 9-Key Joystick with Lighting Operation (Allows for single or select dual power options to operate through this joystick)	\$360

## 21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<b>ECEL90</b>	R-net EL 90 Amp Expandable Controller – (E2377)	\$725
<b>ECR120</b>	R-net PM 120 Amp Expandable Controller – (E2377)	\$825
<b>ECRNH</b>	Harness for Expandable Controller – (E2313)	\$640
▲ <b>Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI 2 screen</b>		



## 22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

► <b>SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120</b>		
<b>ECO</b>	Omit Joystick – (For use with an Omni 2 Display)	N/C
<b>ECELJ</b>	R-net - (LED) – Joystick	STD
	▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>	
<b>ECRJC</b>	R-net Joystick with Color screen	\$140
► <b>JOYSTICKS WITH LIGHTING OPERATION</b>		
<b>ECELJL</b>	R-net – (LED) – Joystick with Lighting Operation	\$535
	▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>	
<b>ECRJCL</b>	R-net Joystick with Color screen and Lighting Operation	\$640
► <b>ADVANCED JOYSTICK</b>		
<b>ECRJC35B</b>	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$1,295

## 23. JOYSTICK MOUNT

<b>JSMF</b>	Fixed Joystick Mount	N/C
<b>JMSA</b>	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis – (E1032)	\$385
<b>Select:</b>	Set-up with standard installation to swing-away sideways	
	Set-up at 35° to swing-away sideways and downwards	
	▲ <i>Set-up at 35° angle may cause interference with the user's limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.</i>	
<b>JSMCM</b>	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount – (E1032)	\$695

## 24. JOYSTICK MOUNT SUPPORT

<b>JSMFH</b>	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

## 25. JOYSTICK HAND MOUNT

<b>HML</b>	Install Joystick on Left hand side	<b>HMR</b>	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

## 26. JOYSTICK HANDLE

<b>JSH</b>	Standard Joystick Gimble	STD	<b>JBAT</b>	Stick Handle 3" in Length (E2323)	\$130
<b>JBH</b>	Ball Handle (E2323)	\$90	<b>JFBH</b>	Foam Ball Handle (E2323)	\$90
<b>JTH</b>	T-Handle (E2323)	\$105	<b>JMUSH</b>	Bodypoint Mushroom Handle (E2323)	\$140
<b>JGP</b>	Bodypoint 4" U-shaped Handle (E2323)	\$135			

## 27. ATTENDANT DRIVE CONTROL OPTION

<b>EADC</b>	Attendant Hand Control – (E2331)	\$1,015
-------------	----------------------------------	---------

## 28. ATTENDANT JOYSTICK HAND MOUNT

<b>EADCL</b>	Install Attendant Joystick on Rear Left hand side	<b>EADCR</b>	Install Attendant Joystick on Rear Right hand side
--------------	---	--------------	--

## 29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

<b>EDIB</b>	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared)	\$2,055
	▲ <i>Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)</i>	
	▲ <i>The Omni 2 display mount must be selected from the option below.</i>	



### 30. OMNI 2 ENHANCED DISPLAY MOUNT

<b>EDSAM</b>	User Swing Away Mount – (E2351)	\$403
	<b>EDML – (Install Display on LH side)</b>	<b>EDMR – (Install Display on RH side)</b>

### 31. ENVIRONMENTAL CONTROL MODULE

<b>ECU</b>	Environment control module – (Output Module) – (E2351)	\$915
	▲ <b>Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).</b>	

### 33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

<b>SAABAHD-550</b>	Bariatric <b>Signature</b> Rehab Seat – (Seat Frame only)	\$2,195
<b>SAPTXVHD</b>	Bariatric <b>Signature</b> CG Power Tilt (E1002)	\$8,770
	▲ <b>This option includes the <b>Signature</b> Rehab Seat – (SAABAHD)</b>	
<b>SAPRXVHD</b>	Bariatric <b>Signature</b> 165° Power Recline with Integrated Shear Reduction (ISR) – (E1004)	\$9,685
	▲ <b>This option includes the <b>Signature</b> Rehab Seat – (SAABAHD)</b>	
<b>SAPTPRXVHD</b>	Bariatric <b>Signature</b> CG Power Tilt and 165° Power Recline with Integrated Shear Reduction (ISR) – (E1007)	\$13,995
	▲ <b>This option includes the <b>Signature</b> Rehab Seat – (SAABAHD)</b>	

### 34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

►	SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (For both expandable and non-expandable systems)													
	SOLO		Single function controller (Includes an external toggle switch)								N/C			
▼	OPTIONAL SWITCHES													
	SWTOGGLE		Single Toggle Switch						Attendant Activation		\$125			
	SWPUSH1		Single Push Button Switch – (Single Mode: SAC)				User Activation		Attendant Activation		\$95			
	SWPUSH2		Dual Push Button Switch – (Dual Mode: SAC)				User Activation		Attendant Activation		\$180			
	SSBS		Buddy Button Switch		Black		Red		Green		Yellow	User Activation	Attendant Activation	\$235
	SSES		Egg Switch-Black				User Activation		Attendant Activation		\$265			
	SSML		Ultra Light Switch				User Activation		Attendant Activation		\$255			
►	SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL													
	EPSV		Single Function Through VR2 Non-Expandable Drive Control (E2310)								\$1,935			
			▲ Allows for activation of a single power option through VR2 controller											
			▲ Does not allow for control of power option through drive control and separate switches											
			▲ VR2 Electronics can only accommodate specific power seat functions such as Tilt / Recline / Power Center Mount / Combined Power Legs											
			▲ Choose EPSV2 to operate select power combinations											
	EPSEL		Single Function Through Drive Control with R-net 90-amp controller (E2310)								\$1,935			
			▲ Allows for activation of single power option through R-net 90-amp controller											
			▲ Compatible with all R-net joysticks											
			▲ Does not allow for control of power option through drive control and separate switches											
			▲ Can not operate more than one power option											
			▲ If selecting memory seating, choose SAC below											
			▲ If selecting 120-amp R-net controller, choose SAC below											



### 34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER (CONTINUED)

<b>SAC</b>	Single Function Through Drive Control with R-net 90-amp or 120-amp controller (E2310)										\$2,955
	▲ <i>Allows for activation of single power option through R-net drive controls</i>										
	▲ <i>Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls</i>										
►	<b>SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)</b>										
<b>SACMEMORY</b>	Memory Seat Program										\$995
	▲ <i>This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJL)</i>										
	▲ <i>Memory seat programming is not compatible with the Very Heavy Duty Tilt option (SAPTXVHD and SAPTPRXVHD)</i>										
►	<b>SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH</b>										
<b>SACTOGGLE</b>	Single Toggle Switch								Attendant Activation	\$440	
<b>SACPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)						User Activation	Attendant Activation	\$430		
<b>SACPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)						User Activation	Attendant Activation	\$515		
<b>SACSSBS</b>	Buddy Button Switch	Black		Red		Green	Yellow	User Activation	Attendant Activation	\$535	
<b>SACSSSES</b>	Egg Switch-Black						User Activation	Attendant Activation	\$440		
<b>SACSSML</b>	Ultra Light Switch						User Activation	Attendant Activation	\$595		

### 35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

MPF	Multiple Seat Function Controller through external switches only					\$1,195
	▲ <i>Not compatible with VR2 electronics (ECV902A)</i>					
▼	EXTERNAL SWITCHES					
SWKEYPAD-P	Keypad w/ 5 Push Button Switches		User Activation		Attendant Activation	N/C
SWKEYPAD-T	Keypad w/ 5 Toggle Switches		User Activation		Attendant Activation	\$395
SWMULTI	4-Way Toggle Switch – (Up to 4 Activations)		User Activation		Attendant Activation	\$275
SWMULTIT	Triple Toggle Switch – (Up to 5 Activations)		User Activation		Attendant Activation	\$205
SWPUSH4	4-Way Push Button Switch		User Activation		Attendant Activation	\$350
SWPUSH5	5-Way Push Button Switch		User Activation		Attendant Activation	\$365
►	DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL					
EPSV2	Dual Function Through Drive Control with VR2 Non-Expandable Electronics (E2311)					\$2,955
	▲	Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT and RECLINE is not possible with EPSV2				
	▲	Does not allow for control of power options through drive control and separate switches				
	▲	VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs				
►	MULTIPLE SEAT FUNCTIONS THROUGH R-NET					
MAC	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators (E2311)					\$3,770
►	MAC OPTIONS					
MACMEMORY	Memory Seat Program					\$180
	▲	Memory seat programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD)				
►	SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH					
MACKEYPAD-P	Keypad w/ 5 Push Button Switches		User Activation		Attendant Activation	N/C
MACKEYPAD-T	Keypad w/ 5 Toggle Switches		User Activation		Attendant Activation	\$395





### 35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE (CONTINUED)

<b>MACMULTI</b>	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	\$275
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACMULTIT</b>	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	\$205
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACPUSH4</b>	4-Way Push Button Switch	User Activation	Attendant Activation	\$350
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACPUSH5</b>	5-Way Push Button Switch	User Activation	Attendant Activation	\$365
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			

### 36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<b>TSML</b> – (Install Switch on LH side)	<b>TSMR</b> – (Install Switch on RH side)	N/C
----------------------	---	---	-----

### 37. SIGNATURE TAILORED SOLUTIONS - PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

<b>SOBAA</b>	Select one:	82°	90°	98°	106°	N/C
	▲ <i>Back angle of 106° is not compatible with the OMNI 2.</i>					

### 39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20" AND 28" (510 - 710 MM)

<b>STS20-25-22</b>	Width adjustment from 20" to 25" (510-635 MM) and Depth range of 18" to 22" (455 - 560 MM)					N/C
	▲ <i>The minimum seat depth available with these options is 18" (455 MM)</i>					
<b>STS23-28-22</b>	Width adjustment from 23" to 28" (585-710 MM) and Depth range of 18" to 22" (455 - 560 MM)					N/C
	▲ <i>The minimum seat depth available with these options is 18" (455 MM)</i>					
<b>STS23-28-24</b>	Width adjustment from 23" to 28" (585-710 MM) and Depth range of 18" to 24" (455 - 610 MM)					N/C
	▲ <i>The minimum seat depth available with these options is 20" (510 MM)</i>					
<b>20" (SOSW20)</b>	<b>21" (SOSW21)</b>	<b>22" (SOSW22)</b>	<b>23" (SOSW23)</b>	<b>24" (SOSW24)</b>	<b>25" (SOSW25)</b>	
<b>26" (SOSW26)</b>	<b>27" (SOSW27)</b>	<b>28" (SOSW28)</b>				

### 40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 18" AND 24" (455 - 610 MM)

<b>18" (SODN18)</b>	<b>19" (SODN19)</b>	<b>20" (SODN20)</b>	<b>21" (SODN21)</b>	<b>22" (SODN22)</b>	<b>23" (SODN23)</b>	N/C
<b>24" (SODN24)</b>						N/C

### 41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

▶ *Not compatible with a power or manual recline*

<b>16" (SOBCH16)</b>	<b>17" (SOBCH17)</b>	<b>18" (SOBCH18)</b>	<b>19" (SOBCH19)</b>			
▼ <i>20" is the minimum back height required with a power or manual recline</i>						
<b>20" (SOBCH20)</b>	<b>21" (SOBCH21)</b>	<b>22" (SOBCH22)</b>	<b>23" (SOBCH23)</b>	<b>24" (SOBCH24)</b>	<b>25" (SOBCH25)</b>	
<b>26" (SOBCH20)</b>	<b>27" (SOBCH21)</b>	<b>28" (SOBCH22)</b>				

### 41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

#### ▼ PUSH HANDLES

<b>SOPH</b>	Push Handles (pair)	N/C
-------------	---------------------	-----

#### ▼ ENDOMORPH BACK CANES FOR NON-RECLINING BACKS

<b>STSEND0-F1</b>	Endomorph Back Canes for non-reclining backs, 1 IN (25 MM) total	\$95
<b>STSEND0-F2</b>	Endomorph Back Canes for non-reclining backs, 2 IN (50 MM) total	\$95
<b>STSEND0-F3</b>	Endomorph Back Canes for non-reclining backs, 3 IN (75 MM) total	\$95
<b>STSEND0-F4</b>	Endomorph Back Canes for non-reclining backs, 4 IN (100 MM) total	\$95



#### 41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS (CONTINUED)

##### ▼ ENDOMORPH BACK CANES FOR RECLINING BACKS

<b>STSEND0-R1</b>	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
<b>STSEND0-R2</b>	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C

##### ▼ FOLDING BACKREST (FOR NON-RECLINING BACKS)

<b>STSFB</b>	Folding Backrest for Storage/Travel Access for non-reclining backs	\$195
--------------	--	-------

#### 42. BACK SUPPORT

<b>STDSB-WWHH</b>	Standard contour back support – (19" to 26" Wide with a maximum shell height of 22")	N/C
-------------------	--	-----

▲ *The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back*

##### ► MATRX BACKS

<b>PBE-WWHH-HD</b>	MATRX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20") – (E2620 / E2621)	\$1,045
--------------------	--	---------

▲ *Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back*

▲ *Weight capacity up to 500 lb*

<b>EDB-WWHH-HD</b>	MATRX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20") – (E2620 / E2621)	\$1,180
--------------------	--	---------

▲ *Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back*

▲ *This product is not compatible with Lateral Trunk Supports*

▲ *Weight capacity up to 500 lb*

##### ► NXT BACKS

<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) – (E2620)	\$660
-------------------	---	-------

▲ *Weight capacity up to 300 lb*

<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide) – (E2621)	\$710
-------------------	---	-------

▲ *Weight capacity up to 550 lb*

▲ *Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back*

<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) – (E2620)	\$600
-------------------	--	-------

▲ *Weight capacity up to 300 lb*

<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) – (E2621)	\$710
-------------------	--	-------

▲ *Weight capacity up to 550 lb*

▲ *This product is not compatible with Lateral Trunk Supports*

▲ *Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back*

##### ► OMISSION OF THE BACK SUPPORT

<b>STDSBO</b>	Omission of the Contour Back Support ◀ <b>Specify:</b> _____	N/C
---------------	--	-----

<b>STDSBO-UNIVBKT</b>	Universal 4-Point Fixed Brackets for Aftermarket Backs	\$150
-----------------------	--	-------

#### 43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼ *20" is the minimum back height required with a reclining back.*

<b>16" (SOBH16)</b>	<b>18" (SOBH18)</b>	<b>20" (SOBH20)</b>	<b>22" (SOBH22)</b>	<b>24" (SOBH24)</b>	<b>26" (SOBH26)</b>	<b>28" (SOBH28)</b>
---------------------	---------------------	---------------------	---------------------	---------------------	---------------------	---------------------

*This height is not available with the NXT Optima AC and PC options* ▲





#### 44. SEAT CUSHIONS

##### ► **PERFORMA CG AIR - THERAPEUTIC AIR CUSHION**

Custom Cushion (Please use the **Performa CG Air** order form)

Cell Height (Choose 1): ☐ 2" ☐ 3" ☐ 4"

##### ► **SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING**

###### ► **PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER**

<b>CGA1VSCxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2622)	\$510
<b>CGA1VSCxxx-x</b>	22" + (560 mm +) wide – (E2623)	\$610

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

###### ► **PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER**

<b>CGA1V3Dxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2622)	\$564
<b>CGA1V3Dxxx-x</b>	22" + (560 mm +) wide – (E2623)	\$680

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

###### ► **PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER**

<b>CGA1VICxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2622)	\$535
<b>CGA1VICxxx-x</b>	22" + (560 mm +) wide – (E2623)	\$625

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

##### ► **DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING**

###### ► **PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER**

<b>CGA2VSCxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$510
<b>CGA2VSCxxx-x</b>	22" + (560 mm +) wide – (E2625)	\$610

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

###### ► **PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER**

<b>CGA2V3Dxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$564
<b>CGA2V3Dxxx-x</b>	22" + (560 mm +) wide – (E2625)	\$680

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

###### ► **PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER**

<b>CGA2VICxxx-x</b>	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$535
<b>CGA2VICxxx-x</b>	22" + (560 mm +) wide – (E2625)	\$625

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

###### ► **DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)**

<b>CGA-2VLR</b>	CG Air Dual Valves with Left / Right Location	N/C
<b>CGA-2VF6</b>	CG Air Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
<b>CGA-2VF8</b>	CG Air Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
<b>CGA-2VF10</b>	CG Air Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C

##### ► **PERFORMA CG AIR OPTIONS**

<b>CGA-GZ</b>	GripZone Anti-Slip Technology	\$75
<b>CGA-TT-WW</b>	Transfer Trellis	\$65
<b>CGA-AC</b>	Anatomic Contour Seat Insert (E0992)	\$125
<b>CGA-SP</b>	Seat Pouch	\$36

##### ► **MATRX CUSHION**

<b>PSP-WWDD</b>	MATRX PSP Seat Cushion – (11" to 20" Wide) – (E2607)	\$395
-----------------	--	-------

▲ **The maximum user weight capacity is 300 lb**

▲ **Cushion sizes only come in even numbers for width and depth measurements.**

<b>PSP-WWDD</b>	MATRX PSP Seat Cushion – (22" to 26" Wide) – (E2608)	\$595
-----------------	--	-------

▲ **The maximum user weight capacity is 550 lb**

▲ **Cushion sizes only come in even numbers for width and depth measurements.**



#### 44. SEAT CUSHIONS (CONTINUED)

##### ► NXT BIO-FIT CUSHION

<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (15" to 21" Wide) – (E2607)	\$425
	▲ <b>The maximum user weight capacity is 300 lb</b>	
<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (22" to 26" Wide) – (E2608)	\$455
	▲ <b>The maximum user weight capacity is 400 lb</b>	
	▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>	

#### 45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

##### FOR NON-RECLINING BACKS

▼ **Height Adjustable from 7.25" (185 mm) to 15.25" (385 mm) in 1" (25 mm) increments**

▼ **Not compatible with Waterfall Armpads (SOWAPx et SOWGELx)**

<b>SOAFBDLH</b>	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Left Side	N/C
<b>SOAFBDRH</b>	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Right Side	N/C
<b>SOAFBFLH</b>	Signature Cantilever Armrest – Full Length 16" (405 mm) - Left Side	N/C
<b>SOAFBFRH</b>	Signature Cantilever Armrest – Full Length 16" (405 mm) - Right Side	N/C
<b>SOAFBELH</b>	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Left Side	N/C
<b>SOAFBERH</b>	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Right Side	N/C

▲ **The extended-length 18" (455 mm) armrests are only compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16)**

##### ▼ CUSTOM LENGTH

<b>SOAFBCLH</b>	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Left Side	\$95
<b>SOAFBCRH</b>	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Right Side	\$95
<b>SOAFBCLH</b>	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Left Side	\$95
<b>SOAFBCRH</b>	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Right Side	\$95

▲ **The custom-length 20" (510 mm) and 22" (560 mm) armrests are only compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16)**

#### 46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

▼ **E0973 - Code applies for rehab seat only configurations (SAABA)**

▼ **NOT compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16) and the Arm Trough with Hand Support (SOCAR)**

<b>SOADPDLH</b>	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	\$190
<b>SOADPDRH</b>	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	\$190
<b>SOADPFLH</b>	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	\$190
<b>SOADPFRH</b>	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	\$190

#### 47. SIGNATURE TAILORED SOLUTIONS - RECLINING ARMRESTS WITH VERTICAL POST - FLIP-UP, HEIGHT ADJUSTABLE (CHOOSE 2)

▼ **Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments**

▼ **Choose a Height Range :** ☐ **Low Range 10.25" to 13.25" (260 - 335 mm)** ☐ **High Range 14.25" to 16.25" (360 - 415 mm)**

▼ **Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)**

<b>SOANIDLH</b>	Signature Reclining Armrest with Vertical Post – Desk Length 12" (305 mm) - Left Side	N/C
<b>SOANIDRH</b>	Signature Reclining Armrest with Vertical Post – Desk Length 12" (305 mm) - Right Side	N/C
<b>SOANIFLH</b>	Signature Reclining Armrest with Vertical Post – Full Length 16" (405 mm) - Left Side	N/C
<b>SOANIFRH</b>	Signature Reclining Armrest with Vertical Post – Full Length 16" (405 mm) - Right Side	N/C
<b>SOANIELH</b>	Signature Reclining Armrest with Vertical Post – Extended Length 18" (455 mm) - Left Side	N/C
<b>SOANIERH</b>	Signature Reclining Armrest with Vertical Post – Extended Length 18" (455 mm) - Right Side	N/C

▲ **The extended-length 18" (455 mm) armrests are only compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16)**



#### 47. SIGNATURE TAILORED SOLUTIONS - RECLINING ARMRESTS WITH VERTICAL POST - FLIP-UP, HEIGHT ADJUSTABLE (CHOOSE 2) (CONTINUED)

##### ▼ CUSTOM LENGTH

<b>SOANICLH</b>	Signature Reclining Armrest with Vertical Post– Custom Length 20" (510 mm) - Left Side	\$95
<b>SOANICRH</b>	Signature Reclining Armrest with Vertical Post– Custom Length 20" (510 mm) - Right Side	\$95
<b>SOANICLH</b>	Signature Reclining Armrest with Vertical Post– Custom Length 22" (560 mm) - Left Side	\$95
<b>SOANICRH</b>	Signature Reclining Armrest with Vertical Post– Custom Length 22" (560 mm) - Right Side	\$95
▲ The custom-length 20" (510 mm) and 22" (560 mm) armrests are only compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16)		

#### 48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

- Set the Armrest Height at: \_\_\_\_\_ "
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- ▲ Not required for Dual Post.

#### 49. SIGNATURE TAILORED SOLUTIONS - ARMPADS

##### FOAM TYPE SELECTION

<b>SOFAPD</b>	Desk Length Flat Armpad – (10 ½" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
<b>SOFAPF</b>	Full Length Flat Armpad – (14" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
<b>SOXWFAP10</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
<b>SOXWFAP14</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
<b>SOXWFAP16</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C

▲ The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) or Reclining armrest (SOANIExx) with an extended length of 18"(455 mm) or more

▲ The X-Wide 16" x 3 ½" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)

<b>SOWAPD</b>	Desk Length Waterfall – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
▲ May interfere with flipping back the armrests when combined with Lateral Trunk supports.					
▲ NOT compatible with Cantilever (SOAFBExx) or Reclining armrests (SOANIExx)					
<b>SOWAPF</b>	Full Length Waterfall – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
▲ May interfere with flipping back the armrests when combined with Lateral Trunk supports.					
▲ NOT compatible with Cantilever (SOAFBxxx) or Reclining armrests (SOANLxxx)					

##### HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2")	Select side:	Left Hand Side	Right Hand Side	\$36
<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2")	Select side:	Left Hand Side	Right Hand Side	\$36
<b>SOXWGAP10</b>	X-Wide 3.5" (90 mm) Flat GEL Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$55
<b>SOXWGAP14</b>	X-Wide 3.5" (90 mm) Flat GEL Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$55
<b>SOXWGAP16</b>	X-Wide 3.5" (90mm) Flat GEL Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$65

▲ The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) or Reclining armrest (SOANIExx) with an extended length of 18"(455 mm) or more

▲ The X-Wide 16" x 3 ½" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)



#### 49. SIGNATURE TAILORED SOLUTIONS - ARMPADS (CONTINUED)

##### FOAM TYPE SELECTION

<b>SOWGELD</b>	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$46
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx) or Reclining armrests (SOANlxxx)</i>				
<b>SOWAPF</b>	Full Length Waterfall – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx) or Reclining armrests (SOANlxxx)</i>				
►	<b>SPECIALTY TYPE SELECTION</b>				
<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 ½") – (E2209)	Select side:	Left Hand Side	Right Hand Side	\$236
	▲ <i>Arm Trough Armpads may interfere with Armrests Flipping back.</i>				
▲ <i>SOCAR armpads require Cantilever (SOAFBExx) or Reclining armrest (SOANIExx) with an extended length of 18" (455 mm) or more</i>					

#### 50. SIGNATURE TAILORED SOLUTIONS - FOOTRESTS

SOAAF**-STD	Signature Heavy Duty Swing-Away Footrests				STD
Set at:		60°	70°		
Select Footrest Range:		SOFLHD12 (12 ½" – 17 ½")		SOFLHD14 (14 ½" – 19 ½")	
ADDML	Signature Manual Elevating & Articulating Legrests - Pair – (E0990)				\$485
Select Footrest Range:		SOFLME12 (12 ½" – 17 ½")		SOFLME14 (14 ½" – 19 ½")	
	▲ <i>Does not include calf pads. Please select calf pads in section 51.</i>				
ADDPLHD	Signature Heavy Duty Power Elevating & Articulating Legrests – (E1010)				\$3,975
Select Function:		Individual		Combined	
Select Footrest Range:		SOFLPW12 (12 ½" – 17 ½")		SOFLPW14 (14 ½" – 19 ½")	
	▲	<i>This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.</i>			

#### 51. SIGNATURE TAILORED SOLUTIONS - FOOTPLATES & ACCESSORIES

<b>SOSFAFHD</b>	Flip-up Footplates				STD
<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates – (Each) – (K0040)				\$95
<b>SOAHL</b>	Heel Loops – (Each) – (E0951)				\$22
<b>SOACPFR</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware (Each) – (E0995)				\$55
<b>SOAMA</b>	Swing-away residual limb Support – (E1020)	Select:	Left leg	Right leg	\$420

#### 52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

►	Set the Footrest Length at: _____"	
▲	The Footrest Length is taken from the top of the seat pan to the top of the footplate.	



### 53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS

<b>SOAAF90</b>	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	N/C
Select Foot Platform Range:		
	SOFBA12 (12 ½" – 16 ½")	SOFBA16 (16 ½" – 19 ½")
▲	<i>When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75"</i>	
▲	<i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>	
▲	<i>With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.</i>	
<b>ADDPFVHD</b>	90° Very Heavy Duty Power Center Mount Elevating & Articulating Foot Platform – (E1012 / K0108)	\$4,250
Select Footrest Range:		
	SOFBPW12 (10 ½" - 16")	SOFBPW16 (16" - 20")
▲	<i>When selecting SOFBPW16 (16" - 20") range, the lowest possible seat to floor height is 18.75"</i>	
▲	<i>This option includes calf pads. The power center mount counts as one power function.</i>	
▲	<i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>	
▲	<i>For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.</i>	

### 54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

<b>SOFUFP</b>	Flip-up one piece Foot Platform	N/C
<b>SOAFPFB</b>	Angle Adjustable & Flip-up Split Footplates for center mount – (Each) – (K0040)	\$125
<b>SOACPCM</b>	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware – (Each) – (E0995)	\$75

### 55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

- **Set the Foot Platform Height at:** \_\_\_\_\_ “
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

### 56. SEAT POSITIONING

<b>SOAUTO80-STD</b>	80" Seat Positioning Strap	STD
<b>SOBPHP2C</b>	Bodypoint padded Hip Belt – (Two Point – Center Pull) – (E0978)	\$175
<b>SOBPHP2C-L82</b>	XL 82" Bodypoint padded Hip Belt – (Two Point – Center Pull) – (E0978)	\$170
<b>SOPHB</b>	Padded Hip Belt, 2-PT Magnetic Center Pull (E0978)	\$180
<b>SOPCS</b>	Padded Chest Strap, 2-PT Magnetic Center Pull (E0960)	\$240

### 57. HEADREST

▼ **SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.**

<b>SONUAHR-12</b>	Using headrest mounting hardware other than SOMAH below. <b>Available with both Fixed and Reclining backrests. 1/2 IN (12.7 MM) Mounts</b>	N/C
<b>SONUAHR-15</b>	Using headrest mounting hardware other than SOMAH below. <b>Available with Reclining backrests only. 19/32 IN (15 MM) Mounts</b>	N/C
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9" – (E0955)	\$238
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10" – (E0955)	\$238
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11" – (E0955)	\$238
<b>SOMAH</b>	Multi-axis Removable Mounting Hardware – (E1033)	\$243
<b>SOHRBC</b>	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
<b>SOHRPR</b>	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C





## 58. LATERAL TRUNK SUPPORTS

### ▼ SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

<b>SOSLS3</b>	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5" – (E0956)	\$115
<b>SOSLM4</b>	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6" – (E0956)	\$115
<b>SOSLL5</b>	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7" – (E0956)	\$115
<b>SOSLHM</b>	Adjustable Swing-Away Hardware Mounts – (Each) – (E1034)	\$295
	▲ <i>The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6" Deep Contour Fixed Thoracic Back Support (NOPCB).</i>	
	▲ <i>Waterfall arm pads (SOWAPx &amp; SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports</i>	

## 59. HIP & THIGH SUPPORTS

### ▼ SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

<b>SOHTSS10</b>	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4" – (E0956)	\$115
<b>SOHTSM12</b>	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5" – (E0956)	\$115
<b>SOHTSL14</b>	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6" – (E0956)	\$115
<b>SOHTSARH</b>	Adjustable and Removable Hip & Thigh Support Hardware – (Each) – (E1034)	\$243

## 60. ACCESSORIES

<b>SOCH</b>	Cup Holder – (Self-Leveling)	Install on:		Left Side	Right Side	\$95
<b>SOCPH</b>	Ram Mounts X-Grip Cell Phone Holder	Install on:		Left Side	Right Side	\$150
<b>SOTHS</b>	Ram Mounts X-Grip Small Tablet Holder	Install on:		Left Side	Right Side	\$175
<b>SOTHL</b>	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:		Left Side	Right Side	\$290
	▲ <i>Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.</i>					
	▲ <i>With multiple accessories installed on the same side, a custom upgrade will be required.</i>					

## 61. REFLECTOR KIT

<b>REFLECT</b>	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

## 62. BACK PACK AND ARMREST SIDE POUCHES

<b>SOAP</b>	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:		Left Side	Right Side	\$60
	▲ <i>If only choosing one (1) armrest pouch, please show what side it should be installed</i>					
<b>SOBP</b>	Back Pack – (Comes with durable straps that can be hooked around the back canes)					\$85

## 63. SWITCHES AND OPTIONS

<b>ASCPWIFI</b>	PGDT - Wireless programmer, WIFI dongle	\$686
<b>ASPCP</b>	PGDT R-NET Dongle and PC programmer kit	\$590
<b>ASCPVR2</b>	PGDT VR2 with PPI Dongle and PC programmer kit	\$1,095
<b>SSBS</b>	Buddy Button Switch – (K0108)	\$235
<b>SSES</b>	Egg Switch-Black – (K0108)	\$265
<b>SSML</b>	Ultra Light Switch – (K0108)	\$255
<b>ESS-RED</b>	Emergency STOP Switch - Red – (K0108)	\$330





## SPECIALTY DRIVER CONTROL OPTIONS

► **SPECIALTY DRIVE CONTROL OPTIONS ALL REQUIRE THE OMNI 2 ENHANCED DISPLAY & DIGITAL INTERFACE BOX (EDIB)**

### 64. THERAFIN SIP-N-PUFF KIT

	<b>SCSNPK</b>	Therafin Sip-N-Puff Kit – (E2325)				\$1,995
	<b>SCSNPBTk</b>	Therafin Sip-N-Puff Breath Tube Kit – (E2326)				\$600
		▲ <b>Required with the Therafin Sip-N-Puff kit.</b>				
	<b>SCSRMSNp</b>	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff – (E1032)		SWL (Swings on Left)	SWR (Swings on Right)	N/C
		▲ <b>Required with the Therafin Sip-N-Puff kit.</b>				
	<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)		SWL (Swings on Left)	SWR (Swings on Right)	\$405
	<b>SSES</b>	Egg Switch for Changing Modes – Black – (K0108)		MLH (Mount on Left)	MRH (Mount on Right)	\$265
		▲ <b>Required with the Stealth Rock-n-Lock Swing Away mount.</b>				
		▲ <b>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</b>				
	<b>ESS-RED</b>	Emergency STOP Switch - Red – (K0108)		User Activation	Attendant Activation	\$330
		▲ <b>Required with the Therafin Sip-N-Puff kit.</b>				
	<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware – (E1033)				\$243
		▲ <b>Required with the Therafin Sip-N-Puff kit.</b>				
►	<b>CHOOSE ONE (1) HEADREST PAD</b>					
	<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9" – (E0955)				\$238
	<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10" – (E0955)				\$238
	<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11" – (E0955)				\$238

### 65. PROXIMITY HEAD ARRAY

<b>SCSIHAA</b>	Adult – Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse – (E2330)				\$6,195
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left)	SWR (Swings on Right)		\$405
<b>SSES</b>	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)		\$265
	▲ <b>Required with the Stealth Rock-n-Lock Swing Away mount.</b>				
	▲ <b>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section.</b>				
<b>ESS-RED</b>	Emergency STOP Switch - Red – (K0108)	User Activation	Attendant Activation		\$330
	▲ <b>Required with the Proximity Head Array.</b>				
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware – (E1033)				\$243
	▲ <b>Required with the Proximity Head Array.</b>				

### 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick – (E2312)				\$3,995
<b>SCSRMMP</b>	Stealth Rock-n-Lock Swingaway Arm for Chin MP – (E1032)	SWL (Swings on Left)	SWR (Swings on Right)		\$595
	▲ <b>Required with the Light touch mini Proportional Joystick.</b>				
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left)	SWR (Swings on Right)		\$405



## 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CONTINUED)

	<b>SSES</b>	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$265
		▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>			
		▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</i>			
	<b>JCC</b>	Chin Cup – (E2324)			\$60
	<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware – (E1033)			\$243
		▲ <i>Required with the Light touch mini Proportional Joystick.</i>			
►	<b>CHOOSE ONE (1) HEADREST PAD</b>				
	<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9" – (E0955)			\$238
	<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10" – (E0955)			\$238
	<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11" – (E0955)			\$238

## 67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

<b>SCPGMJS</b>	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount – (E2373)			\$1,595
<b>SCGMJSM</b>	Gatlin Midline Swing-away Mount for JC200 – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$450
	▲ <b>Must be selected for use with the PG Drives JC200 Mini Joystick.</b>			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick – (E2312)			\$3,995
<b>SCGMPPM</b>	Gatlin Midline Swing-away Mount for Light touch mini Proportional Joystick – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$465
	▲ <b>Must be selected for use with the Light touch mini Proportional Joystick.</b>			
<b>SCBTM</b>	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$950
	▲ <b>This option is only compatible with the Light touch Mini Proportional Joystick.</b>			

## 68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

<b>SCPGMJS-M</b>	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount – (E2373)			\$1,595
<b>SCARMJSM</b>	Swing-away and Multi-Axis armrest mount – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$250
	▲ <b>Must be selected for use with the PG Drives JC200 Mini Joystick.</b>			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick – (E2312)			\$3,995
<b>SCARMPPM</b>	Swing-away and Multi-Axis armrest mount – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$250
	▲ <b>Must be selected for use with the Light touch mini Proportional Joystick.</b>			
<b>SCBTM</b>	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$950
	▲ <b>This option is only compatible with the Light touch Mini Proportional Joystick.</b>			

## 69. PROPORTIONAL RIM HEAD CONTROL PACKAGE

<b>SCPHC</b>	Proportional RIM Head Control Package – (E2327)			\$4,995
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left)	SWR (Swings on Right)	\$405
<b>SSES</b>	Egg Switch for Changing Modes Black – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$265
	▲ <b>Required with the Stealth Rock-n-Lock Swing Away mount.</b>			
	▲ <b>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</b>			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware – (E1033)			\$243
	▲ <b>Required with the Proportional RIM Head Control.</b>			



## CUSTOM SECTION

▶ **LEAD TIMES WILL INCREASE DEPENDING ON THE CUSTOM ORDER PIPELINE AT THE TIME THE PURCHASE ORDER IS RECEIVED. PLEASE CALL FOR QUOTE AND SPECIFICATIONS FOR THESE OPTIONS.**

### 70. O<sup>2</sup> HOLDER

<b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder – (E2208)	MLH (Mount on Left)	MRH (Mount on Right)	\$280
	▲ <b>Not available with a power recline</b>			
<b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$1,220
	▲ <b>Required with a power recline</b>			
	D-Size	Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve		
	E-Size	Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve		

### 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ **AMYLOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.**

<b>SOVENT</b>	Custom Vent Tray		
	Articulating Vent Box – (Required with Power Tilt and/or Recline) – (E1030)		\$1,450
	Fixed Vent Box – (E1029)		\$410
	<b>SPECIFY MODEL</b>		
	Trilogy 100/200		
	LTV		
	LTV with Sprintpack		
	Other, specify: _____		
<b>SOVTBE</b>	Extended Battery Compartment – (K0108)		\$505
	▲ <b>The Vent Tray option is not available with the CUSTOM Battery Tray for Group 24 Batteries with a 24" frame width (FS2424B)</b>		
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries		
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries		

### 72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ **PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.**

<b>CUSTOM</b>	Military Patch - ARMY	N/C
<b>CUSTOM</b>	Military Patch - NAVY	N/C
<b>CUSTOM</b>	Military Patch - AIR FORCE	N/C
<b>CUSTOM</b>	Military Patch - MARINE CORPS	N/C
<b>CUSTOM</b>	Military Patch - COAST GUARD	N/C
<b>CUSTOM</b>	Rear view Camera with 5" Monitor	RFQ
<b>CUSTOM</b>	USB Charger Port ◀ Specify the location for the installation: _____	RFQ
<b>CUSTOM</b>	<b>Folding Backrest for Storage/Travel Access for Reclining backs</b>	RFQ
<b>CUSTOM</b>	Large Ball Handle (E2323)	RFQ
<b>CUSTOM</b>	Manual Wheel Locks	RFQ
<b>CUSTOM</b>	Power Anterior Tilt	RFQ
<b>CUSTOM</b>	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ



## 72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE) (CONTINUED)

CUSTOM	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)							RFQ
CUSTOM	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)							RFQ
CUSTOM	Rearview mirror		Left Side			Right Side		RFQ
CUSTOM	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan							RFQ
CUSTOM	Transfer Handles – (Pair)		Select a height range:		5" to 8"	6" to 9"		RFQ
CUSTOM	Foot Box	◀ Specify	Length: _____		Width: _____		Please confirm with CSR on sizing possibilities	RFQ
CUSTOM	Accessory Hooks located at the Rear of the seat structure					2 Hooks	4 Hooks	RFQ
CUSTOM	Heavy-Duty Wheelchair Cover, Large							RFQ
CUSTOM #1	Other custom options. Specify in notes section below							RFQ
CUSTOM #2	Other custom options. Specify in notes section below							RFQ

## 73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS