ORDERING INFORMATION: Phone: 1 450 424-0288 | Fax: 1 450 424-7211 | info@amylior.com | amylior.com

AMYLIOR

SAVE | RESET ALL | PRINT | SEND | GALLERY | ALLTRACK M3 | SIGNATURE

1. ACCOUNT INFORMATION

P.O. # or Quote:			
Dealer Contact Name:			
Email Address:			
Phone Number:		Fax Number:	
Bill to (Name):			
Bill to (Location):			
Ship to (Name):			
Address:			
City:			
State:		Zip Code:	
User Name or Number:			
User Weight:			
User Height:			
Seat Cushion Thickness:			
Knee to Heel Length: Left:	”	**Right:**	”



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors or omissions on the order form

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

- This product design meets and/or exceeds the code requirements

- HCPCS codes present on this order form are Amylior's interpretation of the codes and how our products should be coded at the time of this order form's release. Each funding source and individual DMERC will determine if these interpretations are correct and decide whether coverage will be accepted or denied as coded. Amylior does not guarantee coverage or payment based upon usage of these codes. Please contact your individual insurer(s) with funding and coverage questions.

****IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES***

2. STANDARD OPTIONS FOR HCPCS CODES (K0848, K0856, K0861, K0011)

Alltrack M3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6” front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors, Weight Capacity = 300 lb

3. ALLTRACK M3 POWER WHEELCHAIR

☐	**ATM3-3S-SS**	ALLTRACK M3 Power Wheelchair – (K0848/K0011) – (Group 3 STD, No Power)	$8,395
☐	**ATM3-3S-SP**	ALLTRACK M3 Power Wheelchair – (K0856/K0011) – (Group 3 STD, Single Power)	$8,395
☐	**ATM3-3S-MP**	ALLTRACK M3 Power Wheelchair – (K0861/K0011) – (Group 3 STD, Multiple Power)	$8,395

4. USER WEIGHT PACKAGES

☐	**WCA25**	250 lb Maximum user weight capacity	STD	☐	**WCA3**	300 lb Maximum user weight capacity	STD

5. STANDARD COLORS

☐	**SCMOBM**	Onyx Black Matte	N/C	☐	**SCMCAB**	Cabernet	N/C
☐	**SCMCTB**	Cobalt Blue	N/C	☐	**SCMBGM**	Bubble Gum Metallic	N/C
☐	**SCMIOB**	Indigo Blue	N/C	☐	**SCMHAB**	Habanero Metallic	N/C
☐	**SCMCRE**	Candy Red	N/C	☐	**SCMLIM**	SubLime	N/C

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

▼ OPTIONAL COLORS

☐	**FCHDD-M**	Desert Digital Camo HydroGraphics	$995
☐	**FCHCF-M**	Carbon fiber HydroGraphics	$995
☐	**FCHWL-M**	Woodland Camo HydroGraphics	$995

5.5 WHEEL INSERT COLORS

☐	**SCCTB-WI**	Cobalt Blue	N/C	☐	**SCHAB-WI**	Habanero Metallic	N/C
☐	**SCIOB-WI**	Indigo Blue	N/C	☐	**SCLIM-WI**	SubLime	N/C
☐	**SCCRE-WI**	Candy Red	N/C	☐	**SCBGM-WI**	Bubble Gum Metallic	N/C
☐	**SCCAB-WI**	Cabernet	N/C				

▲ ***Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)***

▲ ***Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)***

▲ ***Wheel inserts are not available in Onyx Black Matte***

7. TRANSPORT OPTION

☐	**TTD4**	Tie-down attachment points compliant with ISO 7176-19. See owner's manual for additional details	STD

8. MOTOR PACKAGE

☐	**MP65B**	6.5 MPH 4-Pole Motor Package / with Brake Release	STD

9. ASSISTIVE DRIVING PACKAGE

☐	**SMARTT**	Smart-Track Assistive Driving Package – (K0108)	$1,525

▲ ***Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.***

▲ ***Requires the R-net PM 120 Amp Expandable Controller (ECR120).***

▲ ***Recommended for non-proportional Drive Controls***

10. BATTERY CHARGER

☐	**BCOB**	8A Offboard Battery Charger	N/C

11. BATTERY TRAY AND BASE WIDTH

☐	**FS2221B**	N2221 - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21")	N/C

► ***NOT AVAILABLE WITH THE FOLLOWING OPTIONS:***

▲ ***8" front casters (FC8PTM and FC8PIM)***

▲ ***14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI)***

▲ ***Not compatible with 23" and 24" seat widths selections (SOWN23 and SOWN24)***

☐	**FS22B**	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")	STD
☐	**FS2424B**	N2424 - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24")	N/C
☐	**FS24B**	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

12. BATTERIES - REQUIRES A SELECTION

☐	**BAT22NFGEL**	Premium CG Power - GEL Battery – Group 22NF – 50 Amps (Each) – (E2361)	$360
☐	**BAT24GEL**	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each) – (E2363)	$465
☐	**BATO**	Omission of the batteries	N/C

14. DRIVE WHEEL

☐	**DW14PT**	14" Cast Wheel Pneumatic Tires	STD
☐	**DW14PI**	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
☐	**DW144PT**	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	$560
☐	**DW144PI**	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	$560
		▲ ***Increases the overall width of the base by 2 ¾"***	
		▲ ***Not compatible with the narrow base configuration (FS2221B)***	
☐	**DW12PT**	12 ½" Cast Wheel Pneumatic Tires	N/C
☐	**DW12PI**	12 ½" Cast Wheel Pneumatic with Foam Filled Tires	N/C
		▲ ***12 ½" Drive wheels lower ground clearance and speed, but increase motor torque.***	

15. FRONT CASTERS

☐	**FC6S**	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
☐	**FC8PTM**	8" Pneumatic Casters	N/C
☐	**FC8PIM**	8" Pneumatic Casters with Foam Filled Tires	N/C
		▲ ***The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI)***	
		▲ ***Not compatible with the narrow base configuration (FS2221B)***	

16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")

► ***YELLOW BOXES REPRESENT OPTIONS THAT CAN ONLY BE SELECTED WITH 12 ½" DRIVE WHEELS (SECTION 14)***

SEAT TO FLOOR HEIGHT TABLE	NO POWER OPTIONS			TILT OR ELEVATE (WITH OR WITHOUT RECLINE)	TILT AND ELEVATE (WITH OR WITHOUT RECLINE)
SEAT ANGLE	**0°**	**3°**	**6°**		
STFH1550 (15.50" STFH)	☐			☐	
STFH1650 (16.50" STFH)	☐	☐		☐	
STFH1750 (17.50" STFH)	☐	☐	☐	☐	☐
STFH1850 (18.50" STFH)	☐	☐	☐	☐	☐
STFH1950 (19.50" STFH)	☐	☐	☐	☐	☐

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

☐	**SOMHSS**	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
		▲ ***Required at: _____" (± ¼" Range)***	

18. PRE-SET SEAT FRAME ANGLE

☐	**SFE-0**	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
☐	**SFE-3**	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
☐	**SFE-6**	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

19. LIGHTING PACKAGE

☐	**EOLP**	LED Light Package – (Includes front and rear lights with integrated flashers)	$1,375
▲	***Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJCL, ECRJC35B or EDIB).***		

20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

►	***VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)***		
☐	**ECV902A**	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
☐	**ECVJ4K**	VR2 Standard 4-Key Joystick	STD
☐	**ECVJ6K**	VR2 6-Key Joystick (Allows for single or select dual power options to operate through this joystick)	$255
☐	**ECVJ9KL**	VR2 9-Key Joystick with Lighting Operation (Allows for single or select dual power options to operate through this joystick)	$360

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

☐	**ECEL90**	R-net EL 90 Amp Expandable Controller – (E2377)	$725
	▲	***Not compatible with the Custom Power Stander***	
☐	**ECR120**	R-net PM 120 Amp Expandable Controller – (E2377)	$825
☐	**ECRNH**	Harness for Expandable Controller – (E2313)	$640
	▲	***Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI 2 screen***	

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

►	***SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120***		
☐	**ECO**	Omit Joystick – (For use with an Omni 2 Display)	N/C
☐	**ECELJ**	R-net - (LED) – Joystick	STD
	▲	***This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)***	
	▲	***This joystick is not compatible with the Custom Power Stander***	
☐	**ECRJC**	R-net Joystick with Color screen	$140
	▲	***This joystick is not compatible with the Custom Power Stander***	
►	***JOYSTICKS WITH LIGHTING OPERATION***		
☐	**ECELJL**	R-net – (LED) – Joystick with Lighting Operation	$535
	▲	***This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)***	
	▲	***This joystick is not compatible with the Custom Power Stander***	
☐	**ECRJCL**	R-net Joystick with Color screen and Lighting Operation	$640
	▲	***This joystick is not compatible with the Custom Power Stander***	
►	***ADVANCED JOYSTICK***		
☐	**ECRJC35B**	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	$1,295
	▲	***This joystick is required with the Custom Power Stander***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

23. JOYSTICK MOUNT

☐	**JSMF**	Fixed Joystick Mount	N/C
☐	**JSMSA**	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis – (E1032)	$385
	Select:	☐ ***Set-up with standard installation to swing-away sideways***	
		☐ ***Set-up at 35° to swing-away sideways and downwards***	
		▲ ***Set-up at 35° angle may cause interference with the user's limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.***	
☐	**JSMCM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount – (E1032)	$695
		▲ ***This option is not compliant with ISO 7176-19***	

24. JOYSTICK MOUNT SUPPORT

☐	**JSMFH**	Joystick mount support Bracket	STD

25. JOYSTICK HAND MOUNT

☐	**HML**	Install Joystick on Left hand side	☐	**HMR**	Install Joystick on Right hand side

26. JOYSTICK HANDLE

☐	**JSH**	Standard Joystick Gimble	STD	☐	**JBAT**	Stick Handle 3" in Length (E2323)	$130
☐	**JBH**	Ball Handle (E2323)	$90	☐	**JFBH**	Foam Ball Handle (E2323)	$90
☐	**JTH**	T-Handle (E2323)	$105	☐	**JMUSH**	Bodypoint Mushroom Handle (E2323)	$140
☐	**JGP**	Bodypoint 4" U-shaped Handle (E2323)	$135				

27. ATTENDANT DRIVE CONTROL OPTION

☐	**EADC**	Attendant Hand Control – (E2331)	$1,015

28. ATTENDANT JOYSTICK HAND MOUNT

☐	**EADCL**	Install Attendant Joystick on Rear Left hand side	☐	**EADCR**	Install Attendant Joystick on Rear Right hand side

29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

☐	**EDIB**	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared)	$2,055
		▲ ***Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)***	
		▲ ***The Omni 2 display mount must be selected from the option below.***	

30. OMNI 2 ENHANCED DISPLAY MOUNT

☐	**EDSAM**	User Swing Away Mount – (E1028)			$403
		☐ **EDML – (Install Display on LH side)**	☐	**EDMR – (Install Display on RH side)**	

31. ENVIRONMENTAL CONTROL MODULE

☐	**ECU**	Environment control module – (Output Module) – (E2351)	$915
		▲ ***Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

☐	**SAABA**	Signature Rehab Seat – (Seat Frame only)	$1,795
☐	**SAPTX**	Signature CG Power Tilt – (E1002)	$8,055
		▲ ***This option includes the Signature Rehab Seat – (SAABA)***	
☐	**SAPRX**	Signature 165° Power Recline with Integrated Shear Reduction – (ISR) – (E1004)	$8,970
		▲ ***This option includes the Signature Rehab Seat – (SAABA)***	
☐	**SAPTPRX**	Signature CG Power Tilt and 165° Power Recline with Integrated Shear Reduction – (ISR) – (E1007)	$12,645
		▲ ***This option includes the Signature Rehab Seat – (SAABA)***	
☐	**SAPESX**	ALTA 11” Power Seat Elevation – (E2298)	$4,260
		▲ ***This option includes the Signature Rehab Seat – (SAABA)***	
☐	**ADDPESX**	Module – Add ALTA 11” Power Seat Elevation to either SAPTX, SAPRX or SAPTPRX – (E2298)	$3,055
☐	**ADDMR**	Module – Manual Recline with Integrated Shear Reduction – (ISR) – (E1226)	$1,195
		▲ ***The maximum user weight capacity with this option is 250 lb.***	
		▲ ***This option is not compliant with ISO 7176-19***	

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

►	***SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (For both expandable and non-expandable systems)***										
☐	**SOLO**	Single function controller (Includes an external toggle switch)									N/C
▼	***OPTIONAL SWITCHES***										
☐	**SWTOGGLE**	Single Toggle Switch								☐ Attendant Activation	$125
☐	**SWPUSH1**	Single Push Button Switch – (Single Mode: SAC)							☐ User Activation	☐ Attendant Activation	$95
☐	**SWPUSH2**	Dual Push Button Switch – (Dual Mode: SAC)							☐ User Activation	☐ Attendant Activation	$180
☐	**SSBS**	Buddy Button Switch	☐ Black	☐ Red	☐ Green	☐ Yellow			☐ User Activation	☐ Attendant Activation	$235
☐	**SSES**	Egg Switch-Black							☐ User Activation	☐ Attendant Activation	$265
☐	**SSML**	Ultra Light Switch							☐ User Activation	☐ Attendant Activation	$255
►	***SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL***										
☐	**EPSV**	Single Function Through VR2 Non-Expandable Drive Control (E2310)									$1,935
		▲ ***Allows for activation of a single power option through VR2 controller***									
		▲ ***Does not allow for control of power option through drive control and separate switches***									
		▲ ***Control of power seat elevation with tilt is available as a custom. Check appropriate box in custom section 72 in addition to EPSV.***									
		▲ ***VR2 Electronics can only accommodate specific power seat functions such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Elevate (Custom)***									
		▲ ***Choose EPSV2 to operate select power combinations***									
☐	**EPSEL**	Single Function Through Drive Control with R-net 90-amp controller (E2310)									$1,935
		▲ ***Allows for activation of single power option through R-net 90-amp controller***									
		▲ ***Compatible with all R-net joysticks***									
		▲ ***Does not allow for control of power option through drive control and separate switches***									
		▲ ***Can not operate more than one power option***									
		▲ ***If selecting memory seating, choose SAC below***									
		▲ ***If selecting 120-amp R-net controller, choose SAC below***									

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER (CONTINUED)

☐	**SAC**	Single Function Through Drive Control with R-net 90-amp or 120-amp controller (E2310)								$2,955
		▲	***Allows for activation of single power option through R-net drive controls***							
		▲	***Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls***							
		▲	***Capable of operating tilt with power seat elevation & compatible with memory seating***							
►	***SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)***									
☐	**SACMEMORY**	Memory Seat Program								$995
		▲	***This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJL)***							
►	***SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH***									
☐	**SACTOGGLE**	Single Toggle Switch						☐	Attendant Activation	$440
☐	**SACPUSH1**	Single Push Button Switch – (Single Mode: SAC)					☐	User Activation	☐ Attendant Activation	$430
☐	**SACPUSH2**	Dual Push Button Switch – (Dual Mode: SAC)					☐	User Activation	☐ Attendant Activation	$515
☐	**SACSSBS**	Buddy Button Switch	☐ Black	☐ Red	☐ Green	☐ Yellow	☐	User Activation	☐ Attendant Activation	$535
☐	**SACSSES**	Egg Switch-Black					☐	User Activation	☐ Attendant Activation	$440
☐	**SACSSML**	Ultra Light Switch					☐	User Activation	☐ Attendant Activation	$595

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

☐	**MPF**	Multiple Seat Function Controller through external switches only								$1,195
		▲	***Not compatible with VR2 electronics (ECV902A)***							
▼	***EXTERNAL SWITCHES***									
☐	**SWKEYPAD-P**	Keypad w/ 5 Push Button Switches					☐	User Activation	☐ Attendant Activation	N/C
☐	**SWKEYPAD-T**	Keypad w/ 5 Toggle Switches					☐	User Activation	☐ Attendant Activation	$395
☐	**SWMULTI**	4-Way Toggle Switch – (Up to 4 Activations)					☐	User Activation	☐ Attendant Activation	$275
☐	**SWMULTIT**	Triple Toggle Switch – (Up to 5 Activations)					☐	User Activation	☐ Attendant Activation	$205
☐	**SWPUSH4**	4-Way Push Button Switch					☐	User Activation	☐ Attendant Activation	$350
☐	**SWPUSH5**	5-Way Push Button Switch					☐	User Activation	☐ Attendant Activation	$365
►	***DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL***									
☐	**EPSV2**	Dual Function Through Drive Control with VR2 Non-Expandable Electronics (E2311)								$2,955
		▲	***Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2***							
		▲	***Does not allow for control of power options through drive control and separate switches***							
		▲	***VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs***							
►	***MULTIPLE SEAT FUNCTIONS THROUGH R-NET***									
☐	**MAC**	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators (E2311)								$3,770
		▲	***Required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2221B)***							
►	***MAC OPTIONS***									
☐	**MACMEMORY**	Memory Seat Program								$180

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE (CONTINUED)

► ***SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH***

☐	**MACKEYPAD-P**	Keypad w/ 5 Push Button Switches	☐ User Activation	☐ Attendant Activation	N/C
☐	**MACKEYPAD-T**	Keypad w/ 5 Toggle Switches	☐ User Activation	☐ Attendant Activation	$395
☐	**MACMULTI**	4-Way Toggle Switch – (Up to 4 Activations)	☐ User Activation	☐ Attendant Activation	$275
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***			
☐	**MACMULTIT**	Triple Toggle Switch – (Up to 5 Activations)	☐ User Activation	☐ Attendant Activation	$205
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***			
☐	**MACPUSH4**	4-Way Push Button Switch	☐ User Activation	☐ Attendant Activation	$350
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***			
☐	**MACPUSH5**	5-Way Push Button Switch	☐ User Activation	☐ Attendant Activation	$365
		▲ ***By selecting this switch, memory recall is only available through the Joystick.***			

36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	☐	**TSML – (Install Switch on LH side)**	☐ **TSMR – (Install Switch on RH side)**	N/C

37. SIGNATURE TAILORED SOLUTIONS - PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

☐	**SOBAA**	Select one:	☐	86°	☐	90°	☐	94°	☐	98°	☐	102°	☐	106°	☐	110°	N/C

38. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 14” AND 22” (355 - 560 MM)

☐	**STS14-19-19**	Width adjustment from 14” to 19” (355-480 MM) and Depth range of 15” to 19” (380 - 480 MM)	N/C
☐	**STS14-19-22**	Width adjustment from 14” to 19” (355-480 MM) and Depth range of 18” to 22” (455 - 560 MM)	N/C
		▲ ***The minimum seat depth available with this option is 18” (455 MM)***	
☐	**STS17-22-19**	Width adjustment from 17” to 22” (430-560 MM) and Depth range of 15” to 19” (380 - 480 MM)	N/C
☐	**STS17-22-22**	Width adjustment from 17” to 22” (430-560 MM) and Depth range of 18” to 22” (455 - 560 MM)	N/C
		▲ ***The minimum seat depth available with this option is 18” (455 MM)***	

☐	**14” (SOSW14)**	☐	**15” (SOSW15)**	☐	**16” (SOSW16)**	☐	**17” (SOSW17)**	☐	**18” (SOSW18)**	☐	**19” (SOSW19)**
☐	**20” (SOSW20)**	☐	**21” (SOSW21)**	☐	**22” (SOSW22)**						

39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20” AND 24” (510 - 610 MM)

☐	**STS20-25-22**	Width adjustment from 20” to 25” (510-635 MM) and Depth range of 18” to 22” (455 - 560 MM)	N/C
		▲ ***Seat width of 25” is a custom dimension and requires an (RFQ)***	
		▲ ***23” and 24” Seat widths are not compatible with the N2221 - Narrow 21” base width option (FS2221B)***	
		▲ ***The minimum seat depth available with this option is 18” (455 MM)***	

☐	**20” (SOSW20)**	☐	**21” (SOSW21)**	☐	**22” (SOSW22)**	☐	**23” (SOSW23)**	☐	**24” (SOSW24)**

40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15” AND 22” (380 - 560 MM)

☐	**15” (SODN15)**	☐	**16” (SODN16)**	☐	**17” (SODN17)**	☐	**18” (SODN18)**	☐	**19” (SODN19)**	☐	**20” (SODN20)**	N/C
☐	**21” (SODN21)**	☐	**22” (SODN22)**			▲	***18” is the minimum possible seat depth when choosing a 22” long Seat Pan (STS14-19-22, STS17-22-22 and STS20-25-22)***					N/C

41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

► ***Not compatible with a power or manual recline***

☐	**16” (SOBCH16)**	☐	**17” (SOBCH17)**	☐	**18” (SOBCH18)**	☐	**19” (SOBCH19)**

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE) (CONTINUED)

▼ *20” is the minimum back height required with a power or manual recline*

☐ 20” (SOBCH20)	☐ 21” (SOBCH21)	☐ 22” (SOBCH22)	☐ 23” (SOBCH23)	☐ 24” (SOBCH24)	☐ 25” (SOBCH25)
☐ 26” (SOBCH26)	☐ 27” (SOBCH27)	☐ 28” (SOBCH28)			

41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

▼	*PUSH HANDLES*		
☐	SOPH	Push Handles (pair)	N/C
▼	*ENDOMORPH BACK CANES FOR NON-RECLINING BACKS*		
☐	STSENDO-F1	Endomorph Back Canes for non-reclining backs, 1 IN (25 MM) total	$95
☐	STSENDO-F2	Endomorph Back Canes for non-reclining backs, 2 IN (50 MM) total	$95
☐	STSENDO-F3	Endomorph Back Canes for non-reclining backs, 3 IN (75 MM) total	$95
☐	STSENDO-F4	Endomorph Back Canes for non-reclining backs, 4 IN (100 MM) total	$95
▼	*ENDOMORPH BACK CANES FOR RECLINING BACKS*		
☐	STSENDO-R1	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
☐	STSENDO-R2	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C
▼	*FOLDING BACKREST (FOR NON-RECLINING BACKS)*		
☐	STSFB	Folding Backrest for Storage/Travel Access for non-reclining backs	$195

42. BACK SUPPORT

☐	STDSB-WWHH	Standard Contour Back Support (15” to 24” Wide with a maximum shell height of 22”) – (Not Coded).	N/C
	▲	*The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
►	*MATRX BACKS*		
☐	E2S-WWHH	MATRX ELITE E2S BACK (14” to 20” Wide - Back height of 6” to 20”, in 2” increments) – (E2615)	$795
	▲	*Back shell height is available in 6” to 20”, in 2” increments. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
	▲	*Weight capacity up to 300 lb*	
☐	E2D-WWHH	MATRX DEEP CONTOUR ELITE E2D BACK (14” to 20” Wide - Back height of 6” to 20”, in 2” increments) – (E2620)	$925
	▲	*Back shell height is available in 6” to 20”, in 2” increments. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
	▲	*This product is not compatible with Lateral Trunk Supports*	
	▲	*Weight capacity up to 300 lb*	
☐	PBE-WWHH-TR	MATRX ELITE TR BACK (15” to 20” Wide - Back height of 14”, 16”, 18” and 20”) – (E2620)	$835
	▲	*Back shell height is available in 14”, 16” 18” or 20”. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
	▲	*Weight capacity up to 300 lb*	
☐	PBE-WWHH-HD	MATRX HEAVY DUTY ELITE BACK (21” to 24” Wide - Back height of 16” and 20”) – (E2620/E2621)	$1,045
	▲	*Back shell height is available in 16” or 20”. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
	▲	*Weight capacity up to 500 lb*	
☐	EDB-WWHH-HD	MATRX ELITE DEEP HD BACK (21” to 24” Wide - Back height of 16”, 18” and 20”) – (E2620/E2621)	$1,180
	▲	*Back shell height is available in 16”, 18” or 20”. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
	▲	*This product is not compatible with Lateral Trunk Supports*	
	▲	*Weight capacity up to 500 lb*	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

42. BACK SUPPORT (CONTINUED)

►	*NXT BACKS*		
☐	**NOACB-WWHH**	NXT OPTIMA FH AC CONTOUR BACK (15” to 21” Wide) – (E2620)	$660
	▲	*Weight capacity up to 300 lb*	
☐	**NOACB-WWHH**	NXT OPTIMA FH AC CONTOUR BACK (22” to 28” Wide) – (E2621)	$710
	▲	*Weight capacity up to 550 lb*	
	▲	*Back shell heights only come in 13”, 16” or 19” high. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
☐	**NOPCB-WWHH**	NXT OPTIMA FH PC DEEP CONTOUR BACK (15” to 21” Wide) – (E2620)	$660
	▲	*Weight capacity up to 300 lb*	
☐	**NOPCB-WWHH**	NXT OPTIMA FH PC DEEP CONTOUR BACK (22” to 28” Wide) – (E2621)	$710
	▲	*Weight capacity up to 550 lb*	
	▲	*This product is not compatible with Lateral Trunk Supports*	
	▲	*Back shell heights only come in 13”, 16” or 19” high. The minimum space between the back and seat pan is 4” (± 1”) with a fixed back and 6” (± 1”) with a reclining back*	
►	**OMISSION OF THE BACK SUPPORT**		
☐	**STDSBO**	**Omission of the Back Support - (Using an Aftermarket Back)**	N/C
	▲	*Back support MUST be omitted before selecting aftermarket back hardware*	
	▲	*Upcharges apply when both a back support AND aftermarket back hardware are selected*	
☐	**CUST-BHW**	**Aftermarket Back Hardware - Information on the back must be specified:**	N/C
		Back Manufacturer: _____	
		Product Name: _____	
		Hardware being used: _____	
	▲	*Required information*	
	▲	*Upcharges apply when both a back support AND aftermarket back hardware are selected*	
	▲	*Hardware will not be provided IF the required information for the aftermarket back support is omitted, but a standard T-Nut kit will be supplied*	

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼ *20” is the minimum back height required with a reclining back.*

☐ **16” (SOBH16)** ☐ **18” (SOBH18)** ☐ **20” (SOBH20)** ☐ **22” (SOBH22)** ☐ **24” (SOBH24)** ☐ **26” (SOBH26)** ☐ **28” (SOBH28)**

This height is not available with the NXT Optima AC and PC options ▲

44. SEAT CUSHIONS

► *FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.*

► *PERFORMA CG AIR - THERAPEUTIC AIR CUSHION*

☐ **Custom Cushion (Please use the Performa CG Air order form)**

Cell Height (Choose 1): ☐ 2” ☐ 3” ☐ 4”

► *SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING*

► *PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER*

☐	**PCGA1VSCxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2622)	$510
☐	**PCGA1VSCxxxx-x**	22” + (560 mm +) wide – (E2623)	$610
	▲	*Cushion sizes only come in even numbers for width and depth measurements.*	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

44. SEAT CUSHIONS (CONTINUED)

	► ***PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER***		
☐	**PCGA1V3Dxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2622)	$564
☐	**PCGA1V3Dxxxx-x**	22” + (560 mm +) wide – (E2623)	$680
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER***		
☐	**PCGA1VICxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2622)	$535
☐	**PCGA1VICxxxx-x**	22” + (560 mm +) wide – (E2623)	$625
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
►	***DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING***		
	► ***PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER***		
☐	**PCGA2VSCxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2624)	$510
☐	**PCGA2VSCxxxx-x**	22” + (560 mm +) wide – (E2625)	$610
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER***		
☐	**PCGA2V3Dxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2624)	$564
☐	**PCGA2V3Dxxxx-x**	22” + (560 mm +) wide – (E2625)	$680
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER***		
☐	**PCGA2VICxxxx-x**	14” to 20” (355 mm to 510 mm) wide – (E2624)	$535
☐	**PCGA2VICxxxx-x**	22” + (560 mm +) wide – (E2625)	$625
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
	► ***DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)***		
☐	**PCGA-2VLR**	Dual Valves with Left / Right Location	N/C
☐	**PCGA-2VF6**	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
☐	**PCGA-2VF8**	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
☐	**PCGA-2VF10**	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C
►	***PERFORMA CG AIR OPTIONS***		
☐	**PCGA-GZ**	GripZone Anti-Slip Technology	$75
☐	**PCGA-TT-WW**	Transfer Trellis	$65
☐	**PCGA-AC**	Anatomic Contour Seat Insert (E0992)	$125
		▲ ***Only available with 2” and 3” cell heights***	
☐	**PCGA-SP**	Seat Pouch	$36
►	***MATRX CUSHION***		
☐	**PSP-WWDD**	MATRX PSP Seat Cushion – (11” to 20” Wide) – (E2607)	$395
		▲ ***The maximum user weight capacity is 300 lb***	
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
☐	**PSP-WWDD**	MATRX PSP Seat Cushion – (22” to 26” Wide) – (E2608)	$595
		▲ ***The maximum user weight capacity is 550 lb***	
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	
►	***NXT BIO-FIT CUSHION***		
☐	**NXTBIOFIT-WWDD**	NXT BIO FIT Cushion – (15” to 21” Wide) – (E2607)	$425
		▲ ***The maximum user weight capacity is 300 lb***	
☐	**NXTBIOFIT-WWDD**	NXT BIO FIT Cushion – (22” to 26” Wide) – (E2608)	$455
		▲ ***The maximum user weight capacity is 400 lb***	
		▲ ***Cushion sizes only come in even numbers for width and depth measurements.***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

FOR NON-RECLINING BACKS			
▼	***Height Adjustable from 7.25" (185 mm) to 15.25" (385 mm) in 1" (25 mm) increments***		
▼	***Not compatible with Waterfall Armpads (SOWAPx et SOWGELx)***		
☐	**SOAFBDLH**	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Left Side	N/C
☐	**SOAFBDRH**	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Right Side	N/C
☐	**SOAFBFLH**	Signature Cantilever Armrest – Full Length 16" (405 mm) - Left Side	N/C
☐	**SOAFBFRH**	Signature Cantilever Armrest – Full Length 16" (405 mm) - Right Side	N/C
☐	**SOAFBELH**	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Left Side	N/C
☐	**SOAFBERH**	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Right Side	N/C
▼	***CUSTOM LENGTH***		
☐	**SOAFBCLH**	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Left Side	$95
☐	**SOAFBCRH**	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Right Side	$95
☐	**SOAFBCLH**	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Left Side	$95
☐	**SOAFBCRH**	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Right Side	$95
FOR RECLINING BACKS			
▼	***Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments***		
▼	***Choose a Height Range :*** ☐ ***Low Range 10.25" to 13.25" (260 - 335 mm)*** ☐ ***High Range 14.25" to 16.25" (360 - 415 mm)***		
▼	***Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)***		
☐	**SOAFBDLH-R**	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Left Side	N/C
☐	**SOAFBDRH-R**	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Right Side	N/C
☐	**SOAFBFLH-R**	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Left Side	N/C
☐	**SOAFBFRH-R**	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Right Side	N/C
☐	**SOAFBELH-R**	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Left Side	N/C
☐	**SOAFBERH-R**	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Right Side	N/C
▼	***CUSTOM LENGTH***		
☐	**SOAFBCLH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Left Side	$95
☐	**SOAFBCRH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Right Side	$95
☐	**SOAFBCLH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Left Side	$95
☐	**SOAFBCRH-R**	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Right Side	$95

46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

▼	***E0973 - Code applies for rehab seat only configurations (SAABA)***		
▼	***NOT compatible with the extra-long armpads (16" x 3 ½") (SOXWFAP16 or SOXWGAP16) and the Arm Trough with Hand Support (SOCAR)***		
☐	**SOADPDLH**	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	$190
☐	**SOADPDRH**	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	$190
☐	**SOADPFLH**	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	$190
☐	**SOADPFRH**	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with ½" increments) – (E0973)	$190

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

Cantilever Armrest Range (SOAFB for Non-Recl. backs)										Set at:									
☐	7.25”	☐	8.25”	☐	9.25”	☐	10.25”	☐	11.25”	☐	12.25”	☐	13.25”	☐	14.25”	☐	15.25”	☐	16.25”
Cantilever Armrest Range (SOAFB for Reclining backs)										Set at:									
						☐	10.25”	☐	11.25”	☐	12.25”	☐	13.25”	☐	14.25”	☐	15.25”	☐	16.25”

▲ The Armrest Height is taken from the seat pan to the top of the armpad.

▲ Not required for Dual Post.

49. SIGNATURE TAILORED SOLUTIONS - ARMPADS

FOAM TYPE SELECTION

☐	**SOFAPD**	Desk Length Flat Armpad – (10 ½” x 2 ½”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	STD
☐	**SOFAPF**	Full Length Flat Armpad – (14” x 2 ½”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	STD
☐	**SOXWFAP10**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 10” (255 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
☐	**SOXWFAP14**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 14” (355 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
☐	**SOXWFAP16**	X-Wide 3.5” (90 mm) Flat FOAM Armpad, 16” (405 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
▲	***The X-Wide 16” x 3 ½” Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18” (455 mm) or more***							
▲	***The X-Wide 16” x 3 ½” Armpads are NOT compatible with Dual Post Armrests (SOADPxx)***							
☐	**SOWAPD**	Desk Length Waterfall – (8 ½” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						
☐	**SOWAPF**	Full Length Waterfall – (13” x 2 ¾”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	N/C
	▲	***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
	▲	***NOT compatible with Cantilever (SOAFBxxx)***						

HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

☐	**SOGELD**	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾” x 2”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$36
☐	**SOGELF**	Full Length Hybrid Gel and Foam Flat armpad – (13 ½” x 2”)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$36
☐	**SOXWGAP10**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 10” (255 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$55
☐	**SOXWGAP14**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 14” (355 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$55
☐	**SOXWGAP16**	X-Wide 3.5” (90 mm) Flat GEL Armpad, 16” (405 mm) Long	Select side:	☐	Left Hand Side	☐	Right Hand Side	$65
▲	***The X-Wide 16” x 3 ½” Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18” (455 mm) or more***							
▲	***The X-Wide 16” x 3 ½” Armpads are NOT compatible with Dual Post Armrests (SOADPxx)***							

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

49. SIGNATURE TAILORED SOLUTIONS - ARMPADS (CONTINUED)

☐	**SOWGELD**	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	☐	Left Hand Side	☐	Right Hand Side	$46
		▲ ***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
		▲ ***NOT compatible with Cantilever (SOAFBxxx)***						
☐	**SOWGELF**	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	☐	Left Hand Side	☐	Right Hand Side	$46
		▲ ***May interfere with flipping back the armrests when combined with Lateral Trunk supports.***						
		▲ ***NOT compatible with Cantilever (SOAFBxxx)***						
►	***SPECIALTY TYPE SELECTION***							
☐	**SOCAR**	Arm Trough with Hand Support (18" x 4 ½") – (E2209)	Select side:	☐	Left Hand Side	☐	Right Hand Side	$236
		▲ ***Arm Trough Armpads may interfere with Armrests Flipping back.***						
▲	***SOCAR armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more***							

50. SIGNATURE TAILORED SOLUTIONS - FOOTRESTS

☐	**SOSAAF**	Signature Swing-Away Footrests				STD
		Set at:	☐	60°	☐	70°
		Select Range:	☐	SOFLA12 (12 ½" - 17 ½")	☐	SOFLA14 (14 ½" – 19 ½")
		▲ ***This option is not compliant with ISO 7176-19***				
☐	**SOAAF**	Signature Heavy Duty Swing-Away Footrests				$505
		Set at:	☐	60°	☐	70°
		Select Range:	☐	SOFLHD12 (12 ½" – 17 ½")	☐	SOFLHD14 (14 ½" – 19 ½")
☐	**ADDML**	Signature Manual Elevating & Articulating Legrests - Pair – (E0990)				$485
		Select Range:	☐	SOFLME12 (12 ½" – 17 ½")	☐	SOFLME14 (14 ½" – 19 ½")
		▲ ***Does not include calf pads. Please select calf pads in section 51.***				
☐	**ADDPL**	Signature Power Elevating & Articulating Legrests – (E1010)				$3,870
		Select Function:	☐	Individual	☐	Combined
		Select Range:	☐	SOFLPW12 (12 ½" – 17 ½")	☐	SOFLPW14 (14 ½" – 19 ½")
		▲ ***This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.***				

51. SIGNATURE TAILORED SOLUTIONS - FOOTPLATES & ACCESSORIES

☐	**SOSFAF**	Flip-up Footplates						STD
☐	**SOAFP**	Angle Adjustable & Flip-up Footplates – (Each) – (K0040)						$95
☐	**SOAHL**	Heel Loops – (Each) – (E0951)						$22
☐	**SOACPFR**	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware (Each) – (E0995)						$55
☐	**SOAMA**	Swing-away residual limb Support – (E1020)	Select:	☐	Left leg	☐	Right leg	$420

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Footrest / Legrest Length	Set at:	☐	12.5"	☐	13"	☐	13.5"	☐	14"	☐	14.5"	☐	15"	☐	15.5"	☐	16"
		☐	16.5"	☐	17"	☐	17.5"	☐	18"	☐	18.5"	☐	19"	☐	19.5"		

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS

☐	**SOAAF90**	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	N/C
		Select Foot Platform Range: ☐ SOFBA12 (12 ½" – 16 ½") ☐ SOFBA16 (16 ½" – 19 ½")	
	▲	***When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75"***	
	▲	***Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).***	
	▲	***With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.***	
☐	**ADDPF**	90° Power Center Mount Elevating & Articulating Foot Platform – (E1012 / K0108)	$3,870
		Select Footrest Range: ☐ SOFBPW12 (10 ½"- 16") ☐ SOFBPW16 (16"- 20")	
	▲	***When selecting SOFBPW16 (16"- 20") range, the lowest possible seat to floor height is 18.75"***	
	▲	***This option includes calf pads. The power center mount counts as one power function.***	
	▲	***Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).***	
	▲	***For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.***	
	▲	***The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B)***	
	▲	***The E-BX (MAC) option is required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2424B)***	

54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

☐	**SOFUFP**	Flip-up one piece Foot Platform	N/C
☐	**SOAFPFB**	Angle Adjustable & Flip-up Split Footplates for center mount (Each) – (K0040)	$125
☐	**SOACPCM**	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware (Each) – (E0995)	$75

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Fixed Center Mount Foot Platform Length Set at:

☐	12.5"	☐	13"	☐	13.5"	☐	14"	☐	14.5"	☐	15"	☐	15.5"	☐	16"	☐	16.5"	☐	17"
☐	17.5"	☐	18"	☐	18.5"	☐	19"	☐	19.5"										

Power Center Mount Foot Platform Length Set at:

☐	10.5"	☐	11"	☐	11.5"	☐	12"	☐	12.5"	☐	13"	☐	13.5"	☐	14"	☐	14.5"	☐	15"
☐	15.5"	☐	16"	☐	16.5"	☐	17"	☐	17.5"	☐	18"	☐	18.5"	☐	19"	☐	19.5"	☐	20"

▲ The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates

56. SEAT POSITIONING (A HIP BELT AND A CHEST STRAP ARE REQUIRED WITH THE CUSTOM STANDING MODULE)

☐	**SOAUTO**	55" Seat Positioning Strap	STD
	▲	***Not compatible with the custom Standing Module***	
☐	**SOBPHP2C**	Bodypoint padded Hip Belt (Two Point – Center Pull) – (E0978)	$175
☐	**SOPHB**	Padded Hip Belt, 2-PT Magnetic Center Pull (E0978)	$180
☐	**SOBPCS**	Bodypoint padded Chest Strap (E0960)	$220
☐	**SOPCS**	Padded Chest Strap, 2-PT Magnetic Center Pull (E0960)	$240

56.5 KNEE SUPPORTS AND PADS (REQUIRED WITH THE CUSTOM STANDING MODULE)

☐	**SOKSSH-LH**	Adjustable Removable Knee Support Hardware - LH (E1028)	$350
☐	**SOKSSH-RH**	Adjustable Removable Knee Support Hardware - RH (E1028)	$350
☐	**SOAKPS**	Knee Support Pad for Standing Option - Each (K0108)	$140
	▲	***Only compatible with the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the custom Standing Module***	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

57. HEADREST

▼	***SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.***		
☐	**SONUAHR-12**	Using headrest mounting hardware other than SOMAH below. **Available with both Fixed and Reclining backrests.** 1/2 IN (12.7 MM) Mounts	N/C
☐	**SONUAHR-15**	Using headrest mounting hardware other than SOMAH below. **Available with Reclining backrests only.** 19/32 IN (15 MM) Mounts	N/C
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9” – (E0955)	$238
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10” – (E0955)	$238
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11” – (E0955)	$238
☐	**SOMAH**	Multi-axis Removable Mounting Hardware – (E1033)	$243
☐	**SOHRBC**	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
☐	**SOHRPR**	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

▼	***SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.***		
☐	**SOSLS3**	Adjustable Laterals with Small Curved Pads – (Each) – 3” x 5” – (E0956)	$115
☐	**SOSLM4**	Adjustable Laterals with Medium Curved Pads – (Each) – 4” x 6” – (E0956)	$115
☐	**SOSLL5**	Adjustable Laterals with Large Curved Pads – (Each) – 5” x 7” – (E0956)	$115
☐	**SOSLHM**	Adjustable Swing-Away Hardware Mounts – (Each) – (E1034)	$295
	▲	***The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6” Deep Contour Fixed Thoracic Back Support (NOPCB).***	
	▲	***Waterfall armpads (SOWAPx & SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports***	

59. HIP & THIGH SUPPORTS

▼	***SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.***		
☐	**SOHTSS10**	Adjustable Hip & Thigh Support Pads – (Each) – Small 10” x 4” – (E0956)	$115
☐	**SOHTSM12**	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12” x 5” – (E0956)	$115
☐	**SOHTSL14**	Adjustable Hip & Thigh Support Pads – (Each) – Large 14” x 6” – (E0956)	$115
☐	**SOHTSARH**	Adjustable and Removable Hip & Thigh Support Hardware – (Each) – (E1034)	$243

60. ACCESSORIES

☐	**SOCH**	Cup Holder – (Self-Leveling)	Install on:	☐	Left Side	☐	Right Side	$95
☐	**SOCPH**	Ram Mounts X-Grip Cell Phone Holder	Install on:	☐	Left Side	☐	Right Side	$150
☐	**SOTHS**	Ram Mounts X-Grip Small Tablet Holder	Install on:	☐	Left Side	☐	Right Side	$175
☐	**SOTHL**	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	☐	Left Side	☐	Right Side	$290
	▲	***Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.***						
	▲	***With multiple accessories installed on the same side, a custom upgrade will be required.***						

61. REFLECTOR KIT

☐	**REFLECT**	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner’s Manual)	N/C

62. BACK PACK AND ARMREST SIDE POUCHES

☐	**SOBP**	Back Pack – (Comes with durable straps that can be hooked around the back canes)						$85
☐	**SOAP**	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	☐	Left Side	☐	Right Side	$60
	▲	***If only choosing one (1) armrest pouch, please show what side it should be installed***						

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

63. SWITCHES AND OPTIONS

☐	**ASCPWIFI**	PGDT - Wireless programmer, WIFI dongle	$686
☐	**ASCPCP**	PGDT R-NET Dongle and PC programmer kit	$590
☐	**ASCPVR2**	PGDT VR2 with PPI Dongle and PC programmer kit	$1,095
☐	**SSBS**	Buddy Button Switch – (K0108)	$235
☐	**SSES**	Egg Switch-Black – (K0108)	$265
☐	**SSML**	Ultra Light Switch – (K0108)	$255
☐	**ESS-RED**	Emergency STOP Switch - Red – (K0108)	$330

SPECIALTY DRIVER CONTROL OPTIONS

► **Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)**
► **Specialty Control options in this section are not compliant with ISO 7176-19**

64. THERAFIN SIP-N-PUFF KIT

▼ ***This option is not compliant with ISO 7176-19***

☐	**SCSNPK**	Therafin Sip-N-Puff Kit – (E2325)				$1,995
☐	**SCSNPBTK**	Therafin Sip-N-Puff Breath Tube Kit – (E2326)				$600
		▲ ***Required with the Therafin Sip-N-Puff kit.***				
☐	**SCSRMSNP**	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff – (E1032)	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	N/C
		▲ ***Required with the Therafin Sip-N-Puff kit.***				
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$405
☐	**SSES**	Egg Switch for Changing Modes – Black – (K0108)	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$265
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***				
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***				
☐	**ESS-RED**	Emergency STOP Switch - Red – (K0108)	☐	User Activation	☐ Attendant Activation	$330
		▲ ***Required with the Therafin Sip-N-Puff kit.***				
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware – (E1033)				$243
		▲ ***Required with the Therafin Sip-N-Puff kit.***				
►	***CHOOSE ONE (1) HEADREST PAD***					
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9” – (E0955)				$238
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10” – (E0955)				$238
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11” – (E0955)				$238

65. PROXIMITY HEAD ARRAY

▼ ***This option is not compliant with ISO 7176-19***

☐	**CUSTOM**	Adult – 3 Switch Proximity Head Array with 1/8” Mono Jack for mode/reverse – (E2330)				RFQ
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$405
☐	**SSES**	Egg Switch for Changing Modes – Black – (K0108)	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$265
		▲ ***Required with the Stealth Rock-n-Lock Swing Away mount.***				
		▲ ***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.***				
☐	**ESS-RED**	Emergency STOP Switch - Red – (K0108)	☐	User Activation	☐ Attendant Activation	$330
		▲ ***Required with the Proximity Head Array.***				
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware – (E1033)				$243
		▲ ***Required with the Proximity Head Array.***				

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

▼	***This option is not compliant with ISO 7176-19***						
☐	**CUSTOM**	Light touch mini Proportional Joystick – (E2312)					RFQ
☐	**SCSRMMP**	Stealth Rock-n-Lock Swingaway Arm for Chin MP – (E1032)	☐	SWL (Swings on Left)	☐	SWR (Swings on Right)	$595
	▲	***Required with the Light touch mini Proportional Joystick.***					
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	☐	SWL (Swings on Left)	☐	SWR (Swings on Right)	$405
☐	**SSES**	Egg Switch for Changing Modes – Black – (K0108)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$265
	▲	***Required with the Stealth Rock-n-Lock Swing Away mount.***					
	▲	***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***					
☐	**JCC**	Chin Cup – (E2324)					$60
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware – (E1033)					$243
	▲	***Required with the Light touch mini Proportional Joystick.***					
►	***CHOOSE ONE (1) HEADREST PAD***						
☐	**SOFHRS**	Small Curved Headrest Pad – 4” x 9” – (E0955)					$238
☐	**SOFHRM**	Medium Curved Headrest Pad – 5” x 10” – (E0955)					$238
☐	**SOFHRL**	Large Curved Headrest Pad – 6” x 11” – (E0955)					$238

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

▼	***This option is not compliant with ISO 7176-19***						
☐	**SCPGMJS**	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount – (E2373)					$1,595
☐	**SCGMJSM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for JC200 (E1032)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$450
	▲	***Must be selected for use with the PG Drives JC200 Mini Joystick.***					
☐	**CUSTOM**	Light touch mini Proportional Joystick – (E2312)					RFQ
☐	**SCGMPM**	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for Light Touch Joystick– (E1032)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$465
	▲	***Must be selected for use with the Light touch mini Proportional Joystick.***					
☐	**SCBTM**	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$950
	▲	***This option is only compatible with the Light touch Mini Proportional Joystick.***					

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

▼	***This option is not compliant with ISO 7176-19***						
☐	**SCPGMJS-M**	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount – (E2373)					$1,595
☐	**SCARMJSM**	Swing-away and Multi-Axis armrest mount – (E1032)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$250
	▲	***Must be selected for use with the PG Drives JC200 Mini Joystick.***					
☐	**CUSTOM**	Light touch mini Proportional Joystick – (E2312)					RFQ
☐	**SCARMPM**	Swing-away and Multi-Axis armrest mount – (E1032)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$250
	▲	***Must be selected for use with the Light touch mini Proportional Joystick.***					
☐	**SCBTM**	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	☐	MLH (Mount on Left)	☐	MRH (Mount on Right)	$950
	▲	***This option is only compatible with the Light touch Mini Proportional Joystick.***					

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

69. PROPORTIONAL HEAD CONTROL PACKAGE

▼	*This option is not compliant with ISO 7176-19*					
☐	**SCPHC**	Proportional Head Control Package – (E2327)				$4,995
☐	**SCSRM**	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	☐	SWL (Swings on Left)	☐ SWR (Swings on Right)	$405
☐	**SSES**	Egg Switch for Changing Modes – Black – (K0108)	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$265
	▲	***Required with the Stealth Rock-n-Lock Swing Away mount.***				
	▲	***The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section***				
☐	**SOMAH**	Multi-axis Headrest Removable Mounting Hardware – (E1033)				$243
	▲	***Required with the Proportional RIM Head Control.***				

CUSTOM SECTION

► **Lead times will increase depending on the custom order pipeline at the time the purchase order is received.**
► **Please call for Quote and specifications for these options.**

70. O^2 HOLDER

▼	*This option is not compliant with ISO 7176-19*					
☐	**SUPOXY**	Custom Non-Articulating Oxygen Tank Holder – (E2208)	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$280
	▲	***Not available with a power recline***				
☐	**SUPOXYA**	Custom Articulating Oxygen Tank Holder – (K0108)	☐	MLH (Mount on Left)	☐ MRH (Mount on Right)	$1,220
	▲	***Required with a power recline***				
	☐	D-Size	Oxygen Tank – (* 22” Tall x 4.3” Diameter) – * The height includes the valve			
	☐	E-Size	Oxygen Tank – (* 31” Tall x 4.3” Diameter) – * The height includes the valve			

71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼	***AMYLIOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.***		
▼	***This option is not compliant with ISO 7176-19***		
☐	**SOVENT**	Custom Vent Tray	
	☐	Articulating Vent Box – (Required with Power Tilt and/or Recline) – (E1030)	$1,450
	☐	Fixed Vent Box – (E1029)	$410
	SPECIFY MODEL		
	☐	Trilogy 100/200	
	☐	LTV	
	☐	LTV with Sprintpack	
	☐	Other, specify: _____	
☐	**SOVTBE**	Extended Battery Compartment – (K0108)	$505
	▲	***The Vent Tray option is not available on narrow options N2424 & N2221 (FS2424B & FS2221B)***	
	☐	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries	
	☐	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries	
	☐	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries	
	☐	The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries	
	☐	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries	

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ ***PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.***

▼ ***These following custom options and accessories are ISO 7176-19 compliant***

☐	**CUSTOM**	Military Patch - ARMY	N/C
☐	**CUSTOM**	Military Patch - NAVY	N/C
☐	**CUSTOM**	Military Patch - AIR FORCE	N/C
☐	**CUSTOM**	Military Patch - MARINE CORPS	N/C
☐	**CUSTOM**	Military Patch - COAST GUARD	N/C
☐	**CUSTOM**	USB Charger Port ◄ Specify the location for the installation: _____	RFQ
☐	**CUSTOM**	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control (E2310)	RFQ
☐	**CUSTOM**	Accessory Hooks located at the rear of the seat structure (2 hooks)	RFQ
☐	**CUSTOM**	Heavy-Duty Wheelchair Cover, Large	RFQ
☐	**CUSTOM**	Transfer Handles – (Pair) Select a height range: ☐ 5” to 8” ☐ 6” to 9”	RFQ

▼ ***The following custom options and accessories below are not compliant with ISO 7176-19***

☐	**CUSTOM**	CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries) - (L7367)	RFQ
☐	**CUSTOM**	CUSTOM Lithium ion - 78 Amps (represents one 24V Battery pack, equivalent to two Group 24 Batteries) - (L7367)	RFQ
☐	**CUSTOM**	CUSTOM 8A Offboard Battery Charger for Lithium ion batteries	N/C
		▲ ***This option is required when choosing custom Lithium ion batteries***	
☐	**CUSTOM**	CUSTOM Lithium ion Battery capacity LCD display gauge	N/C
		▲ ***This option is required when choosing custom Lithium ion batteries***	
☐	**CUSTOM**	Folding Backrest for Storage/Travel Access for **Reclining backs**	RFQ
☐	**CUSTOM**	Power Anterior Tilt	RFQ
☐	**CUSTOM**	Power Lateral Tilt 15° ☐ Raise the Left Side only ☐ Raise the Right Side only ☐ Raise the Left & Right Side	RFQ
☐	**CUSTOM**	Power Latitude System (Features 14” of forward travel and a 5” seat to floor height from the pan to the ground) (200 Lb max. user weight capacity)	RFQ
☐	**CUSTOM**	Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity)	RFQ
☐	**CUSTOM**	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
☐	**CUSTOM**	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
☐	**CUSTOM**	Power Stander – (Requires Power Tilt, Power Recline and 90° Power elevating & articulating center mount foot platform)	RFQ
		▲ ***Please call CSR to verify if the power standing option is available with the required configuration for your user.***	
☐	**CUSTOM**	Rearview Camera with 5” Monitor	RFQ
☐	**CUSTOM**	Rearview mirror ☐ Left Side ☐ Right Side	RFQ
☐	**CUSTOM**	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan	RFQ
☐	**CUSTOM**	Foot Box ◄ Specify Length: _____ Width: _____ Please confirm with CSR on sizing possibilities	RFQ
☐	**CUSTOM #1**	Other custom options. Specify in notes section below	RFQ
☐	**CUSTOM #2**	Other custom options. Specify in notes section below	RFQ

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.

73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS

Specifications are subject to change without notice. Copyright © Amylior Inc. (OCTOBER 2026). All rights reserved.