



1. ACCOUNT INFORMATION

P.O. # or Quote: _____
 Dealer Contact Name: _____
 Email Address: _____
 Phone Number: _____ Fax Number: _____
 Bill to (Name): _____
 Bill to (Location): _____
 Ship to (Name): _____
 Address: _____
 City: _____
 State: _____ Zip Code: _____
 User Name or Number: _____
 User Weight: _____
 User Height: _____
 Seat Cushion Thickness: _____
 Knee to Heel Length: Left: _____" Right: _____"



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylor is not responsible for configuration or size discrepancies resulting from customer errors **or omissions** on the order form
- Order confirmations will be provided by Amylor summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.
- This product design meets and/or exceeds the code requirements
- HCPCS codes present on this order form are Amylor's interpretation of the codes and how our products should be coded at the time of this order form's release. Each funding source and individual DMERC will determine if these interpretations are correct and decide whether coverage will be accepted or denied as coded. Amylor does not guarantee coverage or payment based upon usage of these codes. Please contact your individual insurer(s) with funding and coverage questions.

***IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

2. STANDARD OPTIONS FOR HCPCS CODES (K0848, K0856, K0861, K0011)

Alltrack M3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors, Weight Capacity = 300 lb

3. ALLTRACK M3 POWER WHEELCHAIR

ATM3-3S-SS	ALLTRACK M3 Power Wheelchair – (K0848/K0011) – (Group 3 STD, No Power)	\$8,395
ATM3-3S-SP	ALLTRACK M3 Power Wheelchair – (K0856/K0011) – (Group 3 STD, Single Power)	\$8,395
ATM3-3S-MP	ALLTRACK M3 Power Wheelchair – (K0861/K0011) – (Group 3 STD, Multiple Power)	\$8,395

4. USER WEIGHT PACKAGES

WCA25	250 lb Maximum user weight capacity	STD	WCA3	300 lb Maximum user weight capacity	STD
--------------	-------------------------------------	-----	-------------	-------------------------------------	-----

5. STANDARD COLORS

SCMOBM	Onyx Black Matte	N/C	SCMCAB	Cabernet	N/C
SCMCTB	Cobalt Blue	N/C	SCMBGM	Bubble Gum Metallic	N/C
SCMIOB	Indigo Blue	N/C	SCMHAB	Habanero Metallic	N/C
SCMCRE	Candy Red	N/C	SCMLIM	SubLime	N/C



▼ OPTIONAL COLORS

FCHDD-M	Desert Digital Camo HydroGraphics	\$995
FCHCF-M	Carbon fiber HydroGraphics	\$995
FCHWL-M	Woodland Camo HydroGraphics	\$995

5.5 WHEEL INSERT COLORS

SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			

- ▲ *Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)*
- ▲ *Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)*
- ▲ *Wheel inserts are not available in Onyx Black Matte*

7. TRANSPORT OPTION

TTD4	Tie-down attachment points compliant with ISO 7176-19. See owner's manual for additional details	STD
-------------	--	-----

8. MOTOR PACKAGE

MP65B	6.5 MPH 4-Pole Motor Package / with Brake Release	STD
▲	<i>Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)</i>	
MP65-OPT	6.5 MPH 4-Pole Motor MP65-OPT Package / with COG Release	\$405
▲	<i>Not compatible with the narrow base configuration (FS2221B)</i>	

9. ASSISTIVE DRIVING PACKAGE

SMARTT	Smart-Track Assistive Driving Package – (K0108)	\$1,525
▲	<i>Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.</i>	
▲	<i>Requires the R-net PM 120 Amp Expandable Controller (ECR120).</i>	
▲	<i>This option requires the MP65-OPT motor package.</i>	
▲	<i>Not compatible with the narrow base configuration (FS2221B)</i>	
▲	<i>Recommended for non-proportional Drive Controls</i>	

10. BATTERY CHARGER

BCOB	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

11. BATTERY TRAY AND BASE WIDTH

FS2221B	N2221 - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21")	N/C
▶	NOT AVAILABLE WITH THE FOLLOWING OPTIONS:	
▲	<i>6.5 MPH 4-Pole Motor Package / with COG Release option (MP65-OPT)</i>	
▲	<i>Smart-Track option (SMARTT)</i>	
▲	<i>8" front casters (FC8PTM and FC8PIM)</i>	
▲	<i>14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI)</i>	
▲	<i>Not compatible with 23" and 24" seat widths selections (SOWN23 and SOWN24)</i>	



11. BATTERY TRAY AND BASE WIDTH (CONTINUED)

FS22B	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")	STD
FS2424B	N2424 - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24")	N/C
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C

12. BATTERIES - REQUIRES A SELECTION

BAT22NFGEL	Premium CG Power - GEL Battery – Group 22NF – 50 Amps (Each) – (E2361)	\$360
BAT24GEL	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each) – (E2363)	\$465
BATO	Omission of the batteries	N/C

14. DRIVE WHEEL

DW14PT	14" Cast Wheel Pneumatic Tires	STD
DW14PI	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
DW144PT	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	\$560
DW144PI	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	\$560
	▲ <i>Increases the overall width of the base by 2 3/4"</i>	
	▲ <i>Not compatible with the narrow base configuration (FS2221B)</i>	
DW12PT	12 1/2" Cast Wheel Pneumatic Tires	N/C
DW12PI	12 1/2" Cast Wheel Pneumatic with Foam Filled Tires	N/C
	▲ <i>12 1/2" Drive wheels lower ground clearance and speed, but increase motor torque.</i>	

15. FRONT CASTERS

FC6S	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
FC8PTM	8" Pneumatic Casters	N/C
FC8PIM	8" Pneumatic Casters with Foam Filled Tires	N/C
	▲ <i>The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)</i>	
	▲ <i>Not compatible with the narrow base configuration (FS2221B)</i>	

16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± 1/4")

▶ **YELLOW BOXES REPRESENT OPTIONS THAT CAN ONLY BE SELECTED WITH 12 1/2" DRIVE WHEELS (SECTION 14)**

SEAT TO FLOOR HEIGHT TABLE SEAT ANGLE	NO POWER OPTIONS			TILT <u>OR</u> ELEVATE (WITH OR WITHOUT RECLINE)	TILT <u>AND</u> ELEVATE (WITH OR WITHOUT RECLINE)
	0°	3°	6°		
STFH1550 (15.50" STFH)					
STFH1650 (16.50" STFH)					
STFH1750 (17.50" STFH)					
STFH1850 (18.50" STFH)					
STFH1950 (19.50" STFH)					

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲ <i>Required at: _____" (± 1/4" Range)</i>	



18. PRE-SET SEAT FRAME ANGLE

SFE-0	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
SFE-3	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
SFE-6	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

19. LIGHTING PACKAGE

EOLP	LED Light Package – (Includes front and rear lights with integrated flashers)	\$1,375
▲ <i>Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJCL, ECRJC35B or EDIB).</i>		

20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

▶ *VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)*

ECV902A	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
ECVJ4K	VR2 Standard 4-Key Joystick	STD
ECVJ6K	VR2 6-Key Joystick (Allows for single or select dual power options to operate through this joystick)	\$255
ECVJ9KL	VR2 9-Key Joystick with Lighting Operation (Allows for single or select dual power options to operate through this joystick)	\$360

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

ECEL90	R-net EL 90 Amp Expandable Controller – (E2377)	\$725
▲ <i>Not compatible with the Custom Power Stander</i>		
ECR120	R-net PM 120 Amp Expandable Controller – (E2377)	\$825
ECRNH	Harness for Expandable Controller – (E2313)	\$640
▲ <i>Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI 2 screen</i>		

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ *SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120*

ECO	Omit Joystick – (For use with an Omni 2 Display)	N/C
ECELJ	R-net - (LED) – Joystick	STD
▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
▲ <i>This joystick is not compatible with the Custom Power Stander</i>		
ECRJCL	R-net Joystick with Color screen	\$140
▲ <i>This joystick is not compatible with the Custom Power Stander</i>		
▶ <i>JOYSTICKS WITH LIGHTING OPERATION</i>		
ECELJL	R-net – (LED) – Joystick with Lighting Operation	\$535
▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
▲ <i>This joystick is not compatible with the Custom Power Stander</i>		
ECRJCL	R-net Joystick with Color screen and Lighting Operation	\$640
▲ <i>This joystick is not compatible with the Custom Power Stander</i>		
▶ <i>ADVANCED JOYSTICK</i>		
ECRJ35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$1,295
▲ <i>This joystick is required with the Custom Power Stander</i>		



23. JOYSTICK MOUNT

JSMF	Fixed Joystick Mount	N/C
JMSA	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis – (E1032)	\$385
Select:	<i>Set-up with standard installation to swing-away sideways</i>	
	<i>Set-up at 35° to swing-away sideways and downwards</i>	
▲	<i>Set-up at 35° angle may cause interference with the user's limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.</i>	
JSMCM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount – (E1032)	\$695
▲	<i>This option is not compliant with ISO 7176-19</i>	

24. JOYSTICK MOUNT SUPPORT

JSMFH	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

25. JOYSTICK HAND MOUNT

HML	Install Joystick on Left hand side	HMR	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

26. JOYSTICK HANDLE

JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length (E2323)	\$130
JBH	Ball Handle (E2323)	\$90	JFBH	Foam Ball Handle (E2323)	\$90
JTH	T-Handle (E2323)	\$105	JMUSH	Bodypoint Mushroom Handle (E2323)	\$140
JGP	Bodypoint 4" U-shaped Handle (E2323)	\$135			

27. ATTENDANT DRIVE CONTROL OPTION

EADC	Attendant Hand Control – (E2331)	\$1,015
-------------	----------------------------------	---------

28. ATTENDANT JOYSTICK HAND MOUNT

EADCL	Install Attendant Joystick on Rear Left hand side	EADCR	Install Attendant Joystick on Rear Right hand side
--------------	---	--------------	--

29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

EDIB	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared)	\$2,055
▲	<i>Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)</i>	
▲	<i>The Omni 2 display mount must be selected from the option below.</i>	

30. OMNI 2 ENHANCED DISPLAY MOUNT

EDSAM	User Swing Away Mount – (E1028)	\$403
	EDML – (Install Display on LH side)	EDMR – (Install Display on RH side)

31. ENVIRONMENTAL CONTROL MODULE

ECU	Environment control module – (Output Module) – (E2351)	\$915
▲	<i>Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).</i>	



33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

SAABA	Signature Rehab Seat – (Seat Frame only)	\$1,795
SAPTX	Signature CG Power Tilt – (E1002)	\$8,055
	▲ <i>This option includes the Signature Rehab Seat – (SAABA)</i>	
SAPRX	Signature 165° Power Recline with Integrated Shear Reduction – (ISR) – (E1004)	\$8,970
	▲ <i>This option includes the Signature Rehab Seat – (SAABA)</i>	
SAPTPRX	Signature CG Power Tilt and 165° Power Recline with Integrated Shear Reduction – (ISR) – (E1007)	\$12,645
	▲ <i>This option includes the Signature Rehab Seat – (SAABA)</i>	
SAPEX	ALTA 11” Power Seat Elevation – (E2298)	\$4,260
	▲ <i>This option includes the Signature Rehab Seat – (SAABA)</i>	
ADDPESX	Module – Add ALTA 11” Power Seat Elevation to either SAPTX, SAPRX or SAPTPRX – (E2298)	\$3,055
ADDMR	Module – Manual Recline with Integrated Shear Reduction – (ISR) – (E1226)	\$1,195
	▲ <i>The maximum user weight capacity with this option is 250 lb.</i>	
	▲ <i>This option is not compliant with ISO 7176-19</i>	

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

▶	SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (For both expandable and non-expandable systems)							
SOLO	Single function controller (Includes an external toggle switch)				N/C			
▼	OPTIONAL SWITCHES							
SWTOGGLE	Single Toggle Switch			Attendant Activation	\$125			
SWPUSH1	Single Push Button Switch – (Single Mode: SAC)		User Activation	Attendant Activation	\$95			
SWPUSH2	Dual Push Button Switch – (Dual Mode: SAC)		User Activation	Attendant Activation	\$180			
SSBS	Buddy Button Switch	Black	Red	Green	Yellow	User Activation	Attendant Activation	\$235
SSES	Egg Switch-Black		User Activation	Attendant Activation	\$265			
SSML	Ultra Light Switch		User Activation	Attendant Activation	\$255			
▶	SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL							
EPSV	Single Function Through VR2 Non-Expandable Drive Control (E2310)				\$1,935			
	▲ <i>Allows for activation of a single power option through VR2 controller</i>							
	▲ <i>Does not allow for control of power option through drive control and separate switches</i>							
	▲ <i>Control of power seat elevation with tilt is available as a custom. Check appropriate box in custom section 72 in addition to EPSV.</i>							
	▲ <i>VR2 Electronics can only accommodate specific power seat functions such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Elevate (Custom)</i>							
	▲ <i>Choose EPSV2 to operate select power combinations</i>							
EPSEL	Single Function Through Drive Control with R-net 90-amp controller (E2310)				\$1,935			
	▲ <i>Allows for activation of single power option through R-net 90-amp controller</i>							
	▲ <i>Compatible with all R-net joysticks</i>							
	▲ <i>Does not allow for control of power option through drive control and separate switches</i>							
	▲ <i>Can not operate more than one power option</i>							
	▲ <i>If selecting memory seating, choose SAC below</i>							
	▲ <i>If selecting 120-amp R-net controller, choose SAC below</i>							



34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER (CONTINUED)

SAC	Single Function Through Drive Control with R-net 90-amp or 120-amp controller (E2310)				\$2,955			
	▲ <i>Allows for activation of single power option through R-net drive controls</i>							
	▲ <i>Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls</i>							
	▲ <i>Capable of operating tilt with power seat elevation & compatible with memory seating</i>							
▶	SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)							
SACMEMORY	Memory Seat Program				\$995			
	▲ <i>This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJL)</i>							
▶	SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH							
SACTOGGLE	Single Toggle Switch			Attendant Activation	\$440			
SACPUSH1	Single Push Button Switch – (Single Mode: SAC)		User Activation	Attendant Activation	\$430			
SACPUSH2	Dual Push Button Switch – (Dual Mode: SAC)		User Activation	Attendant Activation	\$515			
SACSSBS	Buddy Button Switch	Black	Red	Green	Yellow	User Activation	Attendant Activation	\$535
SACSSES	Egg Switch-Black		User Activation	Attendant Activation	\$440			
SACSSML	Ultra Light Switch		User Activation	Attendant Activation	\$595			

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

MPF	Multiple Seat Function Controller through external switches only				\$1,195
	▲ <i>Not compatible with VR2 electronics (ECV902A)</i>				
▼	EXTERNAL SWITCHES				
SWKEYPAD-P	Keypad w/ 5 Push Button Switches		User Activation	Attendant Activation	N/C
SWKEYPAD-T	Keypad w/ 5 Toggle Switches		User Activation	Attendant Activation	\$395
SWMULTI	4-Way Toggle Switch – (Up to 4 Activations)		User Activation	Attendant Activation	\$275
SWMULTIT	Triple Toggle Switch – (Up to 5 Activations)		User Activation	Attendant Activation	\$205
SWPUSH4	4-Way Push Button Switch		User Activation	Attendant Activation	\$350
SWPUSH5	5-Way Push Button Switch		User Activation	Attendant Activation	\$365
▶	DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL				
EPSV2	Dual Function Through Drive Control with VR2 Non-Expandable Electronics (E2311)				\$2,955
	▲ <i>Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2</i>				
	▲ <i>Does not allow for control of power options through drive control and separate switches</i>				
	▲ <i>VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs</i>				
▶	MULTIPLE SEAT FUNCTIONS THROUGH R-NET				
MAC	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators (E2311)				\$3,770
	▲ <i>Required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2221B)</i>				
▶	MAC OPTIONS				
MACMEMORY	Memory Seat Program				\$180



35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE (CONTINUED)

► **SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH**

MACKEYPAD-P	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	N/C
MACKEYPAD-T	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	\$395
MACMULTI	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	\$275
▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>				
MACMULTIT	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	\$205
▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>				
MACPUSH4	4-Way Push Button Switch	User Activation	Attendant Activation	\$350
▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>				
MACPUSH5	5-Way Push Button Switch	User Activation	Attendant Activation	\$365
▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>				

36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	TSML – (Install Switch on LH side)	TSMR – (Install Switch on RH side)	N/C
----------------------	---	---	-----

37. SIGNATURE TAILORED SOLUTIONS - PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

SOBAA	Select one:	86°	90°	94°	98°	102°	106°	110°	N/C
--------------	-------------	-----	-----	-----	-----	------	------	------	-----

38. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 14" AND 22" (355 - 560 MM)

STS14-19-19	Width adjustment from 14" to 19" (355-480 MM) and Depth range of 15" to 19" (380 - 480 MM)								N/C
STS14-19-22	Width adjustment from 14" to 19" (355-480 MM) and Depth range of 18" to 22" (455 - 560 MM)								N/C
▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>									
STS17-22-19	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 15" to 19" (380 - 480 MM)								N/C
STS17-22-22	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 18" to 22" (455 - 560 MM)								N/C
▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>									
14" (SOSW14)	15" (SOSW15)	16" (SOSW16)	17" (SOSW17)	18" (SOSW18)	19" (SOSW19)				
20" (SOSW20)	21" (SOSW21)	22" (SOSW22)							

39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20" AND 24" (510 - 610 MM)

STS20-25-22	Width adjustment from 20" to 25" (510-635 MM) and Depth range of 18" to 22" (455 - 560 MM)								N/C
▲ <i>Seat width of 25" is a custom dimension and requires an (RFQ)</i>									
▲ <i>23" and 24" Seat widths are not compatible with the N2221 - Narrow 21" base width option (FS2221B)</i>									
▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>									
20" (SOSW20)	21" (SOSW21)	22" (SOSW22)	23" (SOSW23)	24" (SOSW24)					

40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22" (380 - 560 MM)

15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)	19" (SODN19)	20" (SODN20)	N/C
21" (SODN21)	22" (SODN22)	▲ <i>18" is the minimum possible seat depth when choosing a 22" long Seat Pan (STS14-19-22, STS14-22-22 and STS20-25-22)</i>				N/C

41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

► **Not compatible with a power or manual recline**

16" (SOBCH16)	17" (SOBCH17)	18" (SOBCH18)	19" (SOBCH19)
----------------------	----------------------	----------------------	----------------------



41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE) (CONTINUED)

▼ 20" is the minimum back height required with a power or manual recline

20" (SOBCH20)	21" (SOBCH21)	22" (SOBCH22)	23" (SOBCH23)	24" (SOBCH24)	25" (SOBCH25)
26" (SOBCH26)	27" (SOBCH27)	28" (SOBCH28)			

41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

▼ PUSH HANDLES

SOPH	Push Handles (pair)	N/C
------	---------------------	-----

▼ ENDOMORPH BACK CANES FOR NON-RECLINING BACKS

STSEND0-F1	Endomorph Back Canes for non-reclining backs, 1 IN (25 MM) total	\$95
STSEND0-F2	Endomorph Back Canes for non-reclining backs, 2 IN (50 MM) total	\$95
STSEND0-F3	Endomorph Back Canes for non-reclining backs, 3 IN (75 MM) total	\$95
STSEND0-F4	Endomorph Back Canes for non-reclining backs, 4 IN (100 MM) total	\$95

▼ ENDOMORPH BACK CANES FOR RECLINING BACKS

STSEND0-R1	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
STSEND0-R2	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C

▼ FOLDING BACKREST (FOR NON-RECLINING BACKS)

STSFB	Folding Backrest for Storage/Travel Access for non-reclining backs	\$195
-------	--	-------

42. BACK SUPPORT

STDSB-WWHH	Standard Contour Back Support (15" to 24" Wide with a maximum shell height of 22") – (Not Coded).	N/C
------------	---	-----

▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▶ MATRX BACKS

E2S-WWHH	MATRX ELITE E2S BACK (14" to 20" Wide - Back height of 6" to 20", in 2" increments) – (E2615)	\$795
----------	---	-------

▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▲ Weight capacity up to 300 lb

E2D-WWHH	MATRX DEEP CONTOUR ELITE E2D BACK (14" to 20" Wide - Back height of 6" to 20", in 2" increments) – (E2620)	\$925
----------	--	-------

▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▲ This product is not compatible with Lateral Trunk Supports

▲ Weight capacity up to 300 lb

PBE-WWHH-TR	MATRX ELITE TR BACK (15" to 20" Wide - Back height of 14", 16", 18" and 20") – (E2620)	\$835
-------------	--	-------

▲ Back shell height is available in 14", 16" 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▲ Weight capacity up to 300 lb

PBE-WWHH-HD	MATRX HEAVY DUTY ELITE BACK (21" to 24" Wide - Back height of 16" and 20") – (E2620/E2621)	\$1,045
-------------	--	---------

▲ Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▲ Weight capacity up to 500 lb

EDB-WWHH-HD	MATRX ELITE DEEP HD BACK (21" to 24" Wide - Back height of 16", 18" and 20") – (E2620/E2621)	\$1,180
-------------	--	---------

▲ Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back

▲ This product is not compatible with Lateral Trunk Supports

▲ Weight capacity up to 500 lb



42. BACK SUPPORT (CONTINUED)

▶ **NXT BACKS**

NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK (15" to 21" Wide) – (E2620)	\$660
	▲ <i>Weight capacity up to 300 lb</i>	
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK (22" to 28" Wide) – (E2621)	\$710
	▲ <i>Weight capacity up to 550 lb</i>	
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK (15" to 21" Wide) – (E2620)	\$660
	▲ <i>Weight capacity up to 300 lb</i>	
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK (22" to 28" Wide) – (E2621)	\$710
	▲ <i>Weight capacity up to 550 lb</i>	
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>	
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>	

▶ **OMISSION OF THE BACK SUPPORT**

STDSBO	Omission of the Back Support - (Using an Aftermarket Back)	N/C
	▲ <i>Back support MUST be omitted before selecting aftermarket back hardware</i>	
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>	
CUST-BHW	Aftermarket Back Hardware - Information on the back must be specified:	N/C
	<i>Back Manufacturer:</i> _____	
	<i>Product Name:</i> _____	
	<i>Hardware being used:</i> _____	
	▲ <i>Required information</i>	
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>	
	▲ <i>Hardware will not be provided IF the required information for the aftermarket back support is omitted, but a standard T-Nut kit will be supplied</i>	

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

	▼ <i>20" is the minimum back height required with a reclining back.</i>					
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	28" (SOBH28)
<i>This height is not available with the NXT Optima AC and PC options</i>						

44. SEAT CUSHIONS

▶ FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.	
▶ PERFORMA CG AIR - THERAPEUTIC AIR CUSHION	
Custom Cushion (Please use the Performa CG Air order form)	
Cell Height (Choose 1):	2" 3" 4"
▶ SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING	
▶ PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER	
PCGA1VSCxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2622) \$510
PCGA1VSCxxx-x	22" + (560 mm +) wide – (E2623) \$610
▲	<i>Cushion sizes only come in even numbers for width and depth measurements.</i>



44. SEAT CUSHIONS (CONTINUED)

▶ PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER		
PCGA1V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2622)	\$564
PCGA1V3Dxxxx-x	22" + (560 mm +) wide – (E2623)	\$680
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER		
PCGA1VICxxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2622)	\$535
PCGA1VICxxxx-x	22" + (560 mm +) wide – (E2623)	\$625
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING		
▶ PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER		
PCGA2VSCxxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$510
PCGA2VSCxxxx-x	22" + (560 mm +) wide – (E2625)	\$610
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER		
PCGA2V3Dxxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$564
PCGA2V3Dxxxx-x	22" + (560 mm +) wide – (E2625)	\$680
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER		
PCGA2VICxxxx-x	14" to 20" (355 mm to 510 mm) wide – (E2624)	\$535
PCGA2VICxxxx-x	22" + (560 mm +) wide – (E2625)	\$625
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)		
PCGA-2VLR	Dual Valves with Left / Right Location	N/C
PCGA-2VF6	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
PCGA-2VF8	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
PCGA-2VF10	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C
▶ PERFORMA CG AIR OPTIONS		
PCGA-GZ	GripZone Anti-Slip Technology	\$75
PCGA-TT-WW	Transfer Trellis	\$65
PCGA-AC	Anatomic Contour Seat Insert (E0992)	\$125
▲ <i>Only available with 2" and 3" cell heights</i>		
PCGA-SP	Seat Pouch	\$36
▶ MATRX CUSHION		
PSP-WWDD	MATRX PSP Seat Cushion – (11" to 20" Wide) – (E2607)	\$395
▲ <i>The maximum user weight capacity is 300 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
PSP-WWDD	MATRX PSP Seat Cushion – (22" to 26" Wide) – (E2608)	\$595
▲ <i>The maximum user weight capacity is 550 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		
▶ NXT BIO-FIT CUSHION		
NXTBIOFIT-WWDD	NXT BIO FIT Cushion – (15" to 21" Wide) – (E2607)	\$425
▲ <i>The maximum user weight capacity is 300 lb</i>		
NXTBIOFIT-WWDD	NXT BIO FIT Cushion – (22" to 26" Wide) – (E2608)	\$455
▲ <i>The maximum user weight capacity is 400 lb</i>		
▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>		



45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

FOR NON-RECLINING BACKS

▼ <i>Height Adjustable from 7.25" (185 mm) to 15.25" (385 mm) in 1" (25 mm) increments</i>		
▼ <i>Not compatible with Waterfall Armpads (SOWAPx et SOWGELx)</i>		
SOAFBDLH	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Left Side	N/C
SOAFBDRH	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Right Side	N/C
SOAFBFLH	Signature Cantilever Armrest – Full Length 16" (405 mm) - Left Side	N/C
SOAFBFRH	Signature Cantilever Armrest – Full Length 16" (405 mm) - Right Side	N/C
SOAFBELH	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Left Side	N/C
SOAFBERH	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Right Side	N/C
▼ CUSTOM LENGTH		
SOAFBCLH	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Left Side	\$95
SOAFBCRH	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Right Side	\$95
SOAFBCLH	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Left Side	\$95
SOAFBCRH	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Right Side	\$95

FOR RECLINING BACKS

▼ <i>Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments</i>		
▼ <i>Choose a Height Range :</i>	<i>Low Range 10.25" to 13.25" (260 - 335 mm)</i>	<i>High Range 14.25" to 16.25" (360 - 415 mm)</i>
▼ <i>Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)</i>		
SOAFBDLH-R	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Left Side	N/C
SOAFBDRH-R	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Right Side	N/C
SOAFBFLH-R	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Left Side	N/C
SOAFBFRH-R	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Right Side	N/C
SOAFBELH-R	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Left Side	N/C
SOAFBERH-R	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Right Side	N/C
▼ CUSTOM LENGTH		
SOAFBCLH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Left Side	\$95
SOAFBCRH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Right Side	\$95
SOAFBCLH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Left Side	\$95
SOAFBCRH-R	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Right Side	\$95

46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

▼ <i>E0973 - Code applies for rehab seat only configurations (SAABA)</i>		
▼ <i>NOT compatible with the extra-long armpads (16" x 3 1/2") (SOXWFAP16 or SOXWGAP16) and the Arm Trough with Hand Support (SOCAR)</i>		
SOADPDLH	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments) – (E0973)	\$190
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments) – (E0973)	\$190
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments) – (E0973)	\$190
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments) – (E0973)	\$190



48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

Cantilever Armrest Range (SOAFB for Non-Recl. backs)					Set at:					
7.25"	8.25"	9.25"	10.25"	11.25"	12.25"	13.25"	14.25"	15.25"	16.25"	
Cantilever Armrest Range (SOAFB for Reclining backs)					Set at:					
			10.25"	11.25"	12.25"	13.25"	14.25"	15.25"	16.25"	
▲	The Armrest Height is taken from the seat pan to the top of the armpad.									
▲	Not required for Dual Post.									

49. SIGNATURE TAILORED SOLUTIONS - ARMPADS

FOAM TYPE SELECTION

SOFAPD	Desk Length Flat Armpad – (10 ½" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
SOFAPF	Full Length Flat Armpad – (14" x 2 ½")	Select side:	Left Hand Side	Right Hand Side	STD
SOXWFAP10	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
SOXWFAP14	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
SOXWFAP16	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
▲	<i>The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more</i>				
▲	<i>The X-Wide 16" x 3 ½" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)</i>				
SOWAPD	Desk Length Waterfall – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
▲	<i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
▲	<i>NOT compatible with Cantilever (SOAFBxxx)</i>				
SOWAPF	Full Length Waterfall – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	N/C
▲	<i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
▲	<i>NOT compatible with Cantilever (SOAFBxxx)</i>				

HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)

SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2")	Select side:	Left Hand Side	Right Hand Side	\$36
SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2")	Select side:	Left Hand Side	Right Hand Side	\$36
SOXWGAP10	X-Wide 3.5" (90 mm) Flat GEL Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$55
SOXWGAP14	X-Wide 3.5" (90 mm) Flat GEL Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$55
SOXWGAP16	X-Wide 3.5" (90 mm) Flat GEL Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$65
▲	<i>The X-Wide 16" x 3 ½" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more</i>				
▲	<i>The X-Wide 16" x 3 ½" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)</i>				



49. SIGNATURE TAILORED SOLUTIONS - ARMPADS (CONTINUED)

SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$46
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx)</i>				
SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$46
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx)</i>				
▶ SPECIALTY TYPE SELECTION					
SOCAR	Arm Trough with Hand Support (18" x 4 ½") – (E2209)	Select side:	Left Hand Side	Right Hand Side	\$236
	▲ <i>Arm Trough Armpads may interfere with Armrests Flipping back.</i>				
▲ <i>SOCAR armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more</i>					

50. SIGNATURE TAILORED SOLUTIONS - FOOTRESTS

SOSAAF	Signature Swing-Away Footrests				STD
	Set at:	60°		70°	
	Select Footrest Range:	SOFLA12 (12 ½" - 17 ½")		SOFLA14 (14 ½" – 19 ½")	
	▲ <i>This option is not compliant with ISO 7176-19</i>				
SOAAF	Signature Heavy Duty Swing-Away Footrests				\$505
	Set at:	60°		70°	
	Select Footrest Range:	SOFLHD12 (12 ½" – 17 ½")		SOFLHD14 (14 ½" – 19 ½")	
ADDML	Signature Manual Elevating & Articulating Legrests - Pair – (E0990)				\$485
	Select Footrest Range:	SOFLME12 (12 ½" – 17 ½")		SOFLME14 (14 ½" – 19 ½")	
	▲ <i>Does not include calf pads. Please select calf pads in section 51.</i>				
ADDPL	Signature Power Elevating & Articulating Legrests – (E1010)				\$3,870
	Select Function:	Individual		Combined	
	Select Footrest Range:	SOFLPW12 (12 ½" – 17 ½")		SOFLPW14 (14 ½" – 19 ½")	
	▲ <i>This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.</i>				

51. SIGNATURE TAILORED SOLUTIONS - FOOTPLATES & ACCESSORIES

SOSFAF	Flip-up Footplates				STD
SOAFP	Angle Adjustable & Flip-up Footplates – (Each) – (K0040)				\$95
SOAHL	Heel Loops – (Each) – (E0951)				\$22
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware (Each) – (E0995)				\$55
SOAMA	Swing-away residual limb Support – (E1020)	Select:	Left leg	Right leg	\$420

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Footrest / Legrest Length	Set at:	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"
		16.5"	17"	17.5"	18"	18.5"	19"	19.5"	

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.



53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS

SOAAF90	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	N/C
	Select Foot Platform Range:	SOFBA12 (12 ½” – 16 ½”) SOFBA16 (16 ½” – 19 ½”)
	▲ <i>When selecting SOFBA16 (16 ½” - 19 ½”) range, the lowest possible seat to floor height is 18.75”</i>	
	▲ <i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>	
	▲ <i>With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.</i>	
ADDPF	90° Power Center Mount Elevating & Articulating Foot Platform – (E1012 / K0108)	\$3,870
	Select Footrest Range:	SOFBPW12 (10 ½” - 16”) SOFBPW16 (16” - 20”)
	▲ <i>When selecting SOFBPW16 (16” - 20”) range, the lowest possible seat to floor height is 18.75”</i>	
	▲ <i>This option includes calf pads. The power center mount counts as one power function.</i>	
	▲ <i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>	
	▲ <i>For leg lengths between 10 ½” and 12 ½”, there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.</i>	
	▲ <i>The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B)</i>	
	▲ <i>The E-BX (MAC) option is required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2424B)</i>	

54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	N/C
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount (Each) – (K0040)	\$125
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware (Each) – (E0995)	\$75

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Fixed Center Mount Foot Platform Length	Set at:									
12.5”	13”	13.5”	14”	14.5”	15”	15.5”	16”	16.5”	17”	
17.5”	18”	18.5”	19”	19.5”						
Power Center Mount Foot Platform Length	Set at:									
10.5”	11”	11.5”	12”	12.5”	13”	13.5”	14”	14.5”	15”	
15.5”	16”	16.5”	17”	17.5”	18”	18.5”	19”	19.5”	20”	

▲ The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates

56. SEAT POSITIONING (A HIP BELT AND A CHEST STRAP ARE REQUIRED WITH THE CUSTOM STANDING MODULE)

SOAUTO	55” Seat Positioning Strap	STD
	▲ <i>Not compatible with the custom Standing Module</i>	
SOBPHP2C	Bodypoint padded Hip Belt (Two Point – Center Pull) – (E0978)	\$175
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull (E0978)	\$180
SOBPCS	Bodypoint padded Chest Strap (E0960)	\$220
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull (E0960)	\$240

56.5 KNEE SUPPORTS AND PADS (REQUIRED WITH THE CUSTOM STANDING MODULE)

SOKSSH-LH	Adjustable Removable Knee Support Hardware - LH (E1028)	\$350
SOKSSH-RH	Adjustable Removable Knee Support Hardware - RH (E1028)	\$350
SOAKPS	Knee Support Pad for Standing Option - Each (K0108)	\$140
	▲ <i>Only compatible with the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the custom Standing Module</i>	



57. HEADREST

▼ SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.			
SONUAHR-12	Using headrest mounting hardware other than SOMAH below. Available with both Fixed and Reclining backrests. 1/2 IN (12.7 MM) Mounts		N/C
SONUAHR-15	Using headrest mounting hardware other than SOMAH below. Available with Reclining backrests only. 19/32 IN (15 MM) Mounts		N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9" – (E0955)		\$238
SOFHRM	Medium Curved Headrest Pad – 5" x 10" – (E0955)		\$238
SOFHRL	Large Curved Headrest Pad – 6" x 11" – (E0955)		\$238
SOMAH	Multi-axis Removable Mounting Hardware – (E1033)		\$243
SOHRBC	Bracket to Mount on the Contour Back Support – (Without Recline)		N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Backs)		N/C

58. LATERAL TRUNK SUPPORTS

▼ SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.			
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5" – (E0956)		\$115
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6" – (E0956)		\$115
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7" – (E0956)		\$115
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each) – (E1034)		\$295
	▲ <i>The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6" Deep Contour Fixed Thoracic Back Support (NOPCB).</i>		
	▲ <i>Waterfall armpads (SOWAPx & SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports</i>		

59. HIP & THIGH SUPPORTS

▼ SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.			
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4" – (E0956)		\$115
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5" – (E0956)		\$115
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6" – (E0956)		\$115
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each) – (E1034)		\$243

60. ACCESSORIES

SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$95
SOPHP	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$150
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$175
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$290
	▲ <i>Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.</i>				
	▲ <i>With multiple accessories installed on the same side, a custom upgrade will be required.</i>				

61. REFLECTOR KIT

REFLECT	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack – (Comes with durable straps that can be hooked around the back canes)				\$85
SOAP	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	Left Side	Right Side	\$60
	▲ <i>If only choosing one (1) armrest pouch, please show what side it should be installed</i>				



63. SWITCHES AND OPTIONS

ASCPWIFI	PGDT - Wireless programmer, WIFI dongle	\$686
ASCPCP	PGDT R-NET Dongle and PC programmer kit	\$590
ASCPVR2	PGDT VR2 with PPI Dongle and PC programmer kit	\$1,095
SSBS	Buddy Button Switch – (K0108)	\$235
SSES	Egg Switch-Black – (K0108)	\$265
SSML	Ultra Light Switch – (K0108)	\$255
ESS-RED	Emergency STOP Switch - Red – (K0108)	\$330

SPECIALTY DRIVER CONTROL OPTIONS

- ▶ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)
- ▶ Specialty Control options in this section are not compliant with ISO 7176-19

64. THERAFIN SIP-N-PUFF KIT

▼ *This option is not compliant with ISO 7176-19*

SCSNPK	Therafin Sip-N-Puff Kit – (E2325)	\$1,995
SCSNPBTk	Therafin Sip-N-Puff Breath Tube Kit – (E2326)	\$600
▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SCSRMSNP	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff – (E1032)	SWL (Swings on Left) SWR (Swings on Right) N/C
▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left) SWR (Swings on Right) \$405
SSES	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left) MRH (Mount on Right) \$265
▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>		
▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section</i>		
ESS-RED	Emergency STOP Switch - Red – (K0108)	User Activation Attendant Activation \$330
▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
SOMAH	Multi-axis Headrest Removable Mounting Hardware – (E1033)	\$243
▲ <i>Required with the Therafin Sip-N-Puff kit.</i>		
▶ CHOOSE ONE (1) HEADREST PAD		
SOFHRS	Small Curved Headrest Pad – 4" x 9" – (E0955)	\$238
SOFHRM	Medium Curved Headrest Pad – 5" x 10" – (E0955)	\$238
SOFHRL	Large Curved Headrest Pad – 6" x 11" – (E0955)	\$238

65. PROXIMITY HEAD ARRAY

▼ *This option is not compliant with ISO 7176-19*

CUSTOM	Adult – 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse – (E2330)	RFQ
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left) SWR (Swings on Right) \$405
SSES	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left) MRH (Mount on Right) \$265
▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>		
▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.</i>		
ESS-RED	Emergency STOP Switch - Red – (K0108)	User Activation Attendant Activation \$330
▲ <i>Required with the Proximity Head Array.</i>		
SOMAH	Multi-axis Headrest Removable Mounting Hardware – (E1033)	\$243
▲ <i>Required with the Proximity Head Array.</i>		



66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

▼ *This option is not compliant with ISO 7176-19*

CUSTOM	Light touch mini Proportional Joystick – (E2312)			RFQ
SCSRMMP	Stealth Rock-n-Lock Swingaway Arm for Chin MP – (E1032)	SWL (Swings on Left)	SWR (Swings on Right)	\$595
▲ <i>Required with the Light touch mini Proportional Joystick.</i>				
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left)	SWR (Swings on Right)	\$405
SSES	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$265
▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>				
▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section</i>				
JCC	Chin Cup – (E2324)			\$60
SOMAH	Multi-axis Headrest Removable Mounting Hardware – (E1033)			\$243
▲ <i>Required with the Light touch mini Proportional Joystick.</i>				
▶ CHOOSE ONE (1) HEADREST PAD				
SOFHRS	Small Curved Headrest Pad – 4" x 9" – (E0955)			\$238
SOFHRM	Medium Curved Headrest Pad – 5" x 10" – (E0955)			\$238
SOFHRL	Large Curved Headrest Pad – 6" x 11" – (E0955)			\$238

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

▼ *This option is not compliant with ISO 7176-19*

SCPGMJS	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount – (E2373)			\$1,595
SCGMJSM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for JC200 (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$450
▲ <i>Must be selected for use with the PG Drives JC200 Mini Joystick.</i>				
CUSTOM	Light touch mini Proportional Joystick – (E2312)			RFQ
SCGMPPM	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for Light Touch Joystick– (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$465
▲ <i>Must be selected for use with the Light touch mini Proportional Joystick.</i>				
SCBTM	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$950
▲ <i>This option is only compatible with the Light touch Mini Proportional Joystick.</i>				

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

▼ *This option is not compliant with ISO 7176-19*

SCPGMJS-M	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount – (E2373)			\$1,595
SCARMJSM	Swing-away and Multi-Axis armrest mount – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$250
▲ <i>Must be selected for use with the PG Drives JC200 Mini Joystick.</i>				
CUSTOM	Light touch mini Proportional Joystick – (E2312)			RFQ
SCARMPPM	Swing-away and Multi-Axis armrest mount – (E1032)	MLH (Mount on Left)	MRH (Mount on Right)	\$250
▲ <i>Must be selected for use with the Light touch mini Proportional Joystick.</i>				
SCBTM	Bullet Hand Tray for Light touch Mini Proportional Joystick – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$950
▲ <i>This option is only compatible with the Light touch Mini Proportional Joystick.</i>				



69. PROPORTIONAL HEAD CONTROL PACKAGE

▼ *This option is not compliant with ISO 7176-19*

SCPHC	Proportional Head Control Package – (E2327)			\$4,995
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch – (E1028)	SWL (Swings on Left)	SWR (Swings on Right)	\$405
SSES	Egg Switch for Changing Modes – Black – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$265
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>			
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section</i>			
SOMAH	Multi-axis Headrest Removable Mounting Hardware – (E1033)			\$243
	▲ <i>Required with the Proportional RIM Head Control.</i>			

CUSTOM SECTION

- ▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received.
- ▶ Please call for Quote and specifications for these options.

70. O² HOLDER

▼ *This option is not compliant with ISO 7176-19*

SUPOXY	Custom Non-Articulating Oxygen Tank Holder – (E2208)	MLH (Mount on Left)	MRH (Mount on Right)	\$280
	▲ <i>Not available with a power recline</i>			
SUPOXYA	Custom Articulating Oxygen Tank Holder – (K0108)	MLH (Mount on Left)	MRH (Mount on Right)	\$1,220
	▲ <i>Required with a power recline</i>			
	D-Size	Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve		
	E-Size	Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve		

71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ **AMYLOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.**

▼ *This option is not compliant with ISO 7176-19*

SOVENT	Custom Vent Tray			
	Articulating Vent Box – (Required with Power Tilt and/or Recline) – (E1030)			\$1,450
	Fixed Vent Box – (E1029)			\$410
	SPECIFY MODEL			
	Trilogy 100/200			
	LTV			
	LTV with Sprintpack			
	Other, specify: _____			
SOVTBE	Extended Battery Compartment – (K0108)			\$505
	▲ <i>The Vent Tray option is not available on narrow options N2424 & N2221 (FS2424B & FS2221B)</i>			
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries			
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries			
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries			
	The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries			
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries			



72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ **PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.**

▼ **These following custom options and accessories are ISO 7176-19 compliant**

CUSTOM	Military Patch - ARMY	N/C
CUSTOM	Military Patch - NAVY	N/C
CUSTOM	Military Patch - AIR FORCE	N/C
CUSTOM	Military Patch - MARINE CORPS	N/C
CUSTOM	Military Patch - COAST GUARD	N/C
CUSTOM	USB Charger Port ◀ Specify the location for the installation: _____	RFQ
CUSTOM	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control (E2310)	RFQ
CUSTOM	Accessory Hooks located at the rear of the seat structure (2 hooks)	RFQ
CUSTOM	Heavy-Duty Wheelchair Cover, Large	RFQ
CUSTOM	Transfer Handles – (Pair) Select a height range: 5" to 8" 6" to 9"	RFQ

▼ **The following custom options and accessories below are not compliant with ISO 7176-19**

CUSTOM	CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries) - (L7367)	RFQ
CUSTOM	CUSTOM Lithium ion - 78 Amps (represents one 24V Battery pack, equivalent to two Group 24 Batteries) - (L7367)	RFQ
CUSTOM	CUSTOM 8A Offboard Battery Charger for Lithium ion batteries	N/C
	▲ This option is required when choosing custom Lithium ion batteries	
CUSTOM	CUSTOM Lithium ion Battery capacity LCD display gauge	N/C
	▲ This option is required when choosing custom Lithium ion batteries	
CUSTOM	Folding Backrest for Storage/Travel Access for Reclining backs	RFQ
CUSTOM	Power Anterior Tilt	RFQ
CUSTOM	Power Lateral Tilt 15° Raise the Left Side only Raise the Right Side only Raise the Left & Right Side	RFQ
CUSTOM	Power Latitude System (Features 14" of forward travel and a 5" seat to floor height from the pan to the ground) (200 Lb max. user weight capacity)	RFQ
CUSTOM	Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity)	RFQ
CUSTOM	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
CUSTOM	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
CUSTOM	Power Stander – (Requires Power Tilt, Power Recline and 90° Power elevating & articulating center mount foot platform)	RFQ
	▲ Please call CSR to verify if the power standing option is available with the required configuration for your user.	
CUSTOM	Rearview Camera with 5" Monitor	RFQ
CUSTOM	Rearview mirror Left Side Right Side	RFQ
CUSTOM	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan	RFQ
CUSTOM	Foot Box ◀ Specify Length: Width: Please confirm with CSR on sizing possibilities	RFQ
CUSTOM #1	Other custom options. Specify in notes section below	RFQ
CUSTOM #2	Other custom options. Specify in notes section below	RFQ



73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS