



## 1. ACCOUNT INFORMATION

P.O. # or Quote:	_____		
Dealer Contact Name:	_____		
Email Address:	_____		
Phone Number:	_____	Fax Number:	_____
Bill to (Name):	_____		
Bill to (Location):	_____		
Ship to (Name):	_____		
Address:	_____		
City:	_____		
Province:	_____	Postal Code:	_____
<b>User Name or Number:</b>	_____		
<b>User Weight:</b>	_____		
<b>User Height:</b>	_____		
<b>Seat Cushion Thickness:</b>	_____		
<b>Knee to Heel Length: Left:</b>	_____	<b>Right:</b>	_____



## THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors **or omissions** on the order form

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

**\*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

## 2. STANDARD OPTIONS

Alltrack M3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors, Weight Capacity = 450 lb

## 3. ALLTRACK M3HD POWER WHEELCHAIR

<b>ATM3-3HD</b>	ALLTRACK M3 (HD) Power Wheelchair	\$8,545
-----------------	-----------------------------------	---------

## 3.5 OWNER'S MANUAL

<b>SOOMATENG</b>	English / Anglais	N/C	<b>SOOMATFR</b>	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

## 4. USER WEIGHT PACKAGES

<b>WCA4</b>	400 lb Maximum user weight capacity	STD	<b>WCA45</b>	450 lb Maximum user weight capacity	STD
-------------	-------------------------------------	-----	--------------	-------------------------------------	-----

## 5. STANDARD COLORS

<b>SCMOBM</b>	Onyx Black Matte	N/C	<b>SCMCAB</b>	Cabernet	N/C
<b>SCMCTB</b>	Cobalt Blue	N/C	<b>SCMBGM</b>	Bubble Gum Metallic	N/C
<b>SCMIOB</b>	Indigo Blue	N/C	<b>SCMHAB</b>	Habanero Metallic	N/C
<b>SCMCRE</b>	Candy Red	N/C	<b>SCMLIM</b>	SubLime	N/C

## ▼ OPTIONAL COLORS

<b>FCHDD-M</b>	Desert Digital Camo HydroGraphics	\$795
<b>FCHCF-M</b>	Carbon fiber HydroGraphics	\$795
<b>FCHWL-M</b>	Woodland Camo HydroGraphics	\$795



## 5.5 WHEEL INSERT COLORS

<b>SCCTB-WI</b>	Cobalt Blue	N/C	<b>SCHAB-WI</b>	Habanero Metallic	N/C
<b>SCIOB-WI</b>	Indigo Blue	N/C	<b>SCLIM-WI</b>	SubLime	N/C
<b>SCCRE-WI</b>	Candy Red	N/C	<b>SCBGM-WI</b>	Bubble Gum Metallic	N/C
<b>SCCAB-WI</b>	Cabernet	N/C			
▲ <i>Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)</i>					
▲ <i>Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)</i>					
▲ <i>Wheel inserts are not available in Onyx Black Matte</i>					

## 7. TRANSPORT OPTION

<b>TTD4</b>	Tie-down attachment points compliant with ISO 7176-19. See owner's manual for additional details	STD
-------------	--	-----

## 8. MOTOR PACKAGE

<b>MP65B</b>	6.5 MPH 4-Pole Motor Package / with Brake Release	STD
▲ <i>Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)</i>		
▲ <i>The Maximum user weight with this option is 400lb</i>		
<b>MP65-OPT</b>	6.5 MPH 4-Pole Motor MP65-OPT Package / with COG Release	\$395
▲ <i>The Maximum user weight with this option is 400lb</i>		
<b>MP544B</b>	5.4 MPH 4-Pole Motor Package / with Brake Release	N/C
▲ <i>Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)</i>		
<b>MP544-OPT</b>	5.4 MPH 4-Pole Motor Package / with COG Release	\$395

## 9. ASSISTIVE DRIVING PACKAGE

<b>SMARTT</b>	Smart-Track Assistive Driving Package	\$1,420
▲ <i>Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.</i>		
▲ <i>Requires the R-net PM 120 Amp Expandable Controller (ECR120).</i>		
▲ <i>This option requires the MP65-OPT or MP544-OPT motor package.</i>		
▲ <i>Recommended for non-proportional Drive Controls</i>		

## 10. BATTERY CHARGER

<b>BCOB</b>	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

## 11. BATTERY TRAY AND BASE WIDTH

<b>FS24B</b>	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C
--------------	--	-----

## 12. BATTERIES - REQUIRES A SELECTION

<b>BAT24GEL</b>	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each)	\$465
<b>BATO</b>	Omission of the batteries	N/C



#### 14. DRIVE WHEEL

<b>DW14PT</b>	14" Cast Wheel Pneumatic Tires	STD
<b>DW14PI</b>	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
<b>DW144PT</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	\$200
<b>DW144PI</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	\$595
	▲ <i>Increases the overall width of the base by 2 ¾"</i>	
<b>DW12PT</b>	12 ½" Cast Wheel Pneumatic Tires	N/C
<b>DW12PI</b>	12 ½" Cast Wheel Pneumatic with Foam Filled Tires	N/C
	▲ <i>12 ½" Drive wheels lower ground clearance and speed, but increase motor torque.</i>	

#### 15. FRONT CASTERS

<b>FC6S</b>	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
<b>FC8PTM</b>	8" Pneumatic Casters	N/C
<b>FC8PIM</b>	8" Pneumatic Casters with Foam Filled Tires	N/C
	▲ <i>The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI)</i>	

#### 16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")

▶ <b>YELLOW BOXES REPRESENT OPTIONS THAT CAN ONLY BE SELECTED WITH 12 ½" DRIVE WHEELS (SECTION 14)</b>						
SEAT TO FLOOR HEIGHT TABLE SEAT ANGLE	NO POWER OPTIONS			TILT (WITH OR WITHOUT RECLINE)	HD ELEVATE (WITH OR WITHOUT RECLINE)	TILT AND HD ELEVATE (WITH OR WITHOUT RECLINE)
	0°	3°	6°			
STFH1550 (15.50" STFH)						
STFH1650 (16.50" STFH)						
STFH1700 (17" STFH)						
STFH1750 (17.50" STFH)						
STFH1800 (18" STFH)						
STFH1850 (18.50" STFH)						
STFH1900 (19" STFH)						
STFH1950 (19.50" STFH)						
STFH2000 (20" STFH)						

#### 17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

<b>SOMHSS</b>	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲ <i>Required at: _____" (± ¼" Range)</i>	

#### 18. PRE-SET SEAT FRAME ANGLE

<b>SFE-0</b>	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<b>SFE-3</b>	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<b>SFE-6</b>	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C



## 19. LIGHTING PACKAGE

<b>EOLP</b>	LED Light Package – (Includes front and rear lights with integrated flashers)	\$1,425
▲ <i>Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECRJCL, ECRJC35B or EDIB).</i>		

## 20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

▶ <i>VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)</i>		
<b>ECV902A</b>	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
<b>ECVJ4K</b>	VR2 Standard 4-Key Joystick	STD
<b>ECVJ6K</b>	VR2 6-Key Joystick (Allows for single or select dual power options to operate through this joystick)	N/C
<b>ECVJ9KL</b>	VR2 9-Key Joystick with Lighting Operation (Allows for single or select dual power options to operate through this joystick)	\$150

## 21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<b>ECEL90</b>	R-net EL 90 Amp Expandable Controller	\$175
<b>ECR120</b>	R-net PM 120 Amp Expandable Controller	\$275

## 22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ <i>SELECTION OF ONE JOYSTICK OPTION BELOW IS REQUIRED WITH THE EXPANDABLE CONTROLLER ECEL90 OR ECR120</i>		
<b>ECO</b>	Omit Joystick – (For use with an Omni 2 Display)	N/C
<b>ECELJ</b>	R-net - (LED) – Joystick	STD
▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
<b>ECRJC</b>	R-net Joystick with Color screen	\$155
▶ <i>JOYSTICKS WITH LIGHTING OPERATION</i>		
<b>ECELJL</b>	R-net – (LED) – Joystick with Lighting Operation	\$125
▲ <i>This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)</i>		
<b>ECRJCL</b>	R-net Joystick with Color screen and Lighting Operation	\$180
▶ <i>ADVANCED JOYSTICK</i>		
<b>ECRJC35B</b>	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$1,105

## 23. JOYSTICK MOUNT

<b>JSMF</b>	Fixed Joystick Mount	N/C
<b>JMSA</b>	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis	\$235
<b>Select:</b>	<i>Set-up with standard installation to swing-away sideways</i>	
	<i>Set-up at 35° to swing-away sideways and downwards</i>	
	▲ <i>Set-up at 35° angle may cause interference with the user's limbs when the new Signature cantilever armrest (SOAFBxxx) is internally rotated.</i>	
<b>JSMCM</b>	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount	\$275
	▲ <i>This option is not compliant with ISO 7176-19</i>	

## 24. JOYSTICK MOUNT SUPPORT

<b>JSMFH</b>	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

## 25. JOYSTICK HAND MOUNT

<b>HML</b>	Install Joystick on Left hand side	<b>HMR</b>	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------



## 26. JOYSTICK HANDLE

<b>JSH</b>	Standard Joystick Gimble	STD	<b>JBAT</b>	Stick Handle 3" in Length	\$130
<b>JBH</b>	Ball Handle	\$85	<b>JFBH</b>	Foam Ball Handle	\$70
<b>JTH</b>	T-Handle	\$155	<b>JMUSH</b>	Bodypoint Mushroom Handle	\$210
<b>JGP</b>	Bodypoint 4" U-shaped Handle	\$210			

## 27. ATTENDANT DRIVE CONTROL OPTION

<b>EADC</b>	Attendant Hand Control	\$1,150
-------------	------------------------	---------

## 28. ATTENDANT JOYSTICK HAND MOUNT

<b>EADCL</b>	Install Attendant Joystick on Rear Left hand side	<b>EADCR</b>	Install Attendant Joystick on Rear Right hand side
--------------	---	--------------	--

## 29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

<b>EDIB</b>	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared)	\$1,915
	▲ <i>Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)</i>	
	▲ <i>The Omni 2 display mount must be selected from the option below.</i>	

## 30. OMNI 2 ENHANCED DISPLAY MOUNT

<b>EDSAM</b>	User Swing Away Mount	N/C
	<b>EDML – (Install Display on LH side)</b>	<b>EDMR – (Install Display on RH side)</b>

## 31. ENVIRONMENTAL CONTROL MODULE

<b>ECU</b>	Environment control module – (Output Module)	\$995
	▲ <i>Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).</i>	

## 33. SIGNATURE TAILORED POWER POSITIONING SOLUTIONS / REHAB SEAT

<b>SAABAHD-450</b>	Signature HD Rehab Seat – (Seat Frame only)	\$1,045
<b>SAPTXXHD</b>	Signature Heavy-Duty CG Power Tilt	\$6,195
	▲ <i>This option includes the Signature Rehab Seat – (SAABAHD)</i>	
<b>SAPRXHD</b>	Signature Heavy-Duty 165° Power Recline with Mechanical Shear Reduction (MSR)	\$7,845
	▲ <i>This option includes the Signature Rehab Seat – (SAABAHD)</i>	
<b>SAPTXXHD</b>	Signature Heavy-Duty CG Power Tilt and 165° Power Recline with Mechanical Shear Reduction (MSR)	\$12,995
	▲ <i>This option includes the Signature Rehab Seat – (SAABAHD)</i>	
<b>SAPESXHD</b>	Heavy-Duty ALTA 11" Power Seat Elevation	\$5,495
	▲ <i>This option includes the Signature Rehab Seat – (SAABAHD)</i>	
	▲ <i>The maximum user weight with this option is 400 lb</i>	
<b>ADDPESXHD</b>	Module – Add Heavy-Duty ALTA 11" Power Seat Elevation to either SAPTXHD, SAPRXHD or SAPTPRXHD	\$3,995
	▲ <i>The maximum user weight with this option is 400 lb</i>	



### 34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

<b>▶ SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (For both expandable and non-expandable systems)</b>									
<b>SOLO</b>	Single function controller (Includes an external toggle switch)								STD
<b>▼ OPTIONAL SWITCHES</b>									
<b>SWTOGGLE</b>	Single Toggle Switch							Attendant Activation	\$100
<b>SWPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)					User Activation	Attendant Activation	\$90	
<b>SWPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)					User Activation	Attendant Activation	\$180	
<b>SSBS</b>	Buddy Button Switch	Black	Red	Green	Yellow	User Activation	Attendant Activation	\$230	
<b>SSES</b>	Egg Switch-Black					User Activation	Attendant Activation	\$116	
<b>SSML</b>	Ultra Light Switch					User Activation	Attendant Activation	\$295	
<b>▶ SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL</b>									
<b>EPSV</b>	Single Function Through VR2 Non-Expandable Drive Control								N/C
	▲ <i>Allows for activation of a single power option through VR2 controller</i>								
	▲ <i>Does not allow for control of power option through drive control and separate switches</i>								
	▲ <i>Control of power seat elevation with tilt is available as a custom. Check appropriate box in custom section 72 in addition to EPSV.</i>								
	▲ <i>VR2 Electronics can only accommodate specific power seat functions such as Tilt / Recline / Power Center Mount / Combined Power Legs /Tilt +Elevate (Custom)</i>								
	▲ <i>Choose EPSV2 to operate select power combinations</i>								
<b>EPSEL</b>	Single Function Through Drive Control with R-net 90-amp controller								N/C
	▲ <i>Allows for activation of single power option through R-net 90-amp controller</i>								
	▲ <i>Compatible with all R-net joysticks</i>								
	▲ <i>Does not allow for control of power option through drive control and separate switches</i>								
	▲ <i>Can not operate more than one power option</i>								
	▲ <i>If selecting memory seating, choose SAC below</i>								
	▲ <i>If selecting 120-amp R-net controller, choose SAC below</i>								
<b>SAC</b>	Single Function Through Drive Control with R-net 90-amp or 120-amp controller								N/C
	▲ <i>Allows for activation of single power option through R-net drive controls</i>								
	▲ <i>Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls</i>								
	▲ <i>Capable of operating tilt with power seat elevation &amp; compatible with memory seating</i>								
<b>▶ SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)</b>									
<b>SACMEMORY</b>	Memory Seat Program								\$1,495
	▲ <i>This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJL)</i>								
	▲ <i>Memory seat programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD)</i>								
<b>▶ SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH</b>									
<b>SACTOGGLE</b>	Single Toggle Switch							Attendant Activation	\$410
<b>SACPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)					User Activation	Attendant Activation	\$400	
<b>SACPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)					User Activation	Attendant Activation	\$490	
<b>SACSSBS</b>	Buddy Button Switch	Black	Red	Green	Yellow	User Activation	Attendant Activation	\$540	
<b>SACSES</b>	Egg Switch-Black					User Activation	Attendant Activation	\$426	
<b>SACSSML</b>	Ultra Light Switch					User Activation	Attendant Activation	\$605	



### 35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

#### ► DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL

<b>EPSV2</b>	Dual Function Through Drive Control with VR2 Non-Expandable Electronics	N/C
	▲ <i>Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2</i>	
	▲ <i>Does not allow for control of power options through drive control and separate switches</i>	
	▲ <i>VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs</i>	

#### ► MULTIPLE SEAT FUNCTIONS THROUGH R-NET

<b>MAC</b>	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators	\$2,295
------------	--	---------

#### ► MAC OPTIONS

<b>MACMEMORY</b>	Memory Seat Program	\$175
	▲ <i>Memory seat programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD)</i>	

#### ► SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH

<b>MACKEYPAD-P</b>	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	\$445
<b>MACKEYPAD-T</b>	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	\$445
<b>MACMULTI</b>	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	\$180
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACMULTIT</b>	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	\$135
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACPUSH4</b>	4-Way Push Button Switch	User Activation	Attendant Activation	\$225
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			
<b>MACPUSH5</b>	5-Way Push Button Switch	User Activation	Attendant Activation	\$240
	▲ <i>By selecting this switch, memory recall is only available through the Joystick.</i>			

### 36. SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<b>TSML – (Install Switch on LH side)</b>	<b>TSMR – (Install Switch on RH side)</b>	N/C
----------------------	---	---	-----

### 37. SIGNATURE TAILORED SOLUTIONS - PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

<b>SOBAA</b>	Select one:	86°	90°	94°	98°	102°	106°	110°	N/C
--------------	-------------	-----	-----	-----	-----	------	------	------	-----

### 38. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 17" AND 22" (430 - 560 MM)

<b>STS17-22-19</b>	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 15" to 19" (380 - 480 MM)	N/C			
<b>STS17-22-22</b>	Width adjustment from 17" to 22" (430-560 MM) and Depth range of 18" to 22" (455 - 560 MM)	N/C			
	▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>				
<b>17" (SOSW17)</b>	<b>18" (SOSW18)</b>	<b>19" (SOSW19)</b>	<b>20" (SOSW20)</b>	<b>21" (SOSW21)</b>	<b>22" (SOSW22)</b>

### 39. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT WIDTH RANGE BETWEEN 20" AND 26" (510 - 660 MM)

<b>STS20-25-22</b>	Width adjustment from 20" to 25" (510-635 MM) and Depth range of 18" to 22" (455 - 560 MM)	N/C			
<b>STS23-28-22</b>	Width adjustment from 23" to 28" (585-710 MM) and Depth range of 18" to 22" (455 - 560 MM)	\$475			
	▲ <i>Seat widths of 27" and 28" are custom dimensions and require an (RFQ)</i>				
	▲ <i>The minimum seat depth available with this option is 18" (455 MM)</i>				
<b>20" (SOSW20)</b>	<b>21" (SOSW21)</b>	<b>22" (SOSW22)</b>	<b>23" (SOSW23)</b>	<b>24" (SOSW24)</b>	<b>25" (SOSW25)</b>
<b>26" (SOSW26)</b>					



#### 40. SIGNATURE TAILORED SOLUTIONS - ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22" (380 - 560 MM)

15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)	19" (SODN19)	20" (SODN20)	N/C
21" (SODN21)	22" (SODN22)		▲ 18" is the minimum possible seat depth when choosing a 22" long Seat Pan (STS14-19-22, STS17-22-22 and STS20-25-22)			N/C

#### 41. SIGNATURE TAILORED SOLUTIONS - EXTRUDED BACK CANE HEIGHT (THE MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE BACK CANE)

► **Not compatible with a power or manual recline**

16" (SOBCH16)	17" (SOBCH17)	18" (SOBCH18)	19" (SOBCH19)		
▼ 20" is the minimum back height required with a power or manual recline					
20" (SOBCH20)	21" (SOBCH21)	22" (SOBCH22)	23" (SOBCH23)	24" (SOBCH24)	25" (SOBCH25)
26" (SOBCH26)	27" (SOBCH27)	28" (SOBCH28)			

#### 41.5 SIGNATURE TAILORED SOLUTIONS - BACK CANE OPTIONS

▼ **PUSH HANDLES**

SOPH	Push Handles (pair)	N/C
------	---------------------	-----

▼ **ENDOMORPH BACK CANES FOR NON-RECLINING BACKS**

STSEND0-F1	Endomorph Back Canes for non-reclining backs, 1 IN (25 MM) total	\$120
STSEND0-F2	Endomorph Back Canes for non-reclining backs, 2 IN (50 MM) total	\$120
STSEND0-F3	Endomorph Back Canes for non-reclining backs, 3 IN (75 MM) total	\$120
STSEND0-F4	Endomorph Back Canes for non-reclining backs, 4 IN (100 MM) total	\$120

▼ **ENDOMORPH BACK CANES FOR RECLINING BACKS**

STSEND0-R1	Endomorph Back Canes for reclining backs, 1 IN (25 MM) total	N/C
STSEND0-R2	Endomorph Back Canes for reclining backs, 2 IN (50 MM) total	N/C

▼ **FOLDING BACKREST (FOR NON-RECLINING BACKS)**

STSF0B	Folding Backrest for Storage/Travel Access for non-reclining backs	\$240
--------	--	-------

#### 42. BACK SUPPORT

DSTR-WWHH	Adjustable Tension Back Upholstery, WW x HH	N/C
	▲ <b>Only available with Dual Post armrests (SOADP)</b>	
STDSB-WWHH	Contour back support up to 21" wide, with a maximum shell height of 22".	\$605
	▲ <b>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</b>	
STDSB-WWHH	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23".	\$755
	▲ <b>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</b>	
STDSB-WWHH	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	\$1,075
	▲ <b>The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</b>	
► <b>MATRX BACKS</b>		
PBE-WWHH-HD	MATRX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20")	\$1,150
	▲ <b>Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</b>	
	▲ <b>Weight capacity up to 500 lb</b>	
EDB-WWHH-HD	MATRX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20")	\$1,195
	▲ <b>Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</b>	
	▲ <b>This product is not compatible with Lateral Trunk Supports</b>	
	▲ <b>Weight capacity up to 500 lb</b>	



**42. BACK SUPPORT (CONTINUED)**

▶ <b>NXT BACKS</b>	
<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) <span style="float: right;">\$690</span>
	▲ <i>Weight capacity up to 300 lb</i>
<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide) <span style="float: right;">\$720</span>
	▲ <i>Weight capacity up to 550 lb</i>
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) <span style="float: right;">\$790</span>
	▲ <i>Weight capacity up to 300 lb</i>
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) <span style="float: right;">\$820</span>
	▲ <i>Weight capacity up to 550 lb</i>
	▲ <i>This product is not compatible with Lateral Trunk Supports</i>
	▲ <i>Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back</i>

▶ <b>OMISSION OF THE BACK SUPPORT</b>	
<b>STDSBO</b>	<b>Omission of the Back Support - (Using an Aftermarket Back)</b> <span style="float: right;">N/C</span>
	▲ <i>Back support MUST be omitted before selecting aftermarket back hardware</i>
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>
<b>CUST-BHW</b>	<b>Aftermarket Back Hardware - Information on the back must be specified:</b> <span style="float: right;">\$185</span>
	<i>Back Manufacturer:</i> _____
	<i>Product Name:</i> _____
	<i>Hardware being used:</i> _____
	▲ <i>Required information</i>
	▲ <i>Upcharges apply when both a back support AND aftermarket back hardware are selected</i>
	▲ <i>Hardware will not be provided IF the required information for the aftermarket back support is omitted, but a standard T-Nut kit will be supplied</i>

**43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

	▼ <i>20" is the minimum back height required with a reclining back.</i>					
<b>16" (SOBH16)</b>	<b>18" (SOBH18)</b>	<b>20" (SOBH20)</b>	<b>22" (SOBH22)</b>	<b>24" (SOBH24)</b>	<b>26" (SOBH26)</b>	<b>28" (SOBH28)</b>
<i>This height is not available with the NXT Optima AC and PC options</i> ▲						

**44. SEAT CUSHIONS**

▶ <b>FOR CUSTOM SIZES AND CONFIGURATIONS, PLEASE REFER TO THE PERFORMA CG AIR ORDER FORM.</b>	
▶ <b>PERFORMA CG AIR - THERAPEUTIC AIR CUSHION</b>	
Custom Cushion (Please use the Performa CG Air order form)	
<b>Cell Height (Choose 1):</b>	2"    3"    4"
▶ <b>SINGLE (1) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING</b>	
▶ <b>PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER</b>	
<b>PCGA1VSCxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide <span style="float: right;">\$812</span>
<b>PCGA1VSCxxxx-x</b>	22" + (560 mm +) wide <span style="float: right;">\$914</span>
	▲ <i>Cushion sizes only come in even numbers for width and depth measurements.</i>



#### 44. SEAT CUSHIONS

▶ <b>PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER</b>		
<b>PCGA1V3Dxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide	\$857
<b>PCGA1V3Dxxxx-x</b>	22" + (560 mm +) wide	\$963
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
▶ <b>PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER</b>		
<b>PCGA1VICxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide	\$915
<b>PCGA1VICxxxx-x</b>	22" + (560 mm +) wide	\$969
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
▶ <b>DUAL (2) VALVE - DESIRED COVER TYPE, DIMENSIONS AND PRICING</b>		
▶ <b>PERFORMA CG AIR CUSHION WITH STANDARD SPACER KNIT COVER</b>		
<b>PCGA2VSCxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide	\$812
<b>PCGA2VSCxxxx-x</b>	22" + (560 mm +) wide	\$914
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
▶ <b>PERFORMA CG AIR CUSHION WITH 3D SPACER KNIT DOUBLE LAYER COVER</b>		
<b>PCGA2V3Dxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide	\$857
<b>PCGA2V3Dxxxx-x</b>	22" + (560 mm +) wide	\$963
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
▶ <b>PERFORMA CG AIR CUSHION WITH EXTERNAL INCONTINENCE COVER</b>		
<b>PCGA2VICxxxx-x</b>	14" to 20" (355 mm to 510 mm) wide	\$915
<b>PCGA2VICxxxx-x</b>	22" + (560 mm +) wide	\$969
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
▶ <b>DUAL VALVE CUSHION SEGMENTATION (PLEASE SELECT 1 BOX)</b>		
<b>PCGA-2VLR</b>	Dual Valves with Left / Right Location	N/C
<b>PCGA-2VF6</b>	Dual Valves with Front / Back Location, Front distance 6 in (150 mm) from the front	N/C
<b>PCGA-2VF8</b>	Dual Valves with Front / Back Location, Front distance 8 in (205 mm) from the front	N/C
<b>PCGA-2VF10</b>	Dual Valves with Front / Back Location, Front distance 10 in (255 mm) from the front	N/C
▶ <b>PERFORMA CG AIR OPTIONS</b>		
<b>PCGA-GZ</b>	GripZone Anti-Slip Technology	\$86
<b>PCGA-TT-WW</b>	Transfer Trellis	\$100
<b>PCGA-AC</b>	Anatomic Contour Seat Insert	\$100
▲ <b>Only available with 2" and 3" cell heights</b>		
<b>PCGA-SP</b>	Seat Pouch	\$55
▶ <b>CONTOUR SEAT CUSHION</b>		
<b>SCPSC-WWDD</b>	Contour Seat Cushion up to 19" Wide	\$620
<b>SCPSC-WWDD</b>	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide	\$735
<b>SCPSC-WWDD</b>	Contour Seat Cushion for Heavy-Duty of ≥ 25" Wide ▲ Specify: Width: _____" Depth: _____"	\$865
▶ <b>MATRX CUSHION</b>		
<b>PSP-WWDD</b>	MATRX PSP Seat Cushion – (11" to 20" Wide)	\$645
▲ <b>The maximum user weight capacity is 300 lb</b>		
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		
<b>PSP-WWDD</b>	MATRX PSP Seat Cushion – (22" to 26" Wide)	\$995
▲ <b>The maximum user weight capacity is 550 lb</b>		
▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>		



#### 44. SEAT CUSHIONS (CONTINUED)

##### ▶ **NXT BIO-FIT CUSHION**

<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (15" to 21" Wide)	\$595
	▲ <b>The maximum user weight capacity is 300 lb</b>	
<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (22" to 26" Wide)	\$625
	▲ <b>The maximum user weight capacity is 400 lb</b>	
	▲ <b>Cushion sizes only come in even numbers for width and depth measurements.</b>	

#### 45. SIGNATURE TAILORED SOLUTIONS - CANTILEVER ARMRESTS - ADJUSTABLE HEIGHT, INWARD/ OUTWARD ROTATION AND VERTICAL ANGLE. ALLOWS ARMPAD TO MOVE 1" FORWARD (CHOOSE 2)

##### FOR NON-RECLINING BACKS

▼ **Height Adjustable from 7.25" (185 mm) to 15.25" (385 mm) in 1" (25 mm) increments**

▼ **Not compatible with Waterfall Armpads (SOWAPx et SOWGELx)**

<b>SOAFBDLH</b>	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Left Side	N/C
<b>SOAFBDRH</b>	Signature Cantilever Armrest – Desk Length 12" (305 mm) - Right Side	N/C
<b>SOAFBFLH</b>	Signature Cantilever Armrest – Full Length 16" (405 mm) - Left Side	N/C
<b>SOAFBFRH</b>	Signature Cantilever Armrest – Full Length 16" (405 mm) - Right Side	N/C
<b>SOAFBELH</b>	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Left Side	N/C
<b>SOAFBERH</b>	Signature Cantilever Armrest – Extended Length 18" (455 mm) - Right Side	N/C
▼ <b>CUSTOM LENGTH</b>		
<b>SOAFBCLH</b>	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Left Side	\$95
<b>SOAFBCRH</b>	Signature Cantilever Armrest – Custom Length 20" (510 mm) - Right Side	\$95
<b>SOAFBCLH</b>	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Left Side	\$95
<b>SOAFBCRH</b>	Signature Cantilever Armrest – Custom Length 22" (560 mm) - Right Side	\$95

##### FOR RECLINING BACKS

▼ **Height Adjustable from 10.25" (260 mm) to 16.25" (415 mm) in 1" (25 mm) increments**

▼ **Choose a Height Range :**      **Low Range 10.25" to 13.25" (260 - 335 mm)**      **High Range 14.25" to 16.25" (360 - 415 mm)**

▼ **Not compatible with Waterfall Armpads (SOWAPx and SOWGELx)**

<b>SOAFBDLH-R</b>	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Left Side	N/C
<b>SOAFBDRH-R</b>	Signature Cantilever Armrest for Reclining Back – Desk Length 12" (305 mm) - Right Side	N/C
<b>SOAFBFLH-R</b>	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Left Side	N/C
<b>SOAFBFRH-R</b>	Signature Cantilever Armrest for Reclining Back – Full Length 16" (405 mm) - Right Side	N/C
<b>SOAFBELH-R</b>	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Left Side	N/C
<b>SOAFBERH-R</b>	Signature Cantilever Armrest for Reclining Back – Extended Length 18" (455 mm) - Right Side	N/C
▼ <b>CUSTOM LENGTH</b>		
<b>SOAFBCLH-R</b>	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Left Side	\$95
<b>SOAFBCRH-R</b>	Signature Cantilever Armrest for Reclining Back – Custom Length 20" (510 mm) - Right Side	\$95
<b>SOAFBCLH-R</b>	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Left Side	\$95
<b>SOAFBCRH-R</b>	Signature Cantilever Armrest for Reclining Back – Custom Length 22" (560 mm) - Right Side	\$95



**46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)**

▼ **NOT compatible with the extra-long armpads (16" x 3 1/2") (SOXWFAP16 or SOXWGAP16) and the Arm Trough with Hand Support (SOCAR)**

<b>SOADPDLH</b>	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPDRH</b>	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFLH</b>	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFRH</b>	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168

**48. ARMREST HEIGHT ADJUSTMENT AT FACTORY**

<b>Cantilever Armrest Range (SOAFB for Non-Recl. backs)</b>					Set at:					
7.25"	8.25"	9.25"	10.25"	11.25"	12.25"	13.25"	14.25"	15.25"	16.25"	

<b>Cantilever Armrest Range (SOAFB for Reclining backs)</b>					Set at:					
			10.25"	11.25"	12.25"	13.25"	14.25"	15.25"	16.25"	

- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- ▲ Not required for Dual Post.

**49. SIGNATURE TAILORED SOLUTIONS - ARMPADS**

**FOAM TYPE SELECTION**

<b>SOFAPD</b>	Desk Length Flat Armpad – (10 1/2" x 2 1/2")	Select side:	Left Hand Side	Right Hand Side	STD
<b>SOFAPF</b>	Full Length Flat Armpad – (14" x 2 1/2")	Select side:	Left Hand Side	Right Hand Side	STD
<b>SOXWFAP10</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
<b>SOXWFAP14</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C
<b>SOXWFAP16</b>	X-Wide 3.5" (90 mm) Flat FOAM Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	N/C

- ▲ **The X-Wide 16" x 3 1/2" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more**
- ▲ **The X-Wide 16" x 3 1/2" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)**

<b>SOWAPD</b>	Desk Length Waterfall – (8 1/2" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	N/C
	▲ <b>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</b>				
	▲ <b>NOT compatible with Cantilever (SOAFBxxx)</b>				
<b>SOWAPF</b>	Full Length Waterfall – (13" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	N/C
	▲ <b>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</b>				
	▲ <b>NOT compatible with Cantilever (SOAFBxxx)</b>				

**HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad – (9 3/4" x 2")	Select side:	Left Hand Side	Right Hand Side	\$40
<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad – (13 1/2" x 2")	Select side:	Left Hand Side	Right Hand Side	\$40
<b>SOXWGAP10</b>	X-Wide 3.5" (90 mm) Flat GEL Armpad, 10" (255 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$95
<b>SOXWGAP14</b>	X-Wide 3.5" (90 mm) Flat GEL Armpad, 14" (355 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$95
<b>SOXWGAP16</b>	X-Wide 3.5" (90 mm) Flat GEL Armpad, 16" (405 mm) Long	Select side:	Left Hand Side	Right Hand Side	\$105

- ▲ **The X-Wide 16" x 3 1/2" Armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more**
- ▲ **The X-Wide 16" x 3 1/2" Armpads are NOT compatible with Dual Post Armrests (SOADPxx)**



**49. SIGNATURE TAILORED SOLUTIONS - ARMPADS (CONTINUED)**

<b>SOWGELD</b>	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx)</i>				
<b>SOWGELF</b>	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
	▲ <i>May interfere with flipping back the armrests when combined with Lateral Trunk supports.</i>				
	▲ <i>NOT compatible with Cantilever (SOAFBxxx)</i>				
▶ <b>SPECIALTY TYPE SELECTION</b>					
<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 ½")	Select side:	Left Hand Side	Right Hand Side	\$290
	▲ <i>Arm Trough Armpads may interfere with Armrests Flipping back.</i>				
▲ <i>SOCAR armpads require Cantilever (SOAFBExx) armrests with an extended length of 18" (455 mm) or more</i>					

**50. SIGNATURE TAILORED SOLUTIONS - FOOTRESTS**

<b>SOAAF</b>	Signature Heavy Duty Swing-Away Footrests				\$175
	Set at:	60°		70°	
	Select Range:	SOFLHD12 (12 ½" – 17 ½")		SOFLHD14 (14 ½" – 19 ½")	
<b>ADDML</b>	Signature Manual Elevating & Articulating Legrests - Pair				\$595
	Select Range:	SOFLME12 (12 ½" – 17 ½")		SOFLME14 (14 ½" – 19 ½")	
	▲ <i>Does not include calf pads. Please select calf pads in section 51.</i>				
<b>ADDPLHD</b>	Signature Heavy Duty Adult Power Elevating & Articulating Legrests				\$2,745
	Select Function:	Individual		Combined	
	Select Range:	SOFLPW12 (12 ½" – 17 ½")		SOFLPW14 (14 ½" – 19 ½")	
	▲ <i>This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.</i>				

**51. SIGNATURE TAILORED SOLUTIONS - FOOTPLATES & ACCESSORIES**

<b>SOSFAF</b>	Flip-up Footplates				STD
<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates – (Each)				\$65
<b>SOAHL</b>	Heel Loops – (Each)				\$20
<b>SOACPFR</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)				\$93
<b>SOAMA</b>	Swing-away residual limb Support	Select:	Left leg	Right leg	\$455

**52. FOOTREST LENGTH ADJUSTMENT AT FACTORY**

<b>Footrest / Legrest Length</b>	Set at:	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"
		16.5"	17"	17.5"	18"	18.5"	19"	19.5"	

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

**53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS**

<b>SOAAF90</b>	Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)				\$200
	Select Foot Platform Range:	SOFBA12 (12 ½" – 16 ½")		SOFBA16 (16 ½" – 19 ½")	
	▲ <i>When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75"</i>				
	▲ <i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>				
	▲ <i>With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.</i>				



### 53. SIGNATURE TAILORED SOLUTIONS - CENTER MOUNTS (CONTINUED)

<b>ADDPFHD</b>	90° Heavy Duty Power Center Mount Elevating & Articulating Foot Platform	\$2,745
	Select Footrest Range: SOFBPW12 (10 ½"- 16") SOFBPW16 (16"- 20")	
▲	<i>When selecting SOFBPW16 (16"- 20") range, the lowest possible seat to floor height is 18.75"</i>	
▲	<i>This option includes calf pads. The power center mount counts as one power function.</i>	
▲	<i>Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).</i>	
▲	<i>For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.</i>	

### 54. SIGNATURE TAILORED SOLUTIONS - FOOT PLATFORMS & ACCESSORIES

<b>SOFUFP</b>	Flip-up one piece Foot Platform	\$140
<b>SOAFPFB</b>	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
<b>SOACPCM</b>	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	\$93

### 55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Fixed Center Mount Foot Platform Length		Set at:									
12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"		
17.5"	18"	18.5"	19"	19.5"							
Power Center Mount Foot Platform Length		Set at:									
10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"		
15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"		

▲ The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates

### 56. SEAT POSITIONING

<b>SOAUTO</b>	55" Seat Positioning Strap	STD
<b>SOAUTO80</b>	80" Seat Positioning Strap	\$75
<b>SOBPHP2C</b>	Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$170
<b>SOBPHP2C-L82</b>	XL 82" Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$190
<b>SOPHB</b>	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
<b>SOBPCS</b>	Bodypoint padded Chest Strap	\$250
<b>SOPCS</b>	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

### 57. HEADREST

▼	<b>SELECT ONE OF THE HEADREST OPTIONS WITH THE MOUNTING HARDWARE AND SPECIFY WHERE THE HEADREST WILL BE INSTALLED.</b>	
<b>SONUAHR-12</b>	Using headrest mounting hardware other than SOMAH below. <b>Available with both Fixed and Reclining backrests.</b> 1/2 IN (12.7 MM) Mounts	N/C
<b>SONUAHR-15</b>	Using headrest mounting hardware other than SOMAH below. <b>Available with Reclining backrests only.</b> 19/32 IN (15 MM) Mounts	N/C
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"	\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"	\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"	\$155
<b>SOMAH</b>	Multi-axis Removable Mounting Hardware	\$220
<b>SOHRBC</b>	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
<b>SOHRPR</b>	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C



## 58. LATERAL TRUNK SUPPORTS

### ▼ SELECT ONE OF THE LATERAL PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

<b>SOSLS3</b>	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	\$100
<b>SOSLM4</b>	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	\$100
<b>SOSLL5</b>	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	\$100
<b>SOSLHM</b>	Adjustable Swing-Away Hardware Mounts – (Each)	\$220
	▲ <i>The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6" Deep Contour Fixed Thoracic Back Support (NOPCB).</i>	
	▲ <i>Waterfall armpads (SOWAPx &amp; SOWGELx) may interfere with flipping back the armrests when combined with Lateral Trunk supports</i>	

## 59. HIP & THIGH SUPPORTS

### ▼ SELECT ONE OF THE HIP & THIGH SUPPORT PADS AND THE ADJUSTABLE & REMOVABLE HARDWARE.

<b>SOHTSS10</b>	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	\$130
<b>SOHTSM12</b>	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	\$130
<b>SOHTSL14</b>	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	\$130
<b>SOHTSARH</b>	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	\$136

## 60. ACCESSORIES

<b>SOCH</b>	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$115
<b>SOCPH</b>	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
<b>SOTHS</b>	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
<b>SOTHL</b>	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
	▲ <i>Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.</i>				
	▲ <i>With multiple accessories installed on the same side, a custom upgrade will be required.</i>				

## 61. REFLECTOR KIT

<b>REFLECT</b>	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

## 62. BACK PACK AND ARMREST SIDE POUCHES

<b>SOBP</b>	Back Pack – (Comes with durable straps that can be hooked around the back canes)				\$90
<b>SOAP</b>	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	Left Side	Right Side	\$53
	▲ <i>If only choosing one (1) armrest pouch, please show what side it should be installed</i>				

## 63. SWITCHES AND OPTIONS (CONTINUED)

<b>ASCPWIFI</b>	PGDT - Wireless programmer, WIFI dongle	\$844
<b>ASCPCP</b>	PGDT R-NET Dongle and PC programmer kit	\$600
<b>ASCPVR2</b>	PGDT VR2 with PPI Dongle and PC programmer kit	\$1,450
<b>SSBS</b>	Buddy Button Switch	\$230
<b>SSES</b>	Egg Switch-Black	\$116
<b>SSML</b>	Ultra Light Switch	\$295
<b>ESS-RED</b>	Emergency STOP Switch - Red	\$314



## SPECIALTY DRIVER CONTROL OPTIONS

► Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

► Specialty Control options in this section are not compliant with ISO 7176-19

### 64. THERAFIN SIP-N-PUFF KIT

▼ *This option is not compliant with ISO 7176-19*

<b>SCSNPK</b>	Therafin Sip-N-Puff Kit				\$1,975
<b>SCSNPBTK</b>	Therafin Sip-N-Puff Breath Tube Kit				N/C
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>				
<b>SCSRMSN</b>	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	SWL (Swings on Left)	SWR (Swings on Right)		\$300
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>				
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)		\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)		\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>				
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</i>				
<b>ESS-RED</b>	Emergency STOP Switch - Red	User Activation	Attendant Activation		\$314
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>				
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware				\$220
	▲ <i>Required with the Therafin Sip-N-Puff kit.</i>				
► <b>CHOOSE ONE (1) HEADREST PAD</b>					
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"				\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"				\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"				\$155

### 65. PROXIMITY HEAD ARRAY

▼ *This option is not compliant with ISO 7176-19*

<b>CUSTOM</b>	Adult – 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse				RFQ
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)		\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)		\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>				
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section.</i>				
<b>ESS-RED</b>	Emergency STOP Switch - Red	User Activation	Attendant Activation		\$314
	▲ <i>Required with the Proximity Head Array.</i>				
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware				\$220
	▲ <i>Required with the Proximity Head Array.</i>				



## 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL

▼ *This option is not compliant with ISO 7176-19*

<b>CUSTOM</b>	Light touch mini Proportional Joystick			RFQ
<b>SCSRMMP</b>	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	\$870
	▲ <i>Required with the Light touch mini Proportional Joystick.</i>			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>			
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</i>			
<b>JCC</b>	Chin Cup			\$55
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ <i>Required with the Light touch mini Proportional Joystick.</i>			
▶ <b>CHOOSE ONE (1) HEADREST PAD</b>				
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155

## 67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT

▼ *This option is not compliant with ISO 7176-19*

<b>SCPGMJS</b>	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
<b>SCGMJSM</b>	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	\$595
	▲ <i>Must be selected for use with the PG Drives JC200 Mini Joystick.</i>			
<b>CUSTOM</b>	Light touch mini Proportional Joystick			RFQ
<b>SCGMPPM</b>	Bodypoint Tri-Lock Midline Mounted Swing Away Joystick Mount for Light Touch Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$825
	▲ <i>Must be selected for use with the Light touch mini Proportional Joystick.</i>			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$850
	▲ <i>This option is only compatible with the Light touch Mini Proportional Joystick.</i>			

## 68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT

▼ *This option is not compliant with ISO 7176-19*

<b>SCPGMJS-M</b>	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
<b>SCARMJSM</b>	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ <i>Must be selected for use with the PG Drives JC200 Mini Joystick.</i>			
<b>CUSTOM</b>	Light touch mini Proportional Joystick			RFQ
<b>SCARMPPM</b>	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$375
	▲ <i>Must be selected for use with the Light touch mini Proportional Joystick.</i>			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$850
	▲ <i>This option is only compatible with the Light touch Mini Proportional Joystick.</i>			



## 69. PROPORTIONAL HEAD CONTROL PACKAGE

▼ *This option is not compliant with ISO 7176-19*

<b>SCPHC</b>	Proportional Head Control Package			\$4,495
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ <i>Required with the Stealth Rock-n-Lock Swing Away mount.</i>			
	▲ <i>The Mode Switch Type can be changed from this selection in SWITCHES &amp; OPTIONS section</i>			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ <i>Required with the Proportional RIM Head Control.</i>			

## CUSTOM SECTION

- ▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received.
- ▶ Please call for Quote and specifications for these options.

## 70. O<sup>2</sup> HOLDER

▼ *This option is not compliant with ISO 7176-19*

<b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
	▲ <i>Not available with a power recline</i>			
<b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
	▲ <i>Required with a power recline</i>			
	D-Size	Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve		
	E-Size	Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve		

## 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ **AMYLOR DOES NOT SUPPLY THE BATTERY, CHARGER OR THE WIRING FOR THE VENT. THESE ITEMS ARE NORMALLY PROVIDED BY THE VENT MANUFACTURER.**

▼ *This option is not compliant with ISO 7176-19*

<b>SOVENT</b>	Custom Vent Tray		
	Articulating Vent Box (Required with Power Tilt and/or Recline)		\$1,360
	Fixed Vent Box		\$400
	<b>SPECIFY MODEL</b>		
	Trilogy 100/200		
	LTV		
	LTV with Sprintpack		
	Other, specify: _____		

## 71. VENT TRAY (PLEASE COMPLETE IN FULL) (CONTINUED)

<b>SOVTBE</b>	Extended Battery Compartment		\$495
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries		
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries		



**72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)**

▼ **PLEASE SPECIFY DETAILS AND SPECIFICATIONS FOR THESE OPTIONS.**

▼ **These following custom options and accessories are ISO 7176-19 compliant**

<b>CUSTOM</b>	USB Charger Port ◀ Specify the location for the installation: _____	RFQ
<b>CUSTOM</b>	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control	RFQ
<b>CUSTOM</b>	Accessory Hooks located at the rear of the seat structure (2 hooks)	RFQ
<b>CUSTOM</b>	Heavy-Duty Wheelchair Cover, Large	RFQ
<b>CUSTOM</b>	Transfer Handles – (Pair)   Select a height range:   5" to 8"   6" to 9"	RFQ

▼ **The following custom options and accessories below are not compliant with ISO 7176-19**

<b>CUSTOM</b>	Folding Backrest for Storage/Travel Access for <b>Reclining backs</b>	RFQ
<b>CUSTOM</b>	Power Anterior Tilt	RFQ
<b>CUSTOM</b>	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
<b>CUSTOM</b>	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	RFQ
<b>CUSTOM</b>	Rearview Camera with 5" Monitor	RFQ
<b>CUSTOM</b>	Rearview mirror   Left Side   Right Side	RFQ
<b>CUSTOM</b>	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan	RFQ
<b>CUSTOM</b>	Foot Box ◀ Specify   Length:   Width:   Please confirm with CSR on sizing possibilities	RFQ
<b>CUSTOM #1</b>	Other custom options. Specify in notes section below	RFQ
<b>CUSTOM #2</b>	Other custom options. Specify in notes section below	RFQ

**73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**