

▼ ACCOUNT INFORMATION

P.O. # or Quote: _____
 Dealer Contact Name: _____
 Email Address: _____
 Phone Number: _____ Fax Number: _____
 Bill to (Name): _____
 Bill to (Location): _____
 Ship to (Name): _____
 Address: _____
 City: _____
 State: _____ Zip Code: _____
 User Name or Number: _____
 User Weight: _____
 User Height: _____
 Seat Cushion Thickness: _____
 Knee to Heel Length: Left: _____ Right: _____



The order cannot be processed without the following:

- A user name or number, the client's measurements and weight
- Amysystems is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amysystems summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

▼ POWER BASE SELECTION & ELECTONICS

▲ Seat to floor height (STFH) is measured at the front of the seat pan with a 0° Pre-Tilt. Lowest STFH (within ¼") is shown below.

Amysystems	▼STFH w/ Tilt	▼STFH w/ Combo	▼ Electronics
<input type="checkbox"/> Alltrack MWD <input type="checkbox"/> M <input type="checkbox"/> P	16 ¼"	18 ¼"	<input type="checkbox"/> VR2
<input type="checkbox"/> Alltrack RWD <input type="checkbox"/> R <input type="checkbox"/> P	16 ½"	18 ½"	<input type="checkbox"/> R-Net 90 <input type="checkbox"/> R-Net 120

Quickie	▼STFH w/ Tilt	▼STFH w/ Combo	▼ Electronics
<input type="checkbox"/> Pulse 6	16 ¾"	18 ¾"	<input type="checkbox"/> VR2
<input type="checkbox"/> QM Series -Specify: _____	TBA	TBA	<input type="checkbox"/> 6 key VR2
<input type="checkbox"/> P220 / P222 <input type="checkbox"/> Std. <input type="checkbox"/> Wide	18 ½"	N/A	<input type="checkbox"/> R-Net 90 <input type="checkbox"/> R-Net 120
<input type="checkbox"/> S636 / S646 <input type="checkbox"/> Std <input type="checkbox"/> Wide	17 ¼"	19 ½"	

▲ Additional charges may apply if base is equipped with anti-tip cables

► Pride Quantum

- ▲ When a chair is equipped with a seat elevate with any Q-Logic electronics, reduced speed requires power seating options through drive controls (SWTJSS, SWTJSD or SWTJSM)
- ▲ Q-Logic NE is not compatible with through joystick activation of the power seating options and does not offer reduced speed with seat elevator. Only Drive-Lock-out is available.

Q-Logic NE+ is only available for a maximum of two actuators for through the Joystick activation. It is only compatible with Tilt / Power Elevating Center Mount or Elevate / Power Elevating Center Mount. Multiple power use is possible with the MAC box but does not offer reduce speed with the seat elevate. Only Drive-Lock-out is available with Seat Elevate, and only external switch activations can be used (Not available with activation through the Joystick).

- ▲ Dynamic Shark is only available for a maximum of two actuators with external switches. For through the joystick activation, only one actuator can be used and it requires one of the following joysticks be used: Shark PSS or Shark ACC joysticks

	▼STFH w/ Tilt	▼STFH w/ Combo	▼ Electronics
<input type="checkbox"/> Q6 Edge, Edge 2.0	17"	19"	<input type="checkbox"/> VR2 <input type="checkbox"/> Q-Logic 3
<input type="checkbox"/> J6	17"	19"	<input type="checkbox"/> 6 key VR2 <input type="checkbox"/> Q-Logic NE
<input type="checkbox"/> 4Front	TBA	TBA	<input type="checkbox"/> Dynamic Shark <input type="checkbox"/> Q-Logic NE +
<input type="checkbox"/> Rival	TBA	TBA	<input type="checkbox"/> Q-Logic 1 or 2

Invacare	▼STFH w/ Tilt	▼STFH w/ Combo	▼ Electronics	▼ Joysticks
<input type="checkbox"/> FDX	TBA	TBA	<input type="checkbox"/> Mk690	<input type="checkbox"/> SPJ
<input type="checkbox"/> TDX SP <input type="checkbox"/> GP 22 <input type="checkbox"/> GP 24	16 ½"	19"	<input type="checkbox"/> Mk690ACC	<input type="checkbox"/> MPJ / DISPLAY
<input type="checkbox"/> TDX SR	17"	19 ½"	<input type="checkbox"/> Mk6TT	
<input type="checkbox"/> TDX SC (Spree)	15 ½"	17 ½"	<input type="checkbox"/> Mk6 GTRAC	
<input type="checkbox"/> Storm 3G <input type="checkbox"/> Short <input type="checkbox"/> Long	17"	19 ½"		

Other Manufacturers	▼STFH w/ Tilt	▼STFH w/ Combo	▼ Electronics
<input type="checkbox"/> Golden Compass	16 ½"	19"	<input type="checkbox"/> Golden - Dynamic Shark
<input type="checkbox"/> Rovi x3	TBA	TBA	<input type="checkbox"/> Rovi - R-Net
<input type="checkbox"/> IIM - Frontier V6	18 ½"	18 ½"	<input type="checkbox"/> IIM - PG R-Net
<input type="checkbox"/> IIM - X8 Extreme	19"	20"	
<input type="checkbox"/> Trackmaster MK1	19 ½"	20 ½"	<input type="checkbox"/> Trackmaster - R-net
<input type="checkbox"/> Other Power Wheelchair Specify: _____			

▼ INSTALLATION

<input type="checkbox"/> NOTE-IN-HOUSE	Factory Installation	STD
	▲ The Wheelchair must be drop-shipped from the manufacturer or Delivered to Amysystems from the dealer	

▼ POWER OPTIONS & SEATING

<input type="checkbox"/> SAABA	Amyseat Rehab Seat - Seat Frame only		\$1,495
<input type="checkbox"/> SAPTN	CG Power Tilt	(E1002)	\$4,075
	▲ This option includes the Amyseat Rehab Seat (SAABA)		
<input type="checkbox"/> SAPRN	Power Recline with Integrated Shear Reduction (ISR)	(E1004)	\$5,580
	▲ This option includes the Amyseat Rehab Seat (SAABA). It is recommended to use the NXT Back Support option with the power or manual reclines (NOACB or NOPCB)		
<input type="checkbox"/> SAPTRN	CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	(E1007)	\$8,795
	▲ This option includes the Amyseat Rehab Seat (SAABA). It is recommended to use the NXT Back Support option with the power or manual reclines (NOACB or NOPCB)		
<input type="checkbox"/> SAPES	11" Power Elevating Seat Module for transfer assist	(E2300)	\$4,175
	▲ This option includes the Amyseat Rehab Seat (SAABA)		
<input type="checkbox"/> ADDPES	Module - Add an 11" Power Elevating Seat to either SAPTN, SAPRN or SAPTRN	(E2300)	\$2,995
<input type="checkbox"/> ADDMR	Module - Manual Recline with Integrated Shear Reduction (ISR)	(E1226)	\$1,280
	▲ It is recommended to use the NXT Back Support option with the power or manual reclines (NOACB or NOPCB) The maximum user weight capacity with this option is 250 lb		

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

<input type="checkbox"/> SAC	Single (1) Power Seat Function Controller to Interface through the wheelchair Electronics	(E2310)	\$2,895
<input type="checkbox"/> DAC	Dual (2) Power Seat Function Controller to Interface through the wheelchair Electronics	(E2310)	\$3,695
With the SAC or DAC, please select one activation and position from the list below			
<input type="checkbox"/> SWTOGGLE	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC) or the Dual (2 Actuators) Power Seat Function Controller (DAC)		STD
<input type="checkbox"/> SWPUSH1	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC)		STD
<input type="checkbox"/> SWPUSH2	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC) or the Dual (2 Actuators) Power Seat Function Controller (DAC)		STD
<input type="checkbox"/> SWTJSS	Single actuator activation through the Joystick or Specialty Controls		N/C
	▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC)		
<input type="checkbox"/> SWTJSD	Dual actuator activation through the Joystick or Specialty Controls		N/C
	▲ Requires the Dual (2 Actuators) Power Seat Function Controller (DAC)		
<input type="checkbox"/> SWTVR2	Tilt only activation through 6-key PG Drives VR2 Joysticks		N/C
	▲ Requires the P&G 6-Key VR2 Joystick from Amysystems, Quickie or Pride.		
<input type="checkbox"/> EPSEL	Tilt only activation through PG Drives R-Net EL Joysticks		N/C
	▲ Requires the P&G R-Net EL Joystick from Amysystems or Quickie		
<input type="checkbox"/> SWTMK6-ACCT	Tilt only activation through Invacare:	<input type="checkbox"/> SPJ-PSS	<input type="checkbox"/> SPJ-ACC
	▲ Requires the SPJ-ACC, SPJ-PSS or MPJ Joystick with the MK690-ACC controller from Invacare.	<input type="checkbox"/> MPJ	N/C

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

<input type="checkbox"/> MAC	Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through the Electronics	(E2311)	\$3,695
With the MAC, please select one activation and position from the list below			
<input type="checkbox"/> SWMULTI	4-Way Toggle Switch (Up to 4 Activations)	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		N/C
<input type="checkbox"/> SWMULTIT	Triple Toggle Switch (Up to 5 Activations)	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		N/C
<input type="checkbox"/> SWPUSH4	4-Way Push Button Switch	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		N/C
<input type="checkbox"/> SWPUSH5	5-Way Push Button Switch	<input type="checkbox"/> User	<input type="checkbox"/> Attendant
	▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		N/C
<input type="checkbox"/> SWTJSM	Multiple Actuator activation through the Joystick or Specialty Controls		STD
	▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		

▼ SWITCH ACTIVATION HAND MOUNT

<input type="checkbox"/> TSML	Install Switch on LH side	N/C
<input type="checkbox"/> TSMR	Install Switch on RH side	N/C

▼ JOYSTICK MOUNT

- SOSWJSM** Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis (E1028) \$375
 Set-up with standard installation to swing-away sideways
 Set-up at 35° to swing-away sideways and downwards

▼ JOYSTICK MOUNT SUPPORT

- JSMFH** Joystick mount support Bracket STD

▼ JOYSTICK HAND MOUNT

- HML** Install Joystick on Left hand side
 HMR Install Joystick on Right hand side

▼ PRE-SET BACK ANGLE (For Non-Reclining Backs)

- SOBAA** Please select one: 86° 94° 102° 110° 118° 90° 98° 106° 114° 122° N/C

▼ PEDIATRIC ADJUSTABLE SEAT WIDTH RANGE BETWEEN 11" AND 16"

- SOWN11-16** Width adjustment from 11" to 16" and Depth range of 11" to 16" N/C
▲ Seat to Floor Height increases by 1½" N/C
- 11" (SOWN11) 13" (SOWN13) 15" (SOWN15)
 12" (SOWN12) 14" (SOWN14) 16" (SOWN16)

▼ PEDIATRIC ADJUSTABLE SEAT DEPTH RANGE BETWEEN 11" AND 16"

- 11" (SODN11) 13" (SODN13) 15" (SODN15)
 12" (SODN12) 14" (SODN14) 16" (SODN16)

▼ STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

- SOWN15-20-19** Width adjustment from 15" to 20" with a maximum Depth of 19" N/C
 SOWN15-20-22 Width adjustment from 15" to 20" with a maximum Depth of 22" The minimum seat depth with this seat option is 18" Deep N/C
- 15" (SOWN15) 17" (SOWN17) 19" (SOWN19S)
 16" (SOWN16) 18" (SOWN18) 20" (SOWN20S)

▼ LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

- SOWN19-24-22** Width adjustment from 19" to 24" and Depth range of 18" to 22" The minimum seat depth with this seat option is 18" Deep N/C
- 19" (SOWN19L) 21" (SOWN21) 23" (SOWN23)
 20" (SOWN20L) 22" (SOWN22) 24" (SOWN24)

▼ CUSTOM WIDTH ABOVE 25"

- SOWCUS** Custom Seat Width Specify: _____ \$ 465.00

▼ ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

- 15" (SODN15) 18" (SODN18) 21" (SODN21)
 16" (SODN16) 19" (SODN19) 22" (SODN22)
 17" (SODN17) 20" (SODN20)
- With a 22" long Seat Pan SOWN15-20-22 and SOWN19-24-22, the minimum possible seat depth is 18".

▼ CUSTOM DEPTH ABOVE 22"

- SODCUS** Custom Seat Depth Specify: _____ \$ 250.00

▼ BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- 16" (SOBCH16) 22" (SOBCH22) 22" is the minimum back cane height required with a power or manual recline.
 18" (SOBCH18) 24" (SOBCH24)
 20" (SOBCH20) 26" (SOBCH26)

▼ CUSTOM BACK CANE HEIGHT ABOVE 27"

- SOBHCUS** Custom Back Cane Height Specify: _____ \$ 250.00

▼ **BACK SUPPORT**

<input type="checkbox"/> STDSB	Standard contour back support 15" to 24" Wide with a maximum shell height of 22" ▲ The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back	(Not Coded)	N/C
<input type="checkbox"/> NOACB-	NXT OPTIMA FH AC CONTOUR BACK (15" to 21" Wide)	(E2620)	\$660
<input type="checkbox"/> NOACB-	NXT OPTIMA FH AC CONTOUR BACK (22" to 24" Wide) ▲ The actual back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back	(E2621)	\$705
<input type="checkbox"/> NOPCB- NEW!	NXT OPTIMA FH PC DEEP CONTOUR BACK (15" to 21" Wide)	(E2620)	\$660
<input type="checkbox"/> NOPCB- NEW!	NXT OPTIMA FH PC DEEP CONTOUR BACK (22" to 24" Wide) ▲ The actual back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back. This product is not compatible with Lateral Trunk Supports	(E2621)	\$705
<input type="checkbox"/> STDSBO	Omission of the Contour Back Support ▲ It is recommended to use the Back Support option with the power or manual recline.	Specify Model of Back Support: _____	N/C

▼ **BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

<input type="checkbox"/> 16" (SOBH16)	<input type="checkbox"/> 24" (SOBH24)	This height is not available with the NXT Optima option (NOACB or NOPCB)
<input type="checkbox"/> 18" (SOBH18)	<input type="checkbox"/> 26" (SOBH26)	
<input type="checkbox"/> 20" (SOBH20)	<input type="checkbox"/> 28" (SOBH28)	
<input type="checkbox"/> 22" (SOBH22)	22" is the minimum back height required with a power or manual recline.	

▼ **SEAT CUSHIONS**

► **CG Air - THERAPEUTIC AIR CUSHION**

<input type="checkbox"/> Single Valve 15" to 21" Wide	(E2622)	CELL HEIGHT <input type="checkbox"/> 2"
<input type="checkbox"/> Single Valve 22" to 24" Wide	(E2623)	<input type="checkbox"/> 3"
<input type="checkbox"/> Custom Cushion (Please use the CG Air Order Form)		<input type="checkbox"/> 4"
<input type="checkbox"/> CGA1VSCxxxx-x	CG Air Single Valve (with Standard 2-way Stretch Cover)	\$510
<input type="checkbox"/> CGA1V3Dxxxx-x	CG Air Single Valve (with 3D Mesh Cover)	\$564
<input type="checkbox"/> CGA1VICxxxx-x	CG Air Single Valve (with Incontinence Cover) ▲ The actual cushion sizes only come in even numbers for width and depth measurements.	\$535

► **NXT BIO-FIT CUSHION**

<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion (15" to 21" Wide)	(E2607)	\$418
<input type="checkbox"/> NXTBIOFIT	NXT BIO FIT Cushion (22" to 24" Wide) ▲ The actual cushion sizes only come in even numbers for width and depth measurements.	(E2608)	\$445

▼ **CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)**

<input type="checkbox"/> SOAFBFLH	Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" in 1" increments)	STD
<input type="checkbox"/> SOAFBFRH	Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" in 1" increments)	STD
<input type="checkbox"/> SOAFBDLH	Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" in 1" increments)	N/C
<input type="checkbox"/> SOAFBDRH	Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" in 1" increments)	N/C

▼ **DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)**

<input type="checkbox"/> SOADPPLH	Pediatric Dual Post Height Adjustable - Left Side (Height Adjustable from 7 ¼" - 10 ¼")	(E0973)	\$120
<input type="checkbox"/> SOADPPRH	Pediatric Dual Post Height Adjustable - Right Side (Height Adjustable from 7 ¼" - 10 ¼")	(E0973)	\$120
<input type="checkbox"/> SOADPFLH	Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	(E0973)	\$120
<input type="checkbox"/> SOADPFRH	Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	(E0973)	\$120
<input type="checkbox"/> SOADPDLH	Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	(E0973)	\$120
<input type="checkbox"/> SOADPDRH	Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	(E0973)	\$120

▼ **RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)**

<input type="checkbox"/> SOANIFLH	Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" in ½" increments)	N/C
<input type="checkbox"/> SOANIFRH	Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" in ½" increments)	N/C
<input type="checkbox"/> SOANIDLH	Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" in ½" increments)	N/C
<input type="checkbox"/> SOANIDRH	Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" in ½" increments)	N/C

▼ **ARMREST HEIGHT ADJUSTMENT AT FACTORY**

Please set the Armrest Height at: _____ "

▲ The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post

▼ ARMPADS

► Foam Type Selection

<input type="checkbox"/> SOWAPD	Desk Length Waterfall (10") ▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	STD
<input type="checkbox"/> SOWAPF	Full Length Waterfall (14") ▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	STD

► Hybrid Gel and Foam Type Selection (The Gel always stays soft)

<input type="checkbox"/> SOGELD	Desk Length Hybrid Gel and Foam Flat armpad (10")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$35
<input type="checkbox"/> SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$35
<input type="checkbox"/> SOWGELD	Desk Length Hybrid Gel and Foam Waterfall armpad (10") ▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$45
<input type="checkbox"/> SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad (14") ▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$45

► Specialty Type Selection

<input type="checkbox"/> SOCAR	Arm Trough with Hand Support (18" x 4 1/2") (E2209) ▲ Arm Trough Armpads may interfere with Armrests Flipping back.	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$128
--------------------------------	--	---	-------

▼ FOOTRESTS

<input type="checkbox"/> SOPAAF	Pediatric Swing-Away Footrests ▲ Depending on seat configuration, 70°, 80° and 90° might not be available. Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° <input type="checkbox"/> 90° Select Footrest Range: <input type="checkbox"/> SOFLP5 (5 1/2" - 7 1/2") <input type="checkbox"/> SOFLP8 (8 1/2" - 10 1/2") <input type="checkbox"/> SOFLP10 (10 1/2" - 15 1/2")		STD
<input type="checkbox"/> SOSAAF	Adult Swing-Away Footrests ▲ This option is not available with the pediatric seat frame. Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 1/2" - 15 1/2") <input type="checkbox"/> SOFLA14 (14 1/2" - 19 1/2")		STD
<input type="checkbox"/> SOAAF	Adult Heavy Duty Swing-Away footrests ▲ This option is not available with the pediatric seat frame. Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2")		\$475
<input type="checkbox"/> ADDPL	Adult Power Elevating & Articulating Legrests ▲ This option is not available with the pediatric seat frame. This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function. Please Select Function: <input type="checkbox"/> Individual <input type="checkbox"/> Combined Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")	(E1010)	\$3,795

▼ FOOTPLATES & ACCESSORIES

<input type="checkbox"/> SOSFAF	Flip-up Footplates		STD
<input type="checkbox"/> SOAFP	Angle Adjustable & Flip-up Footplates - Each	(K0040)	\$85
<input type="checkbox"/> SOAHL	Heel Loops - Each	(E0951)	\$21
<input type="checkbox"/> SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each	(E0995)	\$38

▼ FOOTREST LENGTH ADJUSTMENT AT FACTORY

Please set the Footrest Length at: _____"
The Footrest Length is taken from the top of the seat pan to the top of the footplate.

▼ CENTER MOUNTS

<input type="checkbox"/> SOAAF90	90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 94° to 70°) ▲ Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate. This option is not compatible with RWD models such as the Invacare Storm, Quickie S636 / S646, Quickie P220 / P222, Pride Rival Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBA16 (16 1/2" - 19 1/2")		N/C
<input type="checkbox"/> ADDPF	NEW! 90° Power Center Mount Elevating & Articulating Foot Platform ▲ This option includes calf pads. The power center mount counts as one power function. Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). This option is not compatible with RWD models such as the Invacare Storm, Quickie S636 / S646, Quickie P220 / P222, Pride Rival Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (10 1/2" - 16") <input type="checkbox"/> SOFBPW16 (16" - 20")	(E1012 / K0108)	\$3,795

▼ FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform		N/C
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each	(K0040)	\$85
<input type="checkbox"/>	SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each	(E0995)	\$38

▼ FOOT PLATFORM LENGTH ADJUSTMENT AT FACTORY

Please set the Foot Platform Length at: _____ "

The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

▼ SEAT POSITIONING

<input type="checkbox"/>	SOAUTO	55" Seat Positioning Strap		STD
<input type="checkbox"/>	SOAUTO80	80" Seat Positioning Strap		\$75
<input type="checkbox"/>	SOBPHP2C	Bodypoint padded Hip Belt (Two Point - Center Pull)	(E0978)	\$150
<input type="checkbox"/>	SOBPCS	Bodypoint padded Chest Strap	(E0960)	\$215

▼ HEADREST

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOMAH located below. Specify: _____		
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9"	(E0955)	\$233
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10"	(E0955)	\$233
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11"	(E0955)	\$233
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware	(E1028)	\$238
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline)		N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame (For Reclining Backs)		N/C

▼ LATERAL TRUNK SUPPORTS

Please select one of the lateral pads and the adjustable & removable hardware.

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Each) - 3" x 5"	(E0956)	\$112
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6"	(E0956)	\$112
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Each) - 5" x 7"	(E0956)	\$112
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Each	(E1028)	\$238

▲ The Lateral Trunk Supports are not compatible with the NXT Optima FH PC 6" Deep Contour Fixed Thoracic Back Support (NOPCB)

▼ HIP & THIGH SUPPORTS

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4"	(E0956)	\$112
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5"	(E0956)	\$112
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6"	(E0956)	\$112
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Each	(E1028)	\$238

▼ ACCESSORIES

<input type="checkbox"/>	SOCH	Cup Holder (Self-Leveling)		\$90
<input type="checkbox"/>	SOCPH	Ram Mounts X-Grip Cell Phone Holder		\$120
<input type="checkbox"/>	SOTHS	Ram Mounts X-Grip Small Tablet Holder		\$170
<input type="checkbox"/>	SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel		\$270

▼ BACK PACK AND ARMREST SIDE POUCHES

<input type="checkbox"/>	SOBP	Back Pack (Comes with durable straps that can be hooked around the back canes)		\$79
<input type="checkbox"/>	SOAP	Armrest Side Pouch (Comes with durable straps that can be hooked around the armrest tubes) Order <input type="checkbox"/> Left Side <input type="checkbox"/> Right Side		\$57

▲ If only choosing one (1) armrest pouch, please show what side it should be installed

▼ SWITCHES AND OPTIONS

<input type="checkbox"/>	SSBS	Buddy Button Switch	(K0108)	\$150
<input type="checkbox"/>	SSES	Egg Switch-Black	(K0108)	\$150
<input type="checkbox"/>	SSML	Ultra Light Switch	(K0108)	\$155

▼ CUSTOM SECTION

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

▼ O² Holder

- SUPOXY** Custom Non-Articulating Oxygen Tank Holder (E2208) \$270
 ▲ Not available with a power tilt and/or power recline
 - SUPOXYA** Custom Articulating Oxygen Tank Holder (K0108) \$1,195
 ▲ Required with a power tilt and/or power recline
- D-Size Oxygen Tank (* 22" Tall x 4.3" Diameter) * The height includes the valve
 - E-Size Oxygen Tank (* 31" Tall x 4.3" Diameter) * The height includes the valve
 - MLH (Mount on Left)
 - MRH (Mount on Right)

▼ VENT TRAY (Please complete in Full)

Amysystems does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

- SOVENT** Custom Vent Tray (E1030) \$1,420
 Articulating Vent Box
 ▲ Required with Power Tilt and/or Recline
 - Fixed Vent Box** (E1029) \$400
- Specify Vent Model: _____
- SOVTBE** Custom Tray for Ventilator Battery (K0108) \$495
 - The Vent is being powered by 1 U1 Battery
 - The Vent is being powered by 1 22NF Battery
 - The Vent is being powered by 1 Group 24 Battery
 - The Vent is being powered by 1 Group 34 Battery

▼ CUSTOM SECTION - Continued

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

▼ OTHER CUSTOM OPTIONS (Request For Quote)

Please specify details and specifications for these options.

- CUSTOM** Power Anterior Tilt RFQ
- CUSTOM** 4-Point wheelchair tie downs RFQ
 ▲ 4-Point wheelchair transport brackets are not crash-tested in accordance with WC-19, Use these transport brackets only to secure an unoccupied wheelchair during transport.
- CUSTOM** Power Lateral Tilt 15° Raise the Left Side only Raise the Right Side only Raise the Left & Right Side RFQ
- CUSTOM** Power Elevating Stretcher (Please call CSR for availability with configuration and user weight capacity) RFQ
- CUSTOM** Power Flip-up Foot Platform (Please call CSR for availability with configuration and user weight capacity) RFQ
- CUSTOM** Power Vertical Lifting Foot Platform (Please call CSR for availability with configuration and user weight capacity) RFQ
- CUSTOM** Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan RFQ
- CUSTOM** Endomorphic Back Canes (Pair) 1" per side towards the inside = 2" in 2" per side towards the inside = 4" in RFQ
- CUSTOM** Transfer Handles (Pair) RFQ
- CUSTOM # 1** Other custom options. Specify in notes section below. RFQ
- CUSTOM # 2** Other custom options. Specify in notes section below. RFQ

▼ SEAT TO FLOOR HEIGHT SPECIFICATION (If not standard)

- SOMHSS** Specific seat to floor height requirement other than standard. RFQ
 Specify at: _____ " (± ¼" Range)

▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS

